

PD ISO/PAS 19697:2014



BSI Standards Publication

**Ships and marine technology
— Navigation and ship
operations — Electronic
inclinometers**

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of ISO/PAS 19697:2014.

The UK participation in its preparation was entrusted to Technical Committee EPL/80, Maritime navigation and radiocommunication equipment and systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.
Published by BSI Standards Limited 2014

ISBN 978 0 580 87050 7

ICS 47.020.70

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 December 2014.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

PUBLICLY
AVAILABLE
SPECIFICATION

ISO/PAS
19697

First edition
2014-12-15

**Ships and marine technology —
Navigation and ship operations —
Electronic inclinometers**

*Navires et technologie maritime — Navigation et opérations
maritimes — Inclinomètres électroniques*



Reference number
ISO/PAS 19697:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	2
4.1 General.....	2
4.2 Functionality.....	3
4.3 Information.....	3
4.3.1 Actual heel angle and roll amplitude.....	3
4.3.2 Roll period.....	3
4.3.3 Roll peak hold value.....	3
4.4 Display.....	3
4.5 Status indication.....	4
4.6 Alert.....	4
4.6.1 Operational alert.....	4
4.6.2 Functional alert.....	5
4.7 Interface.....	5
4.8 Continuous operation.....	5
4.9 Power supply.....	6
5 Accuracy	6
5.1 Actual heel angle, roll amplitude, and roll period.....	6
5.2 Acceleration condition.....	6

6	Test methods and required results	6
6.1	General	6
6.2	Static actual heel angle test	6
6.2.1	Method of testing	6
6.2.2	Required test result	6
6.3	Dynamic actual heel angle test	7
6.3.1	Method of testing	7
6.3.2	Required test result	7
6.4	Long term actual heel angle test	7
6.4.1	Method of testing	7
6.4.2	Required test result	7
6.5	Roll period test	7
6.5.1	Method of testing	7
6.5.2	Required test result	8
6.6	Connections to other equipment test	8
6.6.1	Method of testing	8
6.6.2	Required test result	8
6.7	Display test	8
6.7.1	Method of testing	8
6.7.2	Required test results	8
6.8	Status indication test	10
6.8.1	Method of testing	10
6.8.2	Required test results	10
6.9	Operational alert test	10
6.9.1	Method of testing	10
6.9.2	Required test results	11
6.10	Functional alert test	11
6.10.1	Method of testing	11
6.10.2	Required test results	12
6.11	The roll peak hold value test	12
6.11.1	Method of testing	12
6.11.2	Required test results	12
6.12	The reset function of roll peak hold value test	12
6.12.1	Method of testing	12
6.12.2	Required test results	13
6.13	Power supply test	13
7	Installation position	13
8	Information	13
Annex A (informative) Relation between transverse metacentric stability and measured natural roll period of ships in wave		14
Annex B (informative) Test facility type test methodology		17
Bibliography		19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 8, *Ships and marine technology*, Subcommittee SC 6, *Navigation and ship operations*.

[Annex A](#) is for information only and [Annex B](#) forms detailed test methods.

Introduction

An electronic inclinometer is an electronic device that provides information about roll period, roll amplitude, and heel angle of the ship. Electronic inclinometers are intended to support decision-making processes on board in order to avoid dangerous situations as well as assist in maritime casualty investigation. The requirements in this Publicly Available Specification take into account human factors, ergonomic principles, and advances in technology.

Currently in preview, click buy full version

Ships and marine technology — Navigation and ship operations — Electronic inclinometers

1 Scope

This Publicly Available Specification specifies the performance requirements, methods of testing, and test results of electronic inclinometers required by the performance standard, IMO resolution MSC.363 (92) in addition to the general requirements contained in resolution A.694 (17) and is associated with IEC 60945.

The electronic inclinometers provide information about actual heel angle, roll amplitude, roll period to support decision-making process on board in order to avoid dangerous situations as well as to assist in maritime casualty investigation. The electronic inclinometers are mainly composed of a set of sensors, a signal processor, a display, an input device, and an interface to other systems.

It does not apply to the electronic inclinometers installed for purposes, which are outside the scope of this Publicly Available Specification, e.g. monitoring of cargo status.

Where a requirement in this Publicly Available Specification is different from IEC 60945, the requirement in this Publicly Available Specification takes precedence.

NOTE All requirements that are extracted from the recommendations of IMO Resolution MSC.363 (92), performance standards for electronic inclinometers, are printed in italics and the resolution and paragraph numbers are indicated in brackets.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems — General requirements — Methods of testing and required test results*

IEC 61162-1, *Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 1: Single talker and multiple listeners*

IEC 61162-2, *Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 2: Single talker and multiple listeners, high-speed transmission*

IEC 61162-3, *Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 3: Serial data instrument network*

IEC 61162-450, *Maritime navigation and radiocommunication equipment and systems — Digital interfaces — Part 4: Multiple talkers and multiple listeners — Ethernet interconnection*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

actual heel angle

momentary angle of roll referenced to a levelled ship to port or starboard side

[SOURCE: IMO MSC.363 (92) Paragraph 3.1]