PD ISO/TR 17243-2:2017

BSI Standards Publication

Machine tool spindles — Evaluation of spindle vibrations by measurements on non-rotating parts

Part 2: Direct-driven spindles and belt-driven spindles with rolling element bearings operating at speeds between 600 r/min and 30 000 r/min

Currently in preview, click buy full version

bsi.

National foreword

This Published Document is the UK implementation of ISO/TR 17243-2:2017.

The UK participation in its preparation was entrusted to Technical Committee MTE/1/2, Machine tools - Accuracy.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 91587 1

ICS 25.080.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

Amendments/corrigenda issued since publication

Date	Text affected

urrently in preview, click buy full versi

TECHNICAL REPORT

ISO/TR 17243-2

First edition
2017-08

Machine tool spindles — Evaluation of spindle vibrations by measurements on non-rotating parts —

Part 2: Direct-driven spindles and belt-driven spindles with rolling element bearings operating at speeds between 600 r/min and 30 000 r/min

Broches pour machines-outils — Évaluation des vibrations des broches par mesurage sur les parties non tournantes —

Partie 2: Broches à entraînement direct et broches à entraînement par courroie à roulements à billes opérant à des vitesses entre 600 r/min et 30 000 r/min

Reference number
ISO/TR 17243-2:2017(E)

© ISO 2017

urrently in preview, click buy full versi

urrently in preview, click buy full versi

COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **2**

4 Preliminary operations ... **3**
4.1 General ... 3
4.2 Process load ... 3
4.3 Spindle speed ... 3
4.4 Thermal conditions ... 4
4.5 Spindle position and orientation ... 4
4.6 Tool or workpiece balancing ... 4
4.6.1 General ... 4
4.6.2 Spindle vibration measurements with a tool/workpiece mounted in the spindle 4
4.6.3 Spindle vibration measurements without tool/workpiece ... 4
4.7 Spindle chuck ... 5
4.8 Spindle cooling ... 5
4.9 Drawbar ... 5
4.10 Background vibration ... 5
4.11 Idle operation ... 5

5 Measurement and operational procedures ... **5**
5.1 Measuring instruments ... 5
5.2 Measurement locations/directions ... 6
5.2.1 General ... 6
5.2.2 Naming convention for measurement locations ... 7
5.3 Sensor mounting procedures ... 7

6 Evaluation parameters ... **8**
6.1 Vibration velocity parameter ... 8
6.1.1 General ... 8
6.1.2 Spindles with maximum speed between 6 000 r/min and 30 000 r/min ... 8
6.1.3 Spindles with maximum operating speed below 6 000 r/min ... 9
6.2 Vibration acceleration parameter ... 9

7 Spindle classification ... **10**
7.1 General ... 10
7.2 Classification according to rated power ... 10
7.3 Classification according to maximum spindle speed ... 10
7.4 Classification according to bearing type ... 10

8 Evaluation ... **11**
8.1 General ... 11
8.1.1 Overview ... 11
8.1.2 Measurement uncertainty ... 11
8.2 Criterion I: vibration magnitude ... 11
8.2.1 General ... 11
8.2.2 Evaluation zones ... 12
8.2.3 Exemplary evaluation zone boundaries ... 12
8.3 Criterion II: change in vibration magnitude ... 12
8.4 General zone boundaries ... 12
8.5 Examples of evaluation zone boundary values ... 13
8.6 Operational limits ... 14
8.6.1 General ... 14
8.6.2 Setting of alerts ... 14
8.6.3 Setting of alarms ... 14
8.6.4 Setting of the threshold for shutdown ... 15

Currently in preview, click buy full version

© ISO 2017 – All rights reserved

Annex A (informative) **Introduction to alternative bearing condition assessment techniques** **16**
Bibliography **18**

urrently in preview, click buy full versi

© ISO 2017 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 2, *Test conditions for metal cutting machine tools*.

A list of all parts in the ISO 17243 series, published under the general title, *Machine tool spindles — Evaluation of spindle vibrations by measurements on spindle housing*, can be found on the ISO website.

urrently in preview, click buy full versi

© ISO 2017 – All rights reserved

urrently in preview, click buy full versi

Machine tool spindles — Evaluation of spindle vibrations by measurements on non-rotating parts —

Part 2: Direct-driven spindles and belt-driven spindles with rolling element bearings operating at speeds between 600 r/min and 30 000 r/min

1 Scope

This document provides information on how to assess the severity of machine tool spindle vibrations measured on the spindle housing. It gives specific guidance for assessing the severity of vibration measured on the spindle housing at customer sites or at the machine tool manufacturer's test facilities.

Its vibration criteria apply to direct-driven spindles and belt-driven spindles intended for stationary machine tools with nominal operating speeds between 600 r/min and 30 000 r/min.

It is applicable to those spindles of the rolling element bearing types only, to spindles assembled on metal cutting machine tools, and for testing, periodic verification, and continuous monitoring.

It does not address

— geometrical accuracy of axes of rotation (see ISO 230-7),

— unacceptable cutting performance with regards to surface finish and accuracy,

— vibration severity issues of machine tool spindles operating at speeds below 600 r/min or exceeding 30 000 r/min (due to lack of supporting vibration data and limitations in many vibration measurement instruments), or

— frequency domain analyses such as fast Fourier transform (FFT) analyses, envelope analyses or other similar techniques.

Annex A presents an introduction to alternative bearing condition assessment techniques.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1925, *Mechanical vibration — Balancing — Vocabulary*

ISO 2041, *Mechanical vibration, shock and condition monitoring — Vocabulary*

ISO 2954, *Mechanical vibration of rotating and reciprocating machinery — Requirements for instruments for measuring vibration severity*

ISO 13372, *Condition monitoring and diagnostics of machines — Vocabulary*

Currently in preview, click buy full version

© ISO 2017 – All rights reserved