



BSI Standards Publication

Nanotechnologies — Considerations for in vitro studies of airborne nano-objects and their aggregates and agglomerates (NOAA)

National foreword

This Published Document is the UK implementation of ISO/TR 21624:2020.

The UK participation in its preparation was entrusted to Technical Committee NTI/1, Nanotechnologies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 580 96113 7

ICS 07.120

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2020.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

**Nanotechnologies — Considerations
for in vitro studies of airborne nano-
objects and their aggregates and
agglomerates (NOAA)**

*Nanotechnologies — Considérations pour les études in vitro
des nano-objets en suspension dans l'air et de leurs agrégats et
agglomérats (NOAA)*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020. Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Considerations for in vitro systems for assessing inhalation exposure to NOAA	3
5.1 Background.....	3
5.2 Modes of exposure.....	4
5.2.1 General.....	4
5.2.2 Considerations for ALI exposure systems.....	5
5.3 Considerations for characterizing NOAA tested in vitro studies of airborne nanomaterials.....	9
5.4 Choice of cell systems.....	10
5.4.1 General.....	10
5.4.2 Mono-culture systems.....	10
5.4.3 Co-cultures/three-dimensional systems.....	12
6 Choice of appropriate dose and dose metrics	14
6.1 General.....	14
6.2 In silico methods to assess dose/dose metric and deposition.....	15
7 Summary	16
Annex A (informative) Application of adverse outcome pathways (AOPs) to design in vitro-based approaches	17
Bibliography	18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 229, *Nanotechnologies*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Inhalation is one of the prominent routes by which humans can come in contact with natural, unintended and engineered nano-objects and their aggregates and agglomerates (NOAA). Due to the physiological, biochemical and anatomical differences between humans and animals, as well as the considerable time, cost and animal numbers required to conduct in vivo toxicity tests, there is much interest in developing in vitro strategies for risk assessment that are based on human cells and mechanisms of toxicity. To enable comparability of the results of in vitro assay and in vivo effects observed after inhalation of NOAA, certain parameters should be considered, including:

- a) the choice of cell types;
- b) characterization of the NOAA throughout the assay, including life-cycle transformations;
- c) the choice of nano-object concentration relevant to human exposures;
- d) generation of NOAA form that mimics human exposures;
- e) the use of relevant dispersants;
- f) the use of appropriate mode of exposure (submerged or air liquid interface) and exposure duration^[1].

This document includes descriptions of the aforementioned parameters with regard to using in vitro-based strategies for assessing specific aspects related to the inhalation toxicity of NOAA. For example, for inhalation studies, it is critical to choose the proper equipment for generation, exposure to, and characterization of the nano-objects. This document includes information about available in vitro aerosol exposure chambers and biological models that have been used to assess the inhalation toxicity of NOAA. This document does not include details regarding the techniques for aerosol generation or characterization of specific nanomaterials (NMs), their life cycle transformations or in vivo testing. An overview of the aerosol generation of NMs and in vivo testing is given in ISO/TR 19601^[2].

Nanotechnologies — Considerations for in vitro studies of airborne nano-objects and their aggregates and agglomerates (NOAA)

1 Scope

This document collates information regarding the systems available for exposure and assessment of nano-objects and their aggregates and agglomerates (NOAA) for in vitro air exposure studies. It provides an overview of the various exposure systems and in vitro cell systems used to perform in vitro studies that simulate an inhalation toxicology study design.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

aerosol

system of solid or liquid particles suspended in gas

[SOURCE: ISO 15900:2009, 2.1]

3.2

agglomerate

collection of weakly bonded particles or *aggregates* (3.3) or mixtures of the two where the resulting external surface area is similar to the sum of the surface areas of the individual components

Note 1 to entry: The forces holding an agglomerate together are weak forces, for example van der Waals forces, or simple physical entanglement.

Note 2 to entry: Agglomerates are also termed secondary particles and the original source particles are termed primary particles.

[SOURCE: ISO/TS 80004-4:2011, 2.8]

3.3

aggregate

particle comprising strongly bonded or fused particles where the resulting external surface area may be significantly smaller than the sum of calculated surface areas of the individual components

Note 1 to entry: The forces holding an aggregate together are strong forces, for example covalent bonds, or those resulting from sintering or complex physical entanglement.

Note 2 to entry: Aggregates are also termed secondary particles and the original source particles are termed primary particles.