



BSI Standards Publication

**Polyurethane tubing for  
use primarily in pneumatic  
installations — Dimensions and  
specification**

**National foreword**

This Published Document is the UK implementation of ISO/TS 11619:2014.

The UK participation in its preparation was entrusted to Technical Committee PRI/66, Rubber and plastics tubing, hoses and hose assemblies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 85118 6

ICS 23.040.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 28 February 2014.

**Amendments issued since publication**

Date	Text affected
------	---------------

---

TECHNICAL  
SPECIFICATION

**ISO/TS**  
**11619**

First edition  
2014-02-15

---

---

**Polyurethane tubing for use primarily  
in pneumatic installations —  
Dimensions and specification**

*Tubes en polyuréthane utilisés principalement dans les installations  
pneumatiques — Dimensions et spécifications*



Reference number  
ISO/TS 11619:2014(E)

© ISO 2014



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword.....	iv
Introduction.....	v
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Materials and construction.....</b>	<b>1</b>
<b>5 Dimensions and tolerances.....</b>	<b>1</b>
5.1 Outside diameters, wall thickness and tolerances.....	1
5.2 Length tolerances.....	2
<b>6 Performance requirements.....</b>	<b>2</b>
6.1 Hydrostatic testing at 23 °C ± 2 °C.....	2
6.2 Hydrostatic testing at 60 °C ± 2 °C.....	3
6.3 Maximum working pressure.....	3
6.4 Minimum bend radius.....	3
<b>7 Type, routine and production testing.....</b>	<b>4</b>
<b>8 Marking.....</b>	<b>4</b>
<b>9 Recommendations for packing and storage.....</b>	<b>4</b>
<b>Annex A (normative) Test frequency.....</b>	<b>5</b>
<b>Annex B (informative) Recommended tests for production testing.....</b>	<b>6</b>
<b>Bibliography.....</b>	<b>7</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 1, *Rubber and plastics hoses and hose assemblies*.

## Introduction

This Technical Specification has been prepared to provide minimum acceptable requirements for the satisfactory performance of thermoplastic polyurethane tubing used mainly in pneumatic applications.

The tubing conveys compressed air which controls and powers pneumatic systems.

This Technical Specification will be revised to an International Standard when ISO 14743 has been revised and published in ISO/TC 131.

Currently in preview, click buy full version

Currently in preview, click buy full version

# Polyurethane tubing for use primarily in pneumatic installations — Dimensions and specification

**WARNING** — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.

## 1 Scope

This Technical Specification specifies the requirements for flexible thermoplastic polyurethane tubing conveying compressed air, for use in the ambient temperature range from 23 °C to 60 °C, in sizes from 3 mm to 12 mm outside diameter. Working pressure depends on the tube size and the service temperature (see [Table 4](#)). Tubing may be used with push on connectors which are specified in ISO 14743.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1307, *Rubber and plastics hoses — Hose sizes, minimum and maximum inside diameters, and tolerances on cut-to-length hoses*

ISO 1402, *Rubber and plastics hoses and hose assemblies — Hydrostatic testing*

ISO 10619-1:2011, *Rubber and plastics hoses and tubing — Measurement of flexibility and stiffness — Part 1: Bending tests at ambient temperature*

ISO 8330, *Rubber and plastics hoses and hose assemblies — Vocabulary*

ISO 8331, *Rubber and plastics hoses and hose assemblies — Guidelines for selection, storage, use and maintenance*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8330 apply.

## 4 Materials and construction

The tubing shall be manufactured from polyester or polyether based polyurethane and shall be homogeneous, and free from surface imperfections. The tubing is extruded and can be coloured to user requirements. For applications where there is moisture or water present above 40 °C, polyurethane materials with good hydrolysis resistance would be required. This must be specified by the user to the supplier of the tubing.

## 5 Dimensions and tolerances

### 5.1 Outside diameters, wall thickness and tolerances

The outside diameters and tolerances of tubing shall meet the requirements given in [Table 1](#).