



BSI Standards Publication

**Use of UV-Vis absorption
spectroscopy in the
characterization of cadmium
chalcogenide colloidal
quantum dots**

National foreword

This Published Document is the UK implementation of ISO/TS 17466:2015.

The UK participation in its preparation was entrusted to Technical Committee NTI/1, Nanotechnologies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 82527 9

ICS 07.030

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2015.

Amendments issued since publication

Date	Text affected
------	---------------

**Use of UV-Vis absorption spectroscopy
in the characterization of cadmium
chalcogenide colloidal quantum dots**

*Utilisation de la spectroscopie d'absorption dans l'UV-visible
pour la caractérisation des points quantiques colloïdaux des
chalcogénures de cadmium*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015. Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms, definitions, and abbreviated terms	1
2.1 Terms and definitions.....	1
2.2 Abbreviated terms.....	1
3 Principle	2
3.1 General.....	2
3.2 UV-Vis absorption spectroscopy.....	2
3.3 Absorption peaks of quantum dots in the UV-Vis region.....	2
3.4 Relation between quantum dot diameter and optical absorption peak wavelength.....	3
3.5 Relation between quantum dot concentration and optical absorption peak intensities.....	4
3.5.1 Normalization of absorbance A for samples with wide size distributions.....	4
3.5.2 Derivation of extinction coefficient ϵ from particle size.....	4
4 Sample preparation	5
5 Measurement procedure	5
5.1 UV-Vis spectrometer.....	5
5.2 Optical measurement procedure.....	5
5.3 Recommended conditions.....	5
6 Data analysis and interpretation of results	5
6.1 Data analysis for approximation of QD size.....	6
6.2 Data analysis for characterization of QD concentration.....	6
7 Measurement uncertainty	6
8 Test report	6
Annex A (informative) Case study for determining the diameters of CdSe QDs from UV-Vis absorption spectra	8
Annex B (informative) Case study for determining the number concentrations of CdSe QDs in a dispersion	15
Bibliography	18

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 229, *Nanotechnologies*.

Introduction

Engineered nanoparticles of semiconductor materials with sizes down to the extent where the behaviour of electrons and holes are affected by the quantum confinement often possess unique electronic and optical properties intermediate between those of bulk semiconductors and those of discrete molecules. This normally refers to a nanoparticle diameter comparable to the Bohr radius of the exciton for the particular semiconductor material. Such nanoparticles are generally called quantum dots (QDs). A significant feature of these nanoparticles resulting from quantum confinement of charge carriers is size dependence of their electronic structure and, consequently, the excitonic absorption and emission wavelengths. Particularly, the transition energy from the valence band to the conduction band, and consequently the onset of absorption and the first excitonic transition (referred to here as first absorption peak position), is a function of the diameter of the particle (see Reference [1]).

Quantum dots commonly present sophisticated core-shell structures with a ligand shell controlling solubility and subsequent chemical functionalization. They are typically synthesized by chemical methods, with large-scale production and their size, shape, composition, and structure control capabilities. Commercially available quantum dots are mainly made from cadmium chalcogenide (CdTe, CdSe, CdS) materials. The size dependence of emission maximum, narrow emission band width, and good photostability make these engineered nanoparticles appealing in biological labelling and optoelectronics applications (see Reference [2]).

Ultraviolet-visible (UV-Vis) absorption spectroscopy has become a routine method to characterize QDs in a colloidal dispersion, by utilizing the relationship between the wavelength of the first excitonic absorption peak and the particle size that has been established for extensive photophysics research in the past, and using analytical methods for high-quality cadmium chalcogenide (CdTe, CdSe, CdS) materials of narrow size distribution. Key properties, such as average nanoparticle size and number concentration, can be approximately calculated from the measured absorption spectra. This Technical Specification intends to facilitate the use of UV-Vis spectroscopy for the characterization of quantum dot colloidal dispersions.

Currently in preview, click buy full version

Use of UV-Vis absorption spectroscopy in the characterization of cadmium chalcogenide colloidal quantum dots

1 Scope

This Technical Specification provides guidelines for estimating the diameter and the number concentration of monodisperse cadmium chalcogenide (CdTe, CdSe, CdS) quantum dots (QDs) with a narrow size distribution in a colloidal dispersion using Ultraviolet-visible (UV-Vis) absorption spectroscopy.

The analysis of the spheroidal particle size is applicable to the diameter range of 3,5 nm to 9 nm for CdTe, 1 nm to 8 nm for CdSe, and 1 nm to 5,5 nm for CdS and is recommended for samples with narrow size distributions.

2 Terms, definitions, and abbreviated terms

2.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1.1

quantum dot

QD

crystalline nanoparticle that exhibits size-dependent properties due to quantum confinement effects on the electronic states

[SOURCE: ISO/TS 27687:2008, definition 4.7]

2.1.2

quantum confinement

boundary condition resulting in phenomena when electrons and holes in a material are confined by a potential well in one dimension (quantum well), in two dimensions (quantum wire), or in three dimensions (quantum dot)

[SOURCE: ISO/IEC DIS 8 004-12, definition 2.5]

2.1.3

first excitonic absorption

light absorption in quantum dots originating from the electronic transition from ground state to first excitonic excited state

2.2 Abbreviated terms

QD	quantum dot
TEM	transmission electron microscopy
TOPO	trioctylphosphine oxide
OPA	n-octylphosphonate
HDA	hexadecylamine