



BSI Standards Publication

Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2)

Part 15: Traffic event compact (TPEG2-TEC)

National foreword

This Published Document is the UK implementation of ISO/TS 21219-15:2016.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 90970 2
ICS 03.220.01; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2016.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL
SPECIFICATION

ISO/TS
21219-15

First edition
2016-06-01

**Intelligent transport systems —
Traffic and travel information (TTI)
via transport protocol experts group,
generation 2 (TPEG2) —**

**Part 15:
Traffic event compact (TPEG2-TEC)**

*Systèmes intelligents de transport — Informations sur le trafic et le
tourisme via le groupe expert du protocole de transport, génération 2
(TPEG2) —*

Partie 15: Événement trafic compact (TPEG2-TEC)



Reference number
ISO/TS 21219-15:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016. Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Application specific constraints	2
5.1 Application identification.....	2
5.2 Version number signalling.....	2
5.3 Ordered components.....	3
5.4 Extension.....	3
5.5 TPEG Service Component Frame.....	4
6 TEC Structure	4
7 TEC Message components	5
7.1 TECMessage.....	5
7.2 MMCSwitch.....	5
7.3 MessageManagement.....	5
7.4 Event.....	5
7.5 Cause.....	8
7.6 DirectCause.....	9
7.7 Causes and sub-causes.....	10
7.8 LinkedCause.....	10
7.8.1 Rules.....	11
7.8.2 Further constraints.....	11
7.8.3 Coding Examples.....	11
7.9 Advice.....	14
7.10 VehicleRestriction.....	14
7.11 DiversionRoute.....	15
7.11.1 Description for Creating and Applying Diversions.....	15
7.11.2 Strategy for Coding a Diversion.....	15
7.12 TemporarySpeedLimit.....	17
7.13 ProblemLocation.....	21
7.14 RestrictionLocation.....	21
7.15 SegmentLocation.....	21
8 TEC Datatypes	21
8.1 RestrictionType.....	21
8.2 SegmentModifier.....	21
8.3 TemporarySpeedLimitSection.....	21
9 TEC Tables	22
9.1 tec001:EffectCode.....	22
9.2 tec002:CauseCode.....	22
9.3 tec003:WarningLevel.....	24
9.4 tec004:LaneRestriction.....	25
9.5 tec005:AdviceCode.....	25
9.6 tec006:Tendency.....	26
9.7 tec007:RestrictionType.....	27
9.8 tec008:DiversionRoadType.....	28
9.9 tec009:VehicleType.....	28
9.10 tec100:SubCauseType.....	29
9.11 tec101:TrafficCongestion.....	30
9.12 tec102:Accident.....	30

9.13	tec103:Roadworks	30
9.14	tec104:NarrowLanes	30
9.15	tec105:Impassability	31
9.16	tec106:SlipperyRoad	31
9.17	tec108:Fire	32
9.18	tec109:HazardousDrivingConditions	32
9.19	tec110:ObjectsOnTheRoad	32
9.20	tec111:AnimalsOnRoadway	33
9.21	tec112:PeopleOnRoadway	33
9.22	tec113:BrokenDownVehicles	34
9.23	tec115:RescueAndRecoveryWorkInProgress	34
9.24	tec116:RegulatoryMeasure	34
9.25	tec117:ExtremeWeatherConditions	35
9.26	tec118:VisibilityReduced	35
9.27	tec119:Precipitation	36
9.28	tec120:RecklessPersons	36
9.29	tec123:MajorEvent	36
9.30	tec124:ServiceNotOperating	37
9.31	tec125:ServiceNotUseable	37
9.32	tec126:SlowMovingVehicles	37
9.33	tec127:DangerousEndOfQueue	38
9.34	tec128:RiskOfFire	38
9.35	tec129:TimeDelay	38
9.36	tec130:PoliceCheckpoint	39
9.37	tec131:MalfunctioningRoadsideEquipment	39
9.38	tec200:SubAdviceType	39
9.39	tec202:OvertakingNotAllowed	40
9.40	tec203:DrivingNotAllowed	40
9.41	tec207:GiveWayToVehiclesFromBehind	40
9.42	tec208:FollowDiversion	41
9.43	tec213:DriveCarefully	41
9.44	tec214:DoNotLeaveYourVehicle	41
9.45	tec216:UseTollLanes	41
Annex A (normative) TPEG TEC, TPEG-Event Representation		42
Annex B (normative) TPEG application, TPEG-ML Representation		50
Bibliography		63

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

ISO/TS 21219 consists of the following parts, under the general title *Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2)*:

- Part 1: Introduction, numbering and versioning (TPEG2-INV) [Technical Specification]
- Part 2: UML modelling rules [Technical Specification]
- Part 3: UML to binary conversion rules [Technical Specification]
- Part 4: UML to XML conversion rules [Technical Specification]
- Part 5: Service framework (TPEG2-SFW) [Technical Specification]
- Part 6: Message management container (TPEG2-MMC) [Technical Specification]
- Part 9: Service and network information (TPEG2-SNI) [Technical Specification]
- Part 10: Conditional access information (TPEG2-CAI) [Technical Specification]
- Part 14: Parking information application (TPEG2-PKI) [Technical Specification]
- Part 15: Traffic event compact [Technical Specification]
- Part 18: Traffic flow and prediction application (TPEG2-TFP) [Technical Specification]
- Part 19: Weather information (TPEG2-WEA) [Technical Specification]

The following parts are under preparation:

- Part 16: Fuel price information and availability application (TPEG2-FPI) [Technical Specification]
- Part 23: Road and multi-modal routes application (TPEG2-RMR) [Technical Specification]
- Part 24: Light encryption (TPEG2-LTE) [Technical Specification]

— *Part 25: Electromobility charging infrastructure (TPEG2-EMI) [Technical Specification]*

The following parts are planned:

- *Part 7: Location referencing container [Technical Specification]*
- *Part 11: Universal location reference [Technical Specification]*
- *Part 21: Geographic location referencing [Technical Specification]*
- *Part 22: OpenLR location referencing [Technical Specification]*

Currently in preview, click buy full version

Introduction

History

TPEG technology was originally proposed by the European Broadcasting Union (EBU) Broadcast Management Committee, who established the B/TPEG project group in the autumn of 1997 with a brief to develop, as soon as possible, a new protocol for broadcasting traffic and travel-related information in the multimedia environment. TPEG technology, its applications and service features were designed to enable travel-related messages to be coded, decoded, filtered and understood by humans (visually and/or audibly in the user's language) and by agent systems. Originally, a byte-oriented data stream format, which may be carried on almost any digital bearer with an appropriate adaptation layer, was developed. Hierarchically structured TPEG messages from service providers to end-users were designed to transfer information from the service provider database to an end-user's equipment.

One year later, in December 1998, the B/TPEG group produced its first EBU specifications. Two documents were released. Part 2 (TPEG-SSF, which became ISO/TS 18234-2) described the Syntax, Semantics and Framing structure, which was used for all TPEG applications. Meanwhile, Part 4 (TPEG-RTM, which became ISO/TS 18234-4) described the first application for Road Traffic Messages.

Subsequently, in March 1999, CEN/TC 278, in conjunction with ISO/TC 204, established a group comprising members of the former EBU B/TPEG and this working group continued development work. Further parts were developed to make the initial set of four parts enabling the implementation of a consistent service. Part 3 (TPEG-SNI, ISO/TS 18234-3) described the Service and Network Information Application used by all service implementations to ensure appropriate referencing from one service source to another.

Part 1 (TPEG-INV, ISO/TS 18234-1) completed the series by describing the other parts and their relationship; it also contained the application IDs used within the other parts. Additionally, Part 5, the Public Transport Information Application (TPEG-PTI, ISO/TS 18234-5), was developed. The so-called TPEG-LOC location referencing method, which enabled both map-based TPEG-decoders and non-map-based ones to deliver either map-based location referencing or human readable text information, was issued as ISO/TS 18234-6 to be used in association with the other applications parts of the ISO/TS 18234 series to provide location referencing.

The ISO/TS 18234 series has become known as TPEG Generation 1.

TPEG Generation 2

When the Traveller Information Services Association (TISA), derived from former forums, was inaugurated in December 2007, TPEG development was taken over by TISA and continued in the TPEG applications working group.

It was about this time that the (then) new Unified Modelling Language (UML) was seen as having major advantages for the development of new TPEG Applications in communities who would not necessarily have binary physical format skills required to extend the original TPEG TS work. It was also realized that the XML format for TPEG described within the ISO/TS 24530 series (now superseded) had a greater significance than previously foreseen, especially in the content-generation segment and that keeping two physical formats in synchronism, in different standards series, would be rather difficult.

As a result, TISA set about the development of a new TPEG structure that would be UML based. This has subsequently become known as TPEG Generation 2.

TPEG2 is embodied in the ISO/TS 21219 series and it comprises many parts that cover introduction, rules, toolkit and application components. TPEG2 is built around UML modelling and has a core of rules that contain the modelling strategy covered in ISO/TS 21219-2, ISO/TS 21219-3, ISO/TS 21219-4 and the conversion to two current physical formats: binary and XML; others could be added in the future. TISA uses an automated tool to convert from the agreed UML model XMI file directly into an MS Word document file, to minimize drafting errors, that forms the Annex for each physical format.

TPEG2 has a three container conceptual structure: Message Management (ISO/TS 21219-6), Application (many Parts) and Location Referencing (ISO/TS 21219-7). This structure has flexible capability and can accommodate many differing use cases that have been proposed within the TTI sector and wider for hierarchical message content.

TPEG2 also has many location referencing options as required by the service provider community, any of which may be delivered by vectoring data included in the Location Referencing Container.

The following classification provides a helpful grouping of the different TPEG2 parts according to their intended purpose.

- Toolkit parts: TPEG2-INV (ISO/TS 21219-1), TPEG2-UML (ISO/TS 21219-2), TPEG2-UBCR (ISO/TS 21219-3), TPEG2-UXCR (ISO/TS 21219-4), TPEG2-SFW (ISO/TS 21219-5), TPEG2-PMC (ISO/TS 21219-6), TPEG2-LRC (ISO/TS 21219-7), TPEG2-LTE (ISO/TS 21219-24);
- Special applications: TPEG2-SNI (ISO/TS 21219-9), TPEG2-CAI (ISO/TS 21219-10);
- Location referencing: TPEG2-ULR (ISO/TS 21219-11), TPEG2-GLR (ISO/TS 21219-21), TPEG2-OLR (ISO/TS 21219-22);
- Applications: TPEG2-PKI (ISO/TS 21219-14), TPEG2-TEC (ISO/TS 21219-15), TPEG2-FPI (ISO/TS 21219-16), TPEG2-TFP (ISO/TS 21219-18), TPEG2-WEA (ISO/TS 21219-19), TPEG2-RMR (ISO/TS 21219-23), TPEG2-EMI (ISO/TS 21219-25).

TPEG2 has been developed to be broadly (but not totally) backward compatible with TPEG1 to assist in transitions from earlier implementations, while not hindering the TPEG2 innovative approach and being able to support many new features, such as dealing with applications having both long-term, unchanging content and highly dynamic content, such as Parking Information.

This part of ISO/TS 21219 is based on the TISA specification. Technical/editorial version reference:

SP13001/3.2/002

Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2) —

Part 15: Traffic event compact (TPEG2-TEC)

1 Scope

This part of ISO/TS 21219 specifies the TPEG application: Traffic Event Compact (TEC). The TEC application has been specifically designed to support information about traffic events (e.g. road works, traffic jams). A specific form of traffic events are local hazard warnings which, being safety-related messages, are sent with high priority to warn a driver that may encounter dangerous situations (e.g. black-ice, accident beyond curves, obstacles on road, etc.) unexpectedly.

Generally, the Traffic Event Compact application is designed to allow receivers to

- ensure travel safety for the driver,
- enable the calculation of alternative routes,
- avoid delays (e.g. traffic jams),
- warn the driver of obstructions on route, and
- provide the driver with information on infrastructural problems (e.g. closed petrol stations, non-functioning emergency telephones).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 21219-4, *Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2) — Part 4: UML to XML conversion rules*

ISO/TS 21219-6, *Intelligent transport systems — Traffic and travel information via transport protocol experts group, generation 2 (TPEG2) — Part 6: Message management container (TPEG2-MMC)*

ISO/TS 21219-7¹⁾, *Intelligent transport systems — Traffic and travel information (TTI) via transport protocol experts group, generation 2 (TPEG2) — Part 7: Location referencing container (TPEG2-LOC)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

local hazard warning

specific form of traffic events which, being safety-related messages, are sent with high priority to assist a driver from encountering dangerous situations

1) Planned.