

CGA C-1—2022
METHODS FOR PRESSURE
TESTING COMPRESSED GAS
CYLINDERS AND TUBES

TWELFTH EDITION

Currently in preview, click to buy full version

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our website, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA. Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 20-036
Cylinder Specifications Committee

NOTE—Technical changes from the previous edition are underlined.

NOTE—Appendices A, C, D, E, and F (Informative) are for information only.

NOTE—Appendix B (Normative) is a requirement.

TWELFTH EDITION: 2022
ELEVENTH EDITION: 2016
TENTH EDITION: 2009
NINTH EDITION: 2006

© 2022 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	1
4 Overview	4
4.1 Water jacket method.....	4
4.2 Direct expansion method.....	4
4.3 Proof pressure method.....	4
4.4 Regulatory approval of cylinder requalifier	4
4.5 Visual inspection of cylinders at time of requalification	4
5 Water jacket method	5
5.1 Scope	5
5.2 Requirements	7
5.3 Test system components.....	9
5.4 Calibrated cylinder.....	13
5.5 Test system accuracy verification.....	13
5.6 Test procedure	15
5.7 Cylinder retesting.....	15
6 Direct expansion method.....	16
6.1 Scope	16
6.2 Test system components.....	18
6.3 Calibrated cylinder.....	18
6.4 Expansion determination of test system and component	19
6.5 Test system accuracy verification.....	19
6.6 Test procedure	21
7 Proof pressure method.....	23
7.1 Scope	23
7.2 Test system components.....	24
7.3 Test system accuracy verification	24
7.4 Test procedures.....	26
8 References	27
Figures	
Figure 1—Typical schematic diagram of water jacket test apparatus.....	6
Figure 2—Total expansion	7
Figure 3—Permanent expansion	7
Figure 4—Zero point	8
Figure 5—Adjustment of water level in burette for expansion readings.....	10
Figure 6—Example of burette-style EID requirements.....	10
Figure 7—Typical nonburette EID systems.....	11
Figure 8—Typical microprocessor-based EID systems	11
Figure 9—Typical schematic diagram of direct expansion test apparatus.....	17
Figure 10—Factors for compressibility of water	22
Figure 11—Typical schematic diagram of liquid-based proof pressure test apparatus	23
Appendices	
Appendix A—Sources of regulatory information (Informative).....	28
Appendix B—Test system component calibration (Normative).....	29
Appendix C—Marking of cylinders requalified by the water jacket or direct expansion methods (Informative) .	31
Appendix D—Sample forms for cylinder requalification (Informative).....	33
Appendix E—Troubleshooting (Informative)	38
Appendix F—Checklists (Informative).....	43

Appendix figures

Figure C-1—Example of DOT cylinder marking	32
Figure C-2—Example of TC cylinder marking.....	32

Appendices tables

Table D-1—Test apparatus calibration verification data for water jacket volumetric expansion testing	33
Table D-2—Direct expansion hydrostatic requalifying of cylinders	34
Table D-3—Requalification data sheet	35
Table D-4—Requalification retest data sheet for proof testing	36
Table D-5—Test apparatus calibration verification data for proof testing	37
Table F-1—Checklist for accuracy verification of test system (Direct expansion method)	43
Table F-2—Checklist for determining the expansion of test system and components (Direct expansion method)	44
Table F-3—Checklist for hydrostatic testing of cylinders (Direct expansion method)	45

Currently in preview, click buy full version

1 Introduction

Pressure testing of compressed gas cylinders is required for many newly manufactured cylinders and is also an accepted test method for the requalification of cylinders. The referenced edition of the applicable documents, as specified by the U.S. Department of Transportation (DOT) in Title 49 of the U.S. *Code of Federal Regulations* (49 CFR), in Canada by Transport Canada (TC) in CSA B339, *Cylinders, spheres, and tubes for the transportation of dangerous goods*, and CSA B341, *UN pressure receptacles and multiple-element gas containers for the transport of dangerous goods* as referenced by the *Transportation of Dangerous Goods Regulations*, or the authority having jurisdiction shall be available at each facility conducting pressure testing/requalification [1, 2, 3, 4].¹

For the testing/requalification of cylinders manufactured under a special permit or equivalency certificate, a current copy of that special permit or equivalency certificate shall also be available. See Appendix A for addresses of agencies and organizations that produce these documents.

For the manufacturing tests or requalification of a cylinder or tube manufactured under an international standard, pressure testing shall be performed in accordance with the requirements of the relevant cylinder design standard or relevant cylinder requalification standard specified by national or international competent authorities.

2 Scope

This standard contains operating and equipment requirements necessary to properly perform pressure testing of compressed gas cylinders.

NOTE—For purposes of this standard, cylinder(s) also means tubes unless otherwise stated.

3 Definitions

For the purpose of this standard, the following definitions apply.

3.1 Publication terminology

3.1.1 Shall

Indicates that the procedure is mandatory. It is used whenever the criterion for conformance to specific recommendations allows no deviation.

3.1.2 Should

Indicates that a procedure is recommended.

3.1.3 May

Indicates that the procedure is optional.

3.1.4 Will

Is used only to indicate the future, not a degree of requirement.

3.1.5 Can

Indicates a possibility or ability.

3.2 Technical definitions

3.2.1 Accuracy

Degree of conformity of a measured or calculated quantity to its actual (true) value.

3.2.2 Accuracy grade

Inherent quality of the device.

NOTE—Accuracy grade expresses the maximum error allowed for the device at any reading and is expressed as a percentage of the full scale of the device.

¹ References are shown by bracketed numbers and are listed in order of appearance in the reference section.