



CGA E-5—2017
OXY-FUEL TORCH STANDARD
SIXTH EDITION

Currently in preview, click buy full version

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our website, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA. Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 15-016
Industrial Gases Apparatus Committee

NOTE—Technical changes from the previous edition are underlined.

NOTE—Appendix A (Informative) is for information only.

SIXTH EDITION: 2017
FIFTH EDITION: 2010
FOURTH EDITION: 2004
THIRD EDITION: 1998

© 2017 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Scope	1
2 Definitions	1
3 Torches	2
4 Safety	3
4.1 Backfire	3
4.2 Sustained backfire	3
4.3 Flashback	3
4.4 Backflow	3
5 Performance	3
5.1 Flow capacity	3
5.2 Mixer performance	4
6 Materials of construction	4
7 Torch inlets	4
8 Valves	4
9 Gas tightness	5
10 Venting	5
11 Durability	5
12 Testing	5
12.1 Design and qualification tests	5
12.2 Production tests	6
12.3 Leak tests	6
13 Marking	6
13.1 Manufacturer's identification	7
13.2 Gas connections	7
13.3 Other components	7
13.4 Torches	7
14 Instructions	7
15 References	7
16 Additional references	7
 Figures	
Figure 1—Typical oxy-fuel hand cutting torch	2
Figure 2—Typical three hose oxy-fuel machine cutting torch	2
Figure 3—Typical oxy-fuel welding/cutting torch with attachments	3
Figure 4—Source of re-ignition firebrick, concrete block, or other suitable material	6
 Appendix	
Appendix A—Minimum recommended flowrates and typical oxy-fuel ratios for welding, cutting, and heating equipment (Informative)	8
 Appendix Tables	
Table A-1—Flowrates for oxy-acetylene welding for tips up to 0.12 in (3 mm) bore	8
Table A-2—Flowrates for oxy-fuel cutting	8
Table A-3—Flowrates for oxy-fuel heating	9
Table A-4—Typical oxy-fuel ratios	9

This page is intentionally blank.

Currently in preview, click buy full version

1 Scope

This standard applies to oxy-fuel gas torches and cutting attachments used for cutting, welding, scarfing, heating, and other similar processes. It contains design and manufacturing requirements for torch materials, construction, safety, performance, test procedures, and marking.

This standard does not apply to air-fuel torches that use compressed air, air at atmospheric pressure, or liquid fuels. It does not include special devices, welding tips, cutting tips, multiflame heating tips, or accessories for special functions.

2 Definitions

For the purpose of this standard, the following definitions apply.

2.1 Publication terminology

2.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

2.1.2 Should

Indicates that a procedure is recommended.

2.1.3 May

Indicates that the procedure is optional.

2.1.4 Will

Is used only to indicate the future, not a degree of requirement.

2.1.5 Can

Indicates a possibility or ability.

2.2 Technical definitions

2.2.1 Cutting attachment

Attachment for cutting metals that is used with a welding or heating torch.

2.2.2 Cutting tip

Nozzle for cutting metals (usually expendable) designed to produce preheat flames and a jet of oxygen.

2.2.3 Cutting torch

Torch designed primarily to cut ferrous metals with preheat flames and cutting oxygen.

2.2.4 Heating tip

Nozzle (usually multi-orificed) for heating objects.

NOTE—A heating tip may be used with a welding torch, a heating torch, or a cutting torch (instead of a cutting tip).

2.2.5 Heating torch

Torch designed primarily for heating.

NOTE—A heating torch usually has a higher flow capacity than a welding torch.

2.2.6 Injector mixer

Mixer in which the pressure of the fuel gas measured immediately before the point of mixing is lower than the pressure of the gas mixture measured between the point of mixing and the tip.