

CGA G-4.15—2019

VACUUM-JACKETED PIPING IN
LIQUID OXYGEN SERVICE

FIRST EDITION

CGA

Compressed Gas Association

The Standard For Safety Since 1913

PREFACE

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has published CGA G-4.15, *Vacuum-Jacketed Piping in Liquid Oxygen Service*, jointly produced by members of the International Harmonization Council.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our website, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 15-111
Atmospheric Gases and Equipment Committee

NOTE—Appendix A (Informative) is for information only.

FIRST EDITION: 2019

© 2019 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 14501 George Carter Way, Suite 103, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

| Contents | Page |
|---|-------------|
| 1 Introduction..... | 1 |
| 2 Scope and purpose | 1 |
| 3 Definitions..... | 1 |
| 4 General hazards and requirements..... | 2 |
| 4.1 Oxygen hazards | 2 |
| 4.2 Hazards and requirements for vacuum-jacketed piping systems in liquid oxygen service..... | 2 |
| 5 Design | 3 |
| 5.1 General vacuum-jacketed piping description..... | 3 |
| 5.2 Vacuum-jacketed piping design considerations | 5 |
| 6 Oxygen compatibility | 14 |
| 6.1 Selection of materials | 14 |
| 6.2 Cleaning | 14 |
| 7 Fabrication, testing, quality assurance/quality control, and shipping | 14 |
| 7.1 Fabrication, testing, and quality assurance/quality control requirements..... | 15 |
| 7.2 Shipping requirements..... | 15 |
| 7.3 Site installation | 16 |
| 8 Operations and maintenance | 16 |
| 8.1 General considerations..... | 16 |
| 8.2 Inspection | 17 |
| 8.3 Vacuum reading | 18 |
| 8.4 Maintenance..... | 18 |
| 8.5 Equipment isolation | 18 |
| 8.6 Management of change..... | 18 |
| 8.7 Protecting open systems when piping or piping components have been removed..... | 19 |
| 8.8 System blowout after major maintenance | 19 |
| 8.9 Change of service | 19 |
| 9 References | 19 |
| 10 Additional references..... | 20 |
| Figures | |
| Figure 1a—Example of vacuum-jacketed piping—Cutaway view..... | 4 |
| Figure 1b—Example of vacuum-jacketed piping—Cutaway view..... | 4 |
| Figure 2—Example of a vacuum-jacketed piping run in service | 5 |
| Figure 3—Internal and external bellows..... | 7 |
| Figure 4a—Cutaway of a typical bayonet design..... | 9 |
| Figure 4b—Cutaway of a typical flange bayonet design | 9 |
| Figure 5—Example of a V-band clamp design..... | 10 |
| Figure 6—Example of a hinged connection | 10 |
| Figure 7—Typical vacuum field closure cutaway view..... | 11 |
| Figure 8—Example of a vacuum-jacketed riser | 12 |
| Figure 9—Examples of well supported bayonet connections | 13 |
| Figure 10—Examples of hangar and roller supports..... | 14 |
| Figure 11—Example of an iced bayonet connection..... | 17 |
| Table | |
| Tab. 1—Examples of vacuum-jacketed pipe weight per length | 13 |
| Appendix | |
| Appendix A—List of typical suitable materials (Informative)..... | 21 |