

CGA

Compressed Gas Association

The Standard For Safety Since 1913

CGA G-6.10—2006

REAFFIRMED 2011

**FLAMMABLE GASES AND/OR
OXYGEN CONTAMINATION IN
CARBON DIOXIDE FEED GAS**

FIRST EDITION

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA. Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 10-061
Carbon Dioxide Committee

NOTE—No technical information has been changed from the 2006 edition. This reaffirmed edition may include minor editorial changes.

REAFFIRMED: 2014
FIRST EDITION: 2006

© 2006 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	1
4 Carbon dioxide	2
4.1 Physical and chemical properties	2
4.2 Manufacture.....	2
5 Physiology of carbon dioxide.....	4
5.1 General.....	4
5.2 Physiological effects of carbon dioxide.....	4
5.3 Physical effects of overexposure to carbon dioxide	4
5.4 Regulatory standards	4
5.5 Safety precautions.....	5
5.6 Rescue and first aid.....	5
6 Explosion theory	5
6.1 Fundamentals of deflagration	5
6.2 Deflagration requirements	6
7 Recommendations	7
7.1 Carbon dioxide source risk analysis	7
7.2 Carbon dioxide supplier communication	7
7.3 Carbon dioxide supplier equipment leaks	7
7.4 Purging and isolation during carbon dioxide supplier maintenance	7
7.5 Adsorber bed issues.....	7
7.6 Adsorber bed temperature monitoring.....	8
7.7 Handling of spent media.....	8
7.8 Catalytic oxidation issues	8
7.9 Oxygen safety training for personnel of carbon dioxide plants with catalytic oxidation systems.....	9
7.10 Feed gas analyzers	9
7.11 Vacuum breakers monitoring.....	9
8 References	9
Table	
Table 1—Physical constants of carbon dioxide	3

This page is intentionally blank.

Currently in preview, click buy full version

1 Introduction

This publication is one of a series compiled by the Compressed Gas Association, Inc., (CGA) to satisfy the demand for information relative to the production, storage, transportation, safe handling, and use of compressed and liquefied gases, cryogenic liquids, and related products.

Most merchant liquid carbon dioxide sold in North America is a by-product recovered from sources such as ammonia fertilizer plants, ethanol fermentation, petroleum refinery hydrogen reformers, a variety of petrochemical processes, and natural wells. The by-product gas typically is transported by pipeline from the source to adjacent carbon dioxide purification and liquefaction plants.

Typical by-product carbon dioxide contains 95% to 99.9% carbon dioxide on a dry basis, although some lower purity sources also are used. Depending on the source, the by-product gas also contains a variety of impurities. During process upsets at the source plants, the quantity of impurities can increase significantly and relative concentrations can vary. A number of energy releases at by-product carbon dioxide plants have been attributed to the presence of high levels of hydrogen, hydrocarbons, oxygen, or a combination of these contaminants in the carbon dioxide plant feed gas.

2 Scope

This publication alerts carbon dioxide producers to potential risks related to changing carbon dioxide feed gas composition. It also discusses the dangers related to excess oxygen or hydrocarbon levels in catalytic oxidation and sulfur and hydrocarbon removal systems used to purify carbon dioxide. In addition, potential fire hazards that can be encountered when spent adsorbent media is exposed to air during periodic replacement are reviewed. Finally, this publication provides recommendations to prevent fire and explosions related to these causes in by-product carbon dioxide plants.

3 Definitions

For the purpose of this publication, the following definitions apply.

3.1 Carbon dioxide

Chemical compound consisting of one atom of carbon bonded to two atoms of oxygen, expressed by the chemical formula CO_2 .

NOTE—The shipping name for carbon dioxide in unregulated cylinders in the United States and Canada is “Carbon Dioxide.”

3.2 Carbon dioxide feed gas

Unprocessed (other than compression and/or cooling) gas that flows from a carbon dioxide source plant to a carbon dioxide plant.

NOTE—This gas can contain a variety of components other than carbon dioxide including water vapor, oxygen, nitrogen and other noncondensable gases, carbon monoxide, light hydrocarbons, heavy hydrocarbons, sulfur compounds, oxygenated compounds, volatile organic compounds, or a combination of these contaminants.

3.3 Carbon dioxide feed gas source

Any plant with one or more processes generating gaseous carbon dioxide, usually as a by-product.

NOTE—Examples include steam methane (or hydrocarbon) reforming, grain fermentation, waste acid neutralization, iron ore processing, ethylene oxide production, hydrocarbon combustion, etc. This definition also includes carbon dioxide found within naturally occurring geological formations (wells).

3.4 Carbon dioxide feed gas supplier

Holder or owner of a carbon dioxide feed gas source.

3.5 Carbon dioxide plant

Any installed facility that is capable of producing liquid carbon dioxide meeting required industry product specifications.