

# CGA

Compressed Gas Association

The Standard For Safety Since 1913

## CGA P-45—2018 FIRE HAZARDS OF OXYGEN AND OXYGEN-ENRICHED ATMOSPHERES

SECOND EDITION

Currently in preview, click buy full version

## PREFACE

As part of a program of harmonization of industry standards, the Compressed Gas Association (CGA) has issued CGA P-45, *Fire Hazards of Oxygen and Oxygen-Enriched Atmospheres*, jointly produced by members of the International Harmonization Council and originally published by the European Industrial Gases Association (EIGA) as EIGA Doc 04, *Fire Hazards of Oxygen and Oxygen-Enriched Atmospheres*.

This publication is intended as an international harmonized standard for the worldwide use and application of all members of the Asia Industrial Gases Association (AIGA), Compressed Gas Association (CGA), European Industrial Gases Association (EIGA), and Japan Industrial and Medical Gases Association (JIMGA). Each association's technical content is identical, except for regional regulatory requirements and minor changes in formatting and spelling.

## PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the user, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, [www.cganet.com](http://www.cganet.com).

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at [www.cganet.com](http://www.cganet.com). For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: [customerservice@cganet.com](mailto:customerservice@cganet.com).

Work Item 16-007  
Safety and Health Committee

NOTE—Technical changes from the previous edition are underlined.

SECOND EDITION: 2018  
FIRST EDITION: 2011

© Reproduced with permission from, the European Industrial Gases Association. All rights reserved.

<b>Contents</b>	<b>Page</b>
1 Introduction.....	1
2 Scope and purpose .....	1
3 Definitions.....	1
4 General properties.....	1
4.1 Oxygen supports and accelerates combustion.....	2
4.2 Oxygen gives no warning .....	2
4.3 Oxygen is heavier than air.....	2
5 Fire hazards with oxygen .....	2
5.1 Necessary conditions for a fire .....	2
5.2 Oxygen .....	2
5.3 Combustible material.....	5
5.4 Ignition sources .....	6
6 Prevention of fires in oxygen systems.....	7
6.1 Information/training.....	7
6.2 Design .....	8
6.3 Prevention of oxygen enrichment.....	8
6.4 Oxygen cleanliness .....	9
6.5 Control of hot work .....	9
7 Methods of oxygen detection .....	9
8 Protection of personnel .....	10
8.1 Clothes .....	10
8.2 Analysis.....	10
8.3 Firefighting equipment.....	10
8.4 Smoking.....	10
8.5 Emergency response and rescue.....	10
9 Summary of recommendations .....	11
10 References .....	11
11 Additional references.....	13
<b>Figures</b>	
Figure 1—Fire triangle .....	2
Figure 2—Reactivity for fire exposed cotton in increasing oxygen levels .....	6
<b>Appendices</b>	
Appendix A—Checklist for daily operations involving oxygen.....	14
Appendix B—Examples of the hazards of oxygen and oxygen-enriched atmospheres.....	20

This page is intentionally blank.

Currently in preview, click buy full version

## 1 Introduction

This publication explains the fire hazards resulting from handling oxygen and the relevant protective measures that should be taken.

## 2 Scope and purpose

The intent of this publication is to provide personnel working with oxygen, or potentially in or near oxygen-enriched atmospheres, with a high level of awareness of the fire and explosion hazards associated with these conditions. Oxygen levels less than 19.5% constitute an oxygen-deficient atmosphere and may only be entered using special precautions. See CGA SB-2, *Oxygen-Deficient Atmospheres* or EIGA Doc 44, *Hazards of inert gases and oxygen depletion* [1, 2].<sup>1</sup>

Appendix A is a summary of the information in this publication suitable to be produced as a pamphlet to be handed to those involved in daily operations involving oxygen or used as a supplement to safety presentations.

Appendix B lists some incidents that have taken place in recent years that can be used as examples underlining the hazards of oxygen and oxygen-enriched atmospheres.

## 3 Definitions

For the purpose of this publication, the following definitions apply.

### 3.1 Publication terminology

#### 3.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

#### 3.1.2 Should

Indicates that a procedure is recommended.

#### 3.1.3 May

Indicates that the procedure is optional.

#### 3.1.4 Will

Is used only to indicate the future, not a degree of requirement.

#### 3.1.5 Can

Indicates a possibility or ability.

### 3.2 Technical definitions

#### 3.2.1 Oxygen-enriched atmosphere

Air and gas mixtures in which the oxygen concentration by volume exceeds 23.5% at sea level or whose partial pressure of oxygen exceeds 175 torr (mm Hg) [3].

#### 3.2.2 Pressure

Bar is all metric gauge pressure unless otherwise noted, i.e., bar, abs for absolute pressure and bar, dif for differential pressure.

## 4 General properties

Oxygen, which is essential to life, is not flammable in itself, but supports and accelerates combustion. The normal oxygen concentration in atmospheric air is approximately 21% by volume.

<sup>1</sup> References are shown by bracketed numbers and are listed in order of appearance in the reference section.