

CGA P-5—2019

**CARE OF HIGH PRESSURE
CYLINDERS FOR
UNDERWATER BREATHING**

SEVENTH EDITION

CGA
Compressed Gas Association

The Standard For Safety Since 1913

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information contact CGA. Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 17-024
Cylinder Specifications Committee

NOTE—Technical changes from the previous edition are underlined

SEVENTH EDITION: 2019
SIXTH EDITION: 2013
FIFTH EDITION: 2005
FOURTH EDITION: 2000

© 2019 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 14501 George Carter Way, Suite 103, Chantilly VA 20151. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	1
4 Description of cylinders	1
4.1 Cylinder types.....	1
4.2 Coating and linings.....	3
5 Charging of cylinders.....	4
5.1 Incorrect charging (filling).....	4
5.2 Maximum charge (fill) pressure	4
6 Precautions in use of cylinders.....	4
6.1 Water.....	4
6.2 Handling	4
6.3 Storage.....	5
6.4 Lubrication.....	5
6.5 Thermal damage	5
6.6 Cleaning and refinishing.....	5
7 Inspection and requalification.....	6
7.1 Annual visual inspection.....	6
7.2 Periodic requalification	7
8 References	8
9 Additional references.....	8
Figures	
Figure 1—3AL Marking of an exemption or special permit aluminum alloy cylinder.....	3
Figure 2—Inspection of neck interior of aluminum alloy cylinders	6

This page is intentionally blank.

Currently in preview, click buy full version

1 Introduction

Steel and aluminum alloy compressed gas cylinders used for underwater diving service in self-contained underwater breathing apparatus (SCUBA) are exposed to extremely harsh conditions. Corrosion caused by seawater can weaken cylinders and residue from corrosion can clog valves and regulators resulting in reduced or blocked airflow. Proper maintenance ensures a long life, satisfactory service, safety, and reliability for cylinders used in underwater diving.

2 Scope

This publication provides recommendations for the care of high pressure cylinders for underwater breathing. In recognition of the extreme conditions to which compressed gas cylinders used for underwater diving service are exposed, this publication supplements information contained in the references listed in Section 8.

This publication is not intended to give detailed or specific recommended procedures for cleaning, part stripping, inspection, valve maintenance, etc., that would be better provided by the cylinder manufacturer or distributor of the compressed gas underwater equipment.

This publication also recognizes that other types of SCUBA do exist. Closed circuit oxygen and mixed gas systems have special cylinder requirements. All requests for information concerning such equipment should be directed to the cylinder manufacturer.

3 Definitions

For the purpose of this publication, the following definitions apply.

3.1 Publication terminology

3.1.1 Shall

Indicates that the procedure is mandatory. It is used where the criterion for conformance to specific recommendations allows no deviation.

3.1.2 Should

Indicates that a procedure is recommended.

3.1.3 May

Indicates that the procedure is optional.

3.1.4 Will

Is used only to indicate the future of a degree of requirement.

3.1.5 Can

Indicates a possibility or ability.

4 Description of cylinders

4.1 Cylinder types

4.1.1 Regulatory crown markings on SCUBA cylinders

A variety of cylinders are in SCUBA diving service in the United States and Canada, all of which have the following in common:

A marking denoting the regulatory authority that governs the specification. For example, for U.S. cylinders, the regulatory marking of ICC was used prior to January 1, 1970 and DOT or UN/ISO has been used since. In Canada, regulatory markings of CRC, BTC, and CTC were used prior to 1993, and TC or UN/ISO has been used since. CTC/DOT has been used in dual regulatory marking of cylinders;