

CGA[®]

Compressed Gas Association

The Standard For Safety Since 1913

CGA V-16—2023 GUIDELINE FOR THE APPLICATION OF CGA PUBLICATIONS TO CYLINDER VALVES

SECOND EDITION

Currently in preview, click buy full version

PLEASE NOTE:

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our web site, www.cganet.com.

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at www.cganet.com. For more information, contact CGA. Phone: 703-788-2700, ext. 799. E-mail: customerservice@cganet.com.

Work Item 22-040
Cylinder Valve Committee

NOTE—Technical changes from the previous edition are underlined

SECOND EDITION: 2023

FIRST EDITION: 2016

© 2023 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

Contents	Page
1 Introduction.....	1
2 Scope	1
3 Definitions.....	1
4 Applicable publications	1
4.1 CGA V-9, <i>Compressed Gas Association Standard for Compressed Gas Cylinder Valves</i> [1].....	1
4.2 CGA S-1.1, <i>Pressure Relief Device Standards—Part 1—Cylinders for Compressed Gases</i> [4]	2
4.3 CGA S-7, <i>Standard Method for Selecting Pressure Relief Devices for Compressed Gas Mixtures in Cylinders</i> [6]	2
4.4 CGA V-1, <i>Standard for Compressed Gas Cylinder Valve Outlet and Inlet Connections</i> [8].....	2
4.5 CGA V-7, <i>Standard Method of Determining Cylinder Valve Outlet Connections for Industrial Gas Mixtures</i> [9].....	2
4.6 CGA P-47, <i>Guidelines for FTSC Codes and Current Gas Listings</i> [7]	3
4.7 CGA P-66, <i>Guideline for the Selection of Pressure Relief Devices and Valve Outlets for UN Marked Cylinders</i> [12]	3
4.8 CGA V-19, <i>Marking Requirements to Mitigate Potential Cylinder and Cylinder Valve Thread Mismatches (formerly TB-16)</i> [13].....	3
4.9 CGA V-7.1, <i>Standard Method of Determining Cylinder Valve Outlet Connections for Medical Gases</i> [11].....	3
4.10 CGA PS-24, <i>Use of Tapered and Parallel (Straight) Threads in Aluminum Alloy Cylinders</i> [15]	3
4.11 CGA V-11, <i>Guideline for the Installation of Valves Into High Pressure Aluminum Alloy Cylinders</i> [16].....	3
4.12 CGA V-15, <i>Use of Residual Pressure Valves</i> [18].....	4
4.13 CGA TM-7, <i>eLearning: Introduction to Compressed Gas Cylinder Valves</i> [19]	4
4.14 CGA V-21, <i>Torque Guidelines for Sealing CGA Valve Outlet Connections (formerly TB-14)</i> [20].....	4
5 Use of applicable standards when selecting cylinder valves	4
6 References	6
 Table	
Table 1—Valve selection guidelines	5
 Figure	
Figure 1—Guideline for the application of CGA publications to cylinder valves	5

1 Introduction

Several CGA publications have been developed to promote public safety in the use of compressed gas cylinder valves.

2 Scope

This guideline helps cylinder valve users, buyers, sellers, manufacturers, and others in the application of the standards to ensure the safe and proper use of cylinder valves.

The following publications are applicable when selecting a cylinder valve; however, specific engineering specifications such as materials of construction, leak tightness, and valve type, are based on end use applications and are the responsibility of the user.

3 Definitions

For the purpose of this publication, the following definitions apply.

3.1 Publication terminology

3.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

3.1.2 Should

Indicates that a procedure is recommended.

3.1.3 May

Indicates that the procedure is optional.

3.1.4 Will

Is used only to indicate the future, not a degree of requirement.

3.1.5 Can

Indicates a possibility or ability.

4 Applicable publications

4.1 CGA V-9, *Compressed Gas Association Standard for Compressed Gas Cylinder Valves* [1]¹

This standard informs cylinder valve users, buyers, sellers, manufacturers, and others in the safe and proper use of cylinder valves.

This standard covers cylinder valve design, manufacture, and use including performance requirements such as operating temperature limits, pressure ranges, and flow capabilities. It also includes requirements such as materials, inlet and outlet connections, cleaning, qualification and production testing, maintenance, and reconditioning. This standard also includes guidelines and requirements for the design, material selection, testing, and marking of cylinder valve protective caps. This standard is intended for valves for compressed gases packaged in U.S. Department of Transportation (DOT) and Transport Canada (TC) cylinders. CGA V-9 is incorporated by reference into Title 49 of the U.S. Code of Federal Regulations (49 CFR) by DOT and CSA B340, *Selection and use of cylinders, spheres, tubes, and other containers for the transportation of dangerous goods, Class 2* by TC [1, 2, 3]. The edition incorporated may be different than the current edition available from CGA. Referenced editions are available on www.cganet.com. Valves are required to comply with the edition of CGA V-9 referenced in 49 CFR 171.7 and Clause 2 of CSA B340 [1, 2, 3].

¹ References are shown by bracketed numbers and are listed in order of appearance in the reference section.