



M53

Criteria for Laboratory Testing and Diagnosis of Human Immunodeficiency Virus Infection

This guideline includes recommendations for performing human immunodeficiency virus testing and for interpretation of results by health care providers in advanced diagnostic laboratories.

.....
A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in medical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing medical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advances in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential and may be submitted by anyone, at any time, on any document. All comments are managed according to the consensus process by a committee of experts.

Appeal Process

When it is believed that an objection has not been adequately considered and responded to, the process for appeal, documented in the *CLSI Standards Development Policies and Processes*, is followed.

All comments and responses submitted on draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For additional information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute

P: +1.610.688.0100

F: +1.610.688.0700

www.clsi.org

standard@clsi.org

Criteria for Laboratory Testing and Diagnosis of Human Immunodeficiency Virus Infection

Eric S. Rosenberg, MD
Joseph D.C. Yao, MD
Ted E. Schutzbank, PhD, D(ABMM)
Neil Anderson, MD, D(ABMM)
Yap Boum, II, PhD, MRQA
Ana Maria Cardenas, PhD, D(ABMM)
Arlene Darmanie, MSc
Anne M. Gaynor, PhD
Renee M. Howell, PhD, MLS(ASCP)
Kamran Kadkhoda, PhD, F(CCM), D(ABMM), D(ABMLI),
SM(ASCP)

William Link, MS, BS
S. Michele Owen, PhD
Monica M. Parker, PhD
Sai A. Patibandla, PhD
Raghava Potula, MHA, PhD
Bouchra Serhir, PhD
Charles M. Walworth, MD
Yun F. (Wayne) Wang, MD, PhD

Abstract

Clinical and Laboratory Standards Institute guideline M53—*Criteria for Laboratory Testing and Diagnosis of Human Immunodeficiency Virus Infection* provides an extensive review of existing laboratory methods commonly used to test for HIV infection. The accurate diagnosis of HIV infection is essential for limiting the spread of infection and for the appropriate clinical management of persons infected with HIV. Numerous tests and strategies have been developed and are used by laboratorians and clinicians to diagnose HIV infection. This guideline also offers recommendations for how to best use and interpret these tests accurately and effectively to diagnose HIV infection.

Clinical and Laboratory Standards Institute (CLSI). *Criteria for Laboratory Testing and Diagnosis of Human Immunodeficiency Virus Infection*. 2nd ed. CLSI guideline M53 (ISBN 978-1-68440-187-1 [Print]; ISBN 978-1-68440-188-8 [Electronic]). Clinical and Laboratory Standards Institute, USA, 2023.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI catalog and posted on our website at www.clsi.org.

If you or your organization is not a member and would like to become one, or to request a copy of the catalog, contact us at:

P: +1.610.688.0100 **F:** +1.610.688.0700 **E:** customerservice@clsi.org **W:** www.clsi.org

Copyright ©2023 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, derivative product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedures manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Criteria for Laboratory Testing and Diagnosis of Human Immunodeficiency Virus Infection*. 2nd ed. CLSI guideline M53. Clinical and Laboratory Standards Institute; 2023.

Previous Edition:

June 2011

M53-Ed2

ISBN 978-1-558-187-1 (Print)

ISBN 978-1-68440-188-8 (Electronic)

ISSN 1558-6502 (Print)

ISSN 2162-2914 (Electronic)

Volume 43, Number 19

Committee Membership

Consensus Council

The Consensus Council sets priorities for CLSI standards development and votes on Final Draft documents to confirm that process requirements have been met. Consensus Council members are listed on the CLSI website: <https://clsi.org/standards-development/consensus-council/>

Document Development Committee on HIV

Eric S. Rosenberg, MD

Chairholder

Massachusetts General Hospital

USA

Ana Maria Cardenas, PhD, D(ABMM)

Becton Dickinson

USA

S. Michele Owen, PhD

Centers for Disease Control and
Prevention

USA

Joseph D.C. Yao, MD

Vice-Chairholder

Mayo Clinic

USA

Arlene Darmanie, MSc

Trinidad and Tobago

Monica M. Parker, PhD

Wadsworth Center, New York State
Department of Health

USA

Renee M. Howell, PhD, MLS(ASCP)

Siemens Healthineers

USA

Ted E. Schutzbank, PhD, D(ABMM)

Committee Secretary

Agena Bioscience

USA

Kamran Kadkhoda, PhD, F(CCM),

D(ABMM), D(ABMLI), SM(ASCP)

Cleveland Clinic

USA

Jun F. (Wayne) Wang, MD, PhD

Grady Memorial Hospital/

Emory University School of Medicine

USA

Neil Anderson, MD, D(ABMM)

College of American Pathologists

USA

William Link, MS, BS

Bio-Rad Laboratories

USA

Yap Boum, II, PhD, MRQA

Epicentre/Medecins Sans Frontieres

Uganda

Expert Panel on Microbiology

Expert panel volunteers support the development of CLSI documents by providing technical expertise in specialty areas.

Expert panel members are listed by area of expertise on the CLSI website: <https://clsi.org/standards-development/expert-panels/>

Staff

Clinical and Laboratory Standards

Institute

USA

Laura Martin

Editorial Manager

Kristy L. Leirer, MS

Editor

Christine M. Lam, MLS(ASCP)

Program Manager

Catherine E.M. Jenkins, ELS

Editor

Lisa M.W. Walker, MS, ELS

Editor

DeeDee P. Meadows, MLS(ASCP)MP

Program Manager

Acknowledgment

CLSI, the Consensus Council, and the Document Development Committee on HIV gratefully acknowledge the following volunteers for their important contributions to the revision of this guideline:

Anne M. Gaynor, PhD
Association of Public Health
Laboratories
USA

Raghava Potula, MHA, PhD
Temple University Hospital
USA

Charles M. Walworth, MD
LabCorp of America
USA

Sai A. Patibandla, PhD
Siemens Healthineers
USA

Bouchra Serhir, PhD
Institut national de santé publique du
Québec
Canada

Contents

Abstract	i
Committee Membership	iii
Foreword	vii
Chapter 1: Introduction	1
1.1 Scope	1
1.2 Background	3
1.3 Standard Precautions	8
1.4 Terminology	8
Chapter 2: HIV Testing and Interpretation Process	15
Chapter 3: Tests for Diagnosing HIV Infection	17
3.1 Laboratory Immunoassays	19
3.2 Single-Use HIV-Screening Devices	25
3.3 Molecular Assays	29
3.4 Rarely Used Assays (Available but Not Preferred or Recommended)	32
Chapter 4: Approaches for Diagnostic Testing	33
4.1 Initial and Supplemental Testing	34
4.2 <i>In Vitro</i> Diagnostic Device Modification and Laboratory-Developed Tests	39
4.3 Notification of Significant Results	39
4.4 Postexamination Specimen Retention	40
Chapter 5: Algorithms for Selecting HIV Testing Protocols	41
5.1 Recommended (Preferred) Algorithms	43
5.2 Alternative Algorithms	47
5.3 Resolving Inconclusive or Persistently Indeterminate Results	51

Contents (Continued)

Chapter 6: Special Situations for HIV Testing	53
6.1 Acute HIV Type 1 Infections	54
6.2 Determining Recent Infection to Estimate Incidence of HIV Infection	56
6.3 HIV Type 1 Group M, Non-B Subtype Infection	59
6.4 HIV Type 2	60
6.5 HIV Types 1 and 2 Combination Initial and Supplemental Testing in Pregnancy	62
6.6 Testing in Children Younger Than 24 Months of Age (Algorithm VII)	63
6.7 HIV Type 1 Seroreversion or Incomplete Anti-HIV Type 1 Antibody Response	66
6.8 HIV Experimental Vaccine or Chimeric Antigen Receptor T-Cell Therapy (Lentivirus Vector) Recipients	66
6.9 Natural Viral Nonprogressors (Elite Controllers)	67
6.10 Testing in Preexposure Prophylaxis and Postexposure Prophylaxis	68
6.11 Cerebrospinal Fluid Testing in HIV-Associated Central Nervous System Disorders	69
6.12 Self-Collection and Self-Testing	70
Chapter 7: Tests for Managing HIV Type 1 Infection	71
7.1 CD4+ T-Cell Subset Monitoring	72
7.2 Quantitative HIV Type 1 RNA Tests	72
7.3 HIV Type 1 Drug-Resistance Tests	74
Chapter 8: Quality Management System Process Management for HIV Testing	83
8.1 Establishing an HIV Testing Quality Control Program	84
8.2 HIV Control Materials	84
8.3 HIV Proficiency Testing Programs	85
8.4 Quality Control Considerations for Rapid Tests	85
Chapter 9: Conclusion	87
Chapter 10: Supplemental Information	89
References	90
Additional Resources	113
Appendix A. Rarely Used Assays (Available but Not Preferred or Recommended)	114
Appendix B. Reporting Comments Suggested for Initial and Supplemental HIV Diagnostic Test Results	126
The Quality Management System Approach	134

Foreword

Since HIV testing was introduced, laboratory-based methods have undergone tremendous change. The routine use of nucleic acid testing, the introduction of antigen/antibody combination tests, and the widespread implementation of rapid testing methods, including the use of different specimen types, have changed the way HIV infection is diagnosed. Although these tests may offer improved sensitivity, specificity, and turnaround times, clinicians and laboratorians need to determine which tests to perform and how to best interpret the results.

There is increasing momentum to establish universal routine testing programs for HIV infection to limit the spread of infection and to identify individuals who may benefit from earlier initiation of antiviral therapy. The Centers for Disease Control and Prevention has issued recommendations for routine HIV screening of all patients in the health care setting. Concurrent with these recommendations, laboratorians and clinicians have used several new tests and testing strategies to diagnose HIV infection. Although an increased demand for these tests exists, adequate consensus guidelines have not been proposed to assist in the appropriate use and interpretation of these tests and testing strategies.

Overview of Changes

This guideline replaces the previous edition of the approved guideline, M53-A, published in 2011. Several changes were made in this edition, including:

- Reorganizing the text to follow the testing path of workflow
- Expanding the scope to include testing recommendations for resource-limited settings and for managing patients with HIV type 1-positive infections
- Adding an HIV testing and interpretation process flow chart
- Revising the algorithms used to select HIV testing protocols and associated text
- Deleting all references to HIV test “generations”
- Updating:
 - Information on currently available and preferred HIV tests
 - Test principal figures
 - Information on molecular testing
 - Recommended approaches for HIV diagnostic testing
 - Special situations for HIV testing
 - QC information

NOTE: The content of this guideline is supported by the CLSI consensus process and does not necessarily reflect the views of any single individual or organization.

KEY WORDS

algorithms	HIV-1	phenotypic drug-resistance test
antibody differentiation assay	HIV-2	single-use devices
antibody discrimination assay	immunoassay	supplemental test
enzyme immunoassay	initial test	Western blot
genotypic drug-resistance test	nucleic acid test	

Currently in preview, click buy full version

Chapter ①

Introduction