



CLINICAL AND
LABORATORY
STANDARDS
INSTITUTE®

May 2013

NBS02-A2

Newborn Screening Follow-up; Approved Guideline—Second Edition

This guideline describes the basic principles, scope, and range of follow-up activities within the newborn screening system.

A guideline for global application developed through the Clinical and Laboratory Standards Institute consensus process.

Clinical and Laboratory Standards Institute

Setting the standard for quality in clinical laboratory testing around the world.

The Clinical and Laboratory Standards Institute (CLSI) is a not-for-profit membership organization that brings together the varied perspectives and expertise of the worldwide laboratory community for the advancement of a common cause: to foster excellence in laboratory medicine by developing and implementing clinical laboratory standards and guidelines that help laboratories fulfill their responsibilities with efficiency, effectiveness, and global applicability.

Consensus Process

Consensus—the substantial agreement by materially affected, competent, and interested parties—is core to the development of all CLSI documents. It does not always connote unanimous agreement, but does mean that the participants in the development of a consensus document have considered and resolved all relevant objections and accept the resulting agreement.

Commenting on Documents

CLSI documents undergo periodic evaluation and modification to keep pace with advancements in technologies, procedures, methods, and protocols affecting the laboratory or health care.

CLSI's consensus process depends on experts who volunteer to serve as contributing authors and/or as participants in the reviewing and commenting process. At the end of each comment period, the committee that developed the document is obligated to review all comments, respond in writing to all substantive comments, and revise the draft document as appropriate.

Comments on published CLSI documents are equally essential, and may be submitted by anyone, at any time, on any document. All comments are addressed according to the consensus process by a committee of experts.

Appeals Process

If it is believed that an objection has not been adequately addressed, the process for appeals is documented in the CLSI Administrative Procedures.

All comments and responses submitted for draft and published documents are retained on file at CLSI and are available upon request.

Get Involved—Volunteer!

Do you use CLSI documents in your workplace? Do you see room for improvement? Would you like to get involved in the revision process? Or maybe you see a need to develop a new document for an emerging technology? CLSI wants to hear from you. We are always looking for volunteers. By donating your time and talents to improve the standards that affect your own work, you will play an active role in improving public health across the globe.

For further information on committee participation or to submit comments, contact CLSI.

Clinical and Laboratory Standards Institute
950 West Valley Road, Suite 2500
Wayne, PA 19087 USA
P: 610.688.0100
F: 610.688.0700
www.clsi.org
standard@clsi.org

ISBN 1-56238-875-4 (Print)
ISBN 1-56238-876-2 (Electronic)
ISSN 1558-6502 (Print)
ISSN 2162-2914 (Electronic)

NBS02-A2
Vol. 33 No. 6
Replaces I/LA27-A
Vol. 26 No. 18

Newborn Screening Follow-up; Approved Guideline—Second Edition

Volume 33 Number 6

Judith Tuerck, RN, MS
Bridget Wilcken, MD, FRACP, FRCPA
Dianne R. Webster, PhD, FHGSA
Irene Forsman, MS, RN
Alex R. Kemper, MD, MPH, MS
David Millington, PhD
Jan Ostrup
Brad L. Therrell, PhD
Toni Torresani, PhD
Jerry Vockley, MD, PhD

Abstract

Newborn screening for congenital conditions is a public health system composed of testing, follow-up, diagnosis, management, evaluation, and education. As part of the system, follow-up activities play an essential role in facilitating early detection, diagnosis, and intervention for affected newborns. Clinical and Laboratory Standards Institute document NBS02-A2—*Newborn Screening Follow-up; Approved Guideline—Second Edition* describes the basic principles, scope, and range of follow-up activities within the newborn screening system. It is intended for use by those involved in any aspect of follow-up, including health care providers, parents, and others concerned with the health and welfare of newborns.

Clinical and Laboratory Standards Institute (CLSI). *Newborn Screening Follow-up; Approved Guideline—Second Edition*. CLSI document NBS02-A2 (ISBN 1-56238-875-4 [Print]; ISBN 1-56238-876-2 [Electronic]). Clinical and Laboratory Standards Institute, 950 West Valley Road, Suite 2500, Wayne, Pennsylvania 19087 USA, 2013.

The Clinical and Laboratory Standards Institute consensus process, which is the mechanism for moving a document through two or more levels of review by the health care community, is an ongoing process. Users should expect revised editions of any given document. Because rapid changes in technology may affect the procedures, methods, and protocols in a standard or guideline, users should replace outdated editions with the current editions of CLSI documents. Current editions are listed in the CLSI Catalog and posted on our website at www.clsi.org. If your organization is not a member and would like to become one, and to request a copy of the catalog, contact us at: Telephone: 610.688.0100; Fax: 610.688.0700; E-Mail: customerservice@clsi.org; Website: www.clsi.org.



CLINICAL AND
LABORATORY
STANDARDS
INSTITUTE®

Copyright ©2013 Clinical and Laboratory Standards Institute. Except as stated below, any reproduction of content from a CLSI copyrighted standard, guideline, companion product, or other material requires express written consent from CLSI. All rights reserved. Interested parties may send permission requests to permissions@clsi.org.

CLSI hereby grants permission to each individual member or purchaser to make a single reproduction of this publication for use in its laboratory procedure manual at a single site. To request permission to use this publication in any other manner, e-mail permissions@clsi.org.

Suggested Citation

CLSI. *Newborn Screening Follow-up; Approved Guideline—Second Edition*. CLSI document NBS02-A2. Wayne, PA: Clinical and Laboratory Standards Institute; 2013.

Proposed Guideline

September 2005

Approved Guideline

May 2006

Approved Guideline—Second Edition

May 2013

ISBN 1-56238-875-4 (Print)
ISBN 1-56238-876-2 (Electronic)
ISSN 1558-6502 (Print)
ISSN 2162-2914 (Electronic)

Committee Membership

Consensus Committee on Immunology and Ligand Assay

Ronald J. Whitley, PhD, DABCC, FACB
Chairholder
 University of Kentucky Medical Center
 Lexington, Kentucky, USA

Robert F. Vogt, Jr., PhD
Vice-Chairholder
 Centers for Disease Control and Prevention
 Atlanta, Georgia, USA

Bernard C. Cook, PhD, DABCC, FACB
 Beckman Coulter
 Chaska, Minnesota, USA

W. Harry Hannon, PhD
 Consultant
 Buford, Georgia, USA

Stephen M. Hewitt, MD, PhD, FCAP
 National Institutes of Health, Clinical Center
 Bethesda, Maryland, USA

Joshua D. Levin, PhD
 FDA Center for Devices and Radiological Health
 Silver Spring, Maryland, USA

Elizabeth Sheppard, MBA, HT(ASCP)
 Ventana Medical Systems Inc.
 Tuscon, Arizona, USA

Robert W. Veltri, PhD
 Johns Hopkins Hospital
 Baltimore, Maryland, USA

Document Development Committee on Newborn Screening Follow-up

Judith Tuerck, RN, MS
Chairholder
 Oregon State Public Health Laboratory
 Beaverton, Oregon, USA

Bridget Wilcken, MD, FRACP, FRCPA
Vice-Chairholder
 The Children's Hospital at Westmead, Sydney
 Sydney, Australia

Dianne R. Webster, PhD, FHGSA
Committee Secretary
 Auckland District Health Board
 Auckland, New Zealand

Irene Forsman, MS, RN
 Health Resources and Services Administration
 Rockville, Maryland, USA

Alex R. Kemper, MD, MPH, MS
 Duke University
 Durham, North Carolina, USA

David Millington, PhD
 Duke University Medical Center
 Durham, North Carolina, USA

Jan Ostrup
 Telechemistry Oy
 Turku, Finland

Brad L. Therrell, PhD
 University of Texas Health Science Center at San Antonio
 Austin, Texas, USA

Tommaso Bosani, PhD
 University Children's Hospital, Zurich
 Zurich, Switzerland

Jerry Voci, MD, PhD
 University of Pittsburgh
 Pittsburgh, Pennsylvania, USA

Staff

Clinical and Laboratory Standards Institute
 Wayne, Pennsylvania, USA

Luann Ochs, MS
Senior Vice President – Operations

Ron S. Quicho
Staff Liaison

Megan L. Tertel, MA
Editor

Ryan J. Torres
Assistant Editor

Currently in preview, click buy full version

Contents

Abstract.....	i
Committee Membership.....	iii
Foreword.....	vii
1 Scope.....	1
2 Standard Precautions.....	1
3 Terminology.....	1
3.1 A Note on Terminology.....	1
3.2 Definitions.....	2
3.3 Abbreviations and Acronyms.....	3
4 General Considerations for Follow-up in Newborn Screening Programs.....	4
5 Condition Definitions.....	4
6 Short-term Follow-up.....	4
6.1 Definition.....	4
6.2 Participants/Responsibilities.....	4
6.3 Condition-specific Algorithms.....	6
6.4 Follow-up Paradigms.....	6
6.5 Short-term Follow-up Issues.....	7
6.6 Reporting, Documentation, and Communications.....	8
7 Long-term Follow-up Cases.....	10
7.1 Special Considerations for Improvement.....	11
7.2 Challenges.....	11
8 Education.....	11
8.1 Parents.....	11
8.2 Health Care Providers.....	12
8.3 Newborn Screening Personnel.....	12
9 Evaluation and Quality Assurance of Follow-up.....	12
10 Funding.....	13
11 Advisory Committee.....	13
12 Laws and Rules.....	13
References.....	15
Additional References.....	16
Appendix. Newborn Screening Follow-up Process.....	19
The Quality Management System Approach.....	20

Contents (Continued)

Related CLSI Reference Materials21

Currently in preview, click buy full version

Foreword

Newborn screening is an essential public health activity focused on testing every newborn for certain congenital conditions which, without early management, can result in significant morbidity and mortality. Screening tests separate newborns at higher risk of having a condition from those who are at low risk. Screening is not diagnostic, and newborns identified with presumptive findings require further testing and clinical evaluation to confirm their status as affected or unaffected. Newborn screening for many congenital conditions is now routine throughout much of the world and traditionally uses a dried blood specimen—blood applied to purpose-manufactured collection paper sent to specialized screening laboratories. In addition, birthing facility point-of-care screening for newborn hearing loss has been performed for several years, and birthing facility screening for critical congenital heart defects and various other conditions has recently been introduced into newborn care.

Effective newborn screening systems (NSS) provide the infrastructure for universal access and rapid follow-up for affected newborns whose lives and health may be at risk. A complete system for screening comprises six parts: testing, follow-up, diagnosis, intervention and/or management, evaluation, and education.¹ Parents/legal guardians, all health care providers, and the newborn screening program (NSP) involved in the care of the newborn should collaborate to ensure that the NSS functions effectively to provide maximum benefit.

It is estimated that approximately one newborn in 600 will be affected with a congenital condition detectable by dried blood spot screening, and three newborns in 1000 will be affected with hearing loss.² Birth incidences of conditions may vary greatly among different populations, but if congenital heart defects are included, then in most parts of the world around 1% of newborns will be identified as being at risk for physical and/or developmental disabilities, or even death, as a result of a condition that can currently be identified by a newborn screening test. Technological advances will, in the future, enable programs to screen for increasing numbers of conditions.

Follow-up activities can be divided into two broad categories: short-term follow-up (STFU) and long-term follow-up (LTFU). Within newborn screening, simply reporting “screen positive,” “out-of-range,” or “invalid” results does not ensure appropriate or timely treatment for affected newborns.³⁻⁵ Rapid, efficient, and effective *short-term follow-up* is critical to ensure that newborns needing further testing are evaluated quickly, and receive the testing indicated and prompt and appropriate referral for subspecialty care and support services.⁶⁻⁸ Active STFU responsibility ends when the infant is proven either not to be affected or has been verified to be under appropriate care, including treatment.

The primary aim of newborn screening is to provide intervention to affected babies. LTFU is the means by which accountability of NSS and NSPs can be ensured. It determines if they are sustaining their primary aims of preventing mortality and mitigating morbidity. Such follow-up is vital to the evaluation of newborn screening benefits throughout the life of an individual, as well as to the family and society.⁹ NSPs may not be directly involved in long-term outcome assessment, but if they do not play a central coordinating role, then they need to facilitate LTFU and be aware of the results.

The quality of follow-up services directly affects the lives of families with babies. This document outlines the role of follow-up services within an NSS, and provides guidance for developing, ensuring, and maintaining effective follow-up services. NBS02 has been updated, and sections dealing with LTFU have been expanded to include discussion of assessment of health outcomes from newborn screening. Additions include a section about the development of condition definitions, which are essential for assessing health outcomes, and expansion of the section on education. Also, the terms “in-range” and “out-of-range” have been updated to be consistent with other CLSI documents and global usage. Efforts have been made to reach consensus among an internationally representative group of newborn screening stakeholders to describe best practices for newborn screening follow-up.

Key Words

Community/public health resources, congenital heart defects, dried blood spot screening, endocrinology, hearing loss, long-term follow-up, metabolic disorders, newborn hearing screening, newborn screening, point-of-care test, population screening, quality assurance, short-term follow-up

Currently in preview, click buy full version

Newborn Screening Follow-up; Approved Guideline—Second Edition

1 Scope

The primary goal of this guideline is to enhance the quality of follow-up services for newborns screened through public health or other newborn screening programs (NSPs). The quality of these services has a direct impact on the health of newborns and families, and on the effectiveness of newborn screening as a system.

Short-term follow-up (STFU), in the first days and weeks of life, is essential to ensure that all newborns receive a valid screening test, and that those with screen positive results receive a definitive diagnosis, in the most expedient manner possible, and appropriate clinical management if confirmed.

Long-term follow-up (LTFU) comprises all of the activities that should occur after a patient is diagnosed and subsequently confirmed with a condition. It includes care coordination, assuring the availability of evidence-based treatment, continuous quality improvement, new knowledge discovery, and, importantly, periodic assessment of the clinical outcomes in affected individuals without which there can be no assurance that newborn screening goals are being met. It should also include efforts to document cases diagnosed clinically or outside the newborn screening system (NSS).

This guideline outlines STFU and LTFU activities that should be included in an NSS. It does not address other components of the overall NSS, such as laboratory methods, intervention protocols, or administrative organization. It is intended for global use by public health officials, policy makers, and all involved in any aspect of follow-up within NSS, including confirmatory laboratory personnel, health care providers, parents, and families.

2 Standard Precautions

Because it is often impossible to know what isolates or specimens might be infectious, all patient and laboratory specimens should be treated as infectious and handled according to “standard precautions.” Standard precautions are guidelines that combine the major features of “universal precautions and body substance isolation” practices. Standard precautions cover the transmission of all known infectious agents and thus are more comprehensive than universal precautions, which are intended to apply only to transmission of blood-borne pathogens. The Centers for Disease Control and Prevention address this topic in published guidelines that focus on the daily operations of diagnostic medicine while encouraging a culture of safety in the laboratory.¹⁰ For specific precautions for preventing the laboratory transmission of all known infectious agents from laboratory instruments and materials and for recommendations for the management of exposure to all known infectious diseases, refer to CLSI document M29.¹¹

3 Terminology

3.1 A Note on Terminology

CLSI, as a global leader in standardization, is firmly committed to achieving global harmonization wherever possible. Harmonization is a process of recognizing, understanding, and explaining differences while taking steps to achieve worldwide uniformity. CLSI recognizes that medical conventions in the global metrological community have evolved differently in the United States, Europe, and elsewhere; that these differences are reflected in CLSI, International Organization for Standardization, and European Committee for Standardization (CEN) documents; and that legally required use of terms, regional usage, and different consensus timelines are all important considerations in the harmonization process. In light of