



ANSI/IAS NGV 4.4-1999

(reaffirmed 2019) •

CSA 12.54-M99

(reaffirmed 2018)

Breakaway devices for natural gas dispensing hoses and systems



Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

ANSI/IAS NGV 4.4-1999 • CSA 12.54-M99
June 1999

Title: *Breakaway devices for natural gas dispensing hoses and systems*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **20112.7**

If you require assistance, please e-mail techsupport@csagroup.org or call 419-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

First Edition - 1999

BREAKAWAY DEVICES FOR NATURAL GAS DISPENSING HOSES AND SYSTEMS

Approved by

American National Standards Institute, Inc., February 18, 1999

Interprovincial Gas Advisory Council, March 10, 1999

This Standard is effective June 1, 2000

Prepared by

CSA INTERNATIONAL

8501 East Pleasant Valley Road
Cleveland, Ohio 44131

178 Rexdale Boulevard
Toronto, Ontario
Canada M9W 1R3

On behalf of
the Natural Gas Vehicle Coalition



Published - June 1999

Copyright © 1999

Canadian Standards Association

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult CSA International at 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3.

Copyright © 1999

CSA America, Inc.

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult CSA International at 8501 E. Pleasant Valley Road, Cleveland, Ohio 44131.

CSA Group

The Canadian Standards Association (operating as CSA Group), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Groups standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Groups total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects product that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard, Toronto, Ontario,
Canada M9W 1R3

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, State and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests
with the
American National Standards Institute, Inc.
25 West 43rd Street, Fourth floor
New York, NY 10036

PREFACE

This publication represents a standard for safe operation, substantial and durable construction and performance testing of breakaway devices for natural gas dispensing hoses and systems, within limitations given below and in the scope of this standard.

This standard is based on proven engineering principles, research and the combined expertise of gas utilities, manufacturers, users, and others having specialized experience.

Nothing in this standard is to be considered in any way as indicating a measure of quality beyond compliance with the provisions it contains. It is designed to allow compliance of products which may exceed that specified in the provisions herein. In its preparation, full recognition has been given to possibilities of improvement through ingenuity of design. This standard is subject to revision as further experience and investigation may show it is necessary and desirable.

CSA International (CSA), and their respective Laboratories, do not assume or undertake to discharge any responsibility of the manufacturer or any other party. CSA International, shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of or reliance upon this standard.

Users of this Harmonized American National and Canadian Standards Association Standard are advised that the devices/products/activities within its scope may be subject to regulation at the Federal, state, provincial, or local levels. Users are strongly urged to investigate this possibility through appropriate channels. In the event of a conflict with this standard and the Federal, state, provincial or local regulations should be followed.

This standard does not apply to fuel system components that will be incorporated during original manufacture of motor vehicles which comply with *Federal Motor Vehicle Safety Standards (FMVSS)* or *Canadian Motor Vehicle Safety Standards (CMVSS)* for Natural Gas Powered Vehicles.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc., require that action be taken to reaffirm, revise, or withdraw this standard no later than five (5) years from the date of approval. Purchasers may receive current information on this and other ANSI standards by calling or writing CSA International, 8501 East Pleasant Valley Road, Cleveland, Ohio 44131, (216) 524-4990.

Information on this and other Canadian standards can be obtained by calling or writing CSA International, 78 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3.

EFFECTIVE DATE: An organization using this standard for product evaluation as a part of its certification program will normally establish the date by which all products certified by that organization should comply with this standard. In Canada, effective dates are established by the Interprovincial Gas Advisory Council.

HISTORY OF DEVELOPMENT OF ANSI/IAS NGV 4.4 · CSA 12.54

(This history is informative and is not part of the standard)

During 1984, there was growing need in the U.S. natural gas vehicle industry for guidelines pertaining to the assembly of aftermarket equipment installed on motor vehicles in order to operate alternatively on either gasoline or natural gas. The American Gas Association Laboratories (AGAL), in response to this need developed an A.G.A. Requirement for Natural Gas Vehicle (CNG) Conversion Kits, No. 1-85. This requirement was intended to help promote the safe development and installation of NGV conversion systems by manufacturers and installers. The first draft of A.G.A. Requirement No. 1-85 was developed during 1984 and 1985, with the final version dated August 20, 1985.

At the time of its issuance, the A.G.A. No. 1-85 was in compliance with NGV equipment and fueling stations specifications published by the National Fire Protection Association (NFPA) under its Standard for *Compressed Natural Gas (CNG) Vehicular Fuel Systems, NFPA 52*. The first edition of NFPA 52 was issued in 1984. A second edition was issued in 1988.

In 1988 a group of U.S. gas utilities formed the Natural Gas Vehicle (NGV) Coalition (the Coalition) to promote widespread use of compressed natural gas as a transport fuel. The Coalition organized committees to address technical, marketing and legislative issues which would affect the future expansion of a U.S. transportation industry fueled by natural gas.

The Coalition recognized that an important consideration in the successful commercialization of natural gas as a vehicle fuel was the issue of codes and standards (or the lack of codes and standards, or harmonized codes and standards) pertaining to both fuel stations and vehicle fuel systems. The Coalition's Technology Committee was established to achieve the goal of an organized family of coordinated codes, standards and regulations addressing natural gas vehicles and fueling stations. To help achieve this goal, the Technology Committee established the Standards and Standardization Subcommittee.

Subsequently, the third edition of NFPA 52 was published in 1992. This current edition incorporates many changes developed and recommended by the NGV Coalition's task groups.

During August 1992, the NGV Conversion Equipment Task Group was established to coordinate with the AGAL for requirements for compressed NGV conversion kits. The task group agreed the phrase "NGV fuel system" should replace "NGV conversion kits." (An NGV fuel system is comprised of all major components required to supply, manage, and/or control fuel flow, enabling a vehicle to operate on natural gas.) The task group continued to meet during August, October and December 1992 to promulgate the development of a standard to cover both dedicated and bi-fuel natural gas systems for light and medium duty vehicles.

A standard for NGV fuel system components already existed in Canada namely the National Standard of Canada *CAN/CGA 12.3, Fuel System Components for Natural Gas Powered Vehicles*. The genesis for this Canadian document was the Amendment to the 1982 *CGA B149.1, Natural Gas Installation Code* which

added to the Code provisions for Natural Gas for Vehicles (NGV) fuel system components on highway vehicles, as well as coverage of NGV refuelling stations. Subsequently these NGV aspects evolved into stand-alone Canadian documents, one being the *CAN/CGA-12.3* which was first published in February 1991.

In order to further common goals for North American harmonization, the task group and the Canadian Gas Association (CGA) NGV Steering Committee on Natural Gas Powered Vehicles, initiated formation of a joint activity involving the CGA Steering Committee's Subcommittee on Fuel System Components for Natural Gas Powered Vehicles and the Coalitions NGV Conversion Equipment Task Group.

On February 17, 1993, the first joint meeting of the NGV Conversion Equipment Task Group and the CGA 12.3 Standards Subcommittee on Fuel System Components for Natural Gas Powered Vehicles was held. As a result the U.S. Task Group and Canadian Subcommittee agreed to establish the Joint NGVC/CGA Subcommittee on Natural Gas Vehicle Conversion Equipment, to develop harmonized requirements for a North American Bi-National standard. The newly established subcommittee agreed to proceed with harmonization of the Canadian Standard for *Fuel System Components for Natural Gas Powered Vehicles, CAN/CGA-12.3*, which was first published in February 1991, and A.G.A. requirement 1-85. In light of the different approaches in Canada and the U.S. (i.e., systems vs. components), the joint subcommittee agreed that separate harmonized standards be developed for both complete fuel systems and individual system components.

Subsequently, as needs were identified, the following series of standards evolved under the auspices of the Joint NGV Subcommittee. Within this series, these standards are complementary and hence these standards achieve compatibility with regard to application and performance.

STANDARDS FOR:

- *ANSI NGV 4.1-1999-CSA 12.5-1999, NGV DISPENSING SYSTEMS;*
- *ANSI NGV 4.2-1999-CSA 12.52-M99, HOSES FOR NATURAL GAS VEHICLES AND DISPENSING SYSTEMS;*
- *ANSI NGV 4.4-1999-CSA 12.54-M99, BREAKAWAY DEVICES FOR NATURAL GAS DISPENSING HOSES AND SYSTEMS;*
- *ANSI NGV 4.6-1999-CSA 12.56-M99, MANUALLY OPERATED VALVES FOR NATURAL GAS DISPENSING SYSTEMS; AND*
- *ANSI NGV 4.7-1999-CSA 12.57-M99, AUTOMATIC PRESSURE OPERATED VALVES FOR NATURAL GAS DISPENSING SYSTEMS.*

The first edition of the harmonized ANSI/CSA Standard for NGV Breakaway Devices for Natural Gas Dispensing Hoses and Systems, was approved in the U.S. by the American National Standards Institute, Inc. on February 18, 1999, and in Canada by the (Interim CSA) NGV Standards Steering Committee on Natural Gas Vehicles and Fuelling on May 21, 1998, and the Canadian Interprovincial Gas Advisory Council (IGAC) on March 5, 1999.

The following identifies the designation and the year of the harmonized standard:

ANSI NGV 4.4/CSA 12.54-1999

INTERPROVINCIAL GAS ADVISORY COUNCIL

(February, 1999)

E. K. Taylor (<i>Chairman</i>)	Technical Standards and Safety Authority
J. F. Wastle (<i>Alternate Member</i>)	
G. L. Williams (<i>Vice Chairman</i>)	SaskPower Corporation
B. E. Alberts (<i>Alternate Member</i>)	
D. Eastman	Newfoundland & Labrador Government
S. Katz	British Columbia Ministry of Municipal Affairs
J. Samson	Regie du Batiment du Quebec
A. LeClerc (<i>Alternate Member</i>)	
W. C. LaRose	Alberta Department of Labour
E. Marotta	Human Resources Development Canada
W. G. Mitchell (<i>Alternate Member</i>)	
R. McRae	Government of the Northwest Territories
A. MacKay (<i>Alternate Member</i>)	
I. W. Mault	Manitoba Labour
D. Warriner (<i>Alternate Member</i>)	
D. Young	Government of the Yukon Territory
L. Osland (<i>Alternate Member</i>)	
M. O'Hearn	N. B. Department of Labour
A. Shaw (<i>Alternate Member</i>)	
D.C. Stewart	Nova Scotia Department of Labour
S. Pilon (<i>Alternate Member</i>)	
B. Reid	Prince Edward Island Department of Labour
I. Svorovich (<i>Alternate Member</i>)	Gas Safety Program
S. Van Sickle (<i>Secretary</i>)	CSA International

**INTERIM CSA STEERING COMMITTEE ON NATURAL GAS
POWERED VEHICLES AND FUELLING**

Oscar Alonso (<i>Chairman</i>)	Technical Standards & Safety Authority
Andy Beregszaszy	Natural Resources Canada
Anthony Chan	FuelMaker Corporation
Alf Durnie	Alberta Labour
Bernie Deck	Ontario Ministry of Labour
Tony Filetti	Mogas Equipment
Adrian Ghelesel	BC Gas Utility Ltd.
Edward Hurd (<i>Alternate Member</i>)	B.C. Ministry of Municipal Affairs
John Heenan	Veriteek North Canada Corp.
Jim Jones	Union Gas Limited
Stan Kokotka (<i>Alternate Member</i>)	Enbridge Consumers Gas
Susana Katz	B.C. Ministry of Municipal Affairs
Benoit Leduc	Gas Metropolitan Inc.
Hani Ragheb (<i>Alternate Member</i>)	Ministry of Labour
Floyd Running	Gas Equipment Supplies
Ry Smith (<i>Alternate Member</i>)	Union Gas Limited
Robert Selvazzo (<i>Alternate Member</i>)	Union Gas Limited
Mike Tremblay	Enbridge Consumers Gas
Nick White	Gas Technology Canada
John Larrigar (<i>Secretary</i>)	CSA International

**JOINT NATURAL GAS VEHICLE COALITION
(Interim CSA) WORKING GROUP
FOR
NATURAL GAS DISPENSING**

JOHN VRANICAR, Chairman

Jim Kohut, Vice-Chairman

REPRESENTING MANUFACTURERS:

Terry Bouthillier
David Duey
Peter Ehlers
Tony Feger
James Foster
John Heenan
Gary Koch
Jeffrey Kelly
Paul LeMay
Dave Myers
William Raymundo
Tom Sewell
John Shimer

REPRESENTING REGULATORY AUTHORITIES:

Oscar Alonso
Alf Durnie
Edward Hurd
Susan Katz

REPRESENTING UTILITIES:

John Vranicar
Adrian Ghelesel
Nancy Pehrson
Robert Selvazzo
Mike Tremayne

REPRESENTING GENERAL INTERESTS:

Robert DeRemer
Bob Florczyk
Joe Favot
Marie Giannoccaro
William Liss
Mark Richards
Nick White

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
PART I. CONSTRUCTION	1
1.1 SCOPE	1
1.2 GENERAL CONSTRUCTION	2
1.3 MATERIALS	2
1.4 CONNECTIONS	3
1.5 INSTRUCTIONS	4
1.6 MARKING	4
PART II. PERFORMANCE	6
2.1 GENERAL	6
2.2 LEAKAGE	6
2.3 HYDROSTATIC STRENGTH	7
2.4 BREAKAWAY DEVICES	7
2.5 MATERIAL SUITABILITY TESTS	9
2.6 ELECTRICAL CONDUCTIVITY	11
2.7 STRENGTH TESTS	11
FIGURE 1	13
2.8 DURABILITY	13
2.9 MARKING MATERIAL ADHESION AND LEGIBILITY	15
EXHIBIT A. ITEMS UNIQUE TO ONE COUNTRY (Canada)	17
EXHIBIT B. LIST OF REFERENCE STANDARDS	18

TABLE OF CONTENTS (Continued)

	Page
PART III. MANUFACTURING AND PRODUCTION TEST PLAN	20
NGV GLOSSARY	21
APPENDIX A. EQUIPMENT AND DATA TO BE FURNISHED BY THE MANUFACTURER	30

DANGER

Testing described in these requirements may result in the sudden release of test gas at high pressure with dangerous explosive force. Adequate protection from explosion, concussion, and flying debris must be utilized to protect test personnel and facilities.

**STANDARD FOR
BREAKAWAY DEVICES FOR NATURAL GAS DISPENSING
HOSES AND SYSTEMS (ANSI/AS NGV 4.4 · CSA 12.54)**

**PART I
CONSTRUCTION**

1.1 SCOPE

1.1.1 This standard applies to newly produced compressed Natural Gas Vehicle (NGV) dispenser shear valves and fueling hose emergency breakaway shutoff devices, hereinafter referred to as devices.

[It is not applicable to “Vehicle Refueling Appliances”.]

1.1.2 Devices covered by this standard are intended to:

1. a. Minimize the escape of natural gas by automatically shutting off the flow of gas from the dispenser and control the depressurization of the hose, and;
- b. Minimize damage to the vehicle and dispenser when a vehicle is driven off with the nozzle attached to the vehicle’s fueling receptacle.
2. Automatically shut off the flow of gas in the event of a vehicular collision with a fuel dispenser that results in the displacement of the dispenser from its gas supply connection.

1.1.3 All dimensions used in this standard are in metric units [International System of Units (SI)], unless otherwise specified. If a value for a measurement, as given in this standard, is followed by an equivalent value in other units, the first stated is to be regarded as the specification.