



**CSA  
Group**

**ANSI Z21.97-2014 • CSA 2.41-2014**

# **Outdoor decorative gas appliances**

Currently in preview, click buy full version

# Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# *Revision History*

ANSI Z21.97-2014 • CSA 2.41-2014, Outdoor decorative gas appliances

| Revision from first edition   | Revision symbol (in margin) |
|---|-----------------------------|
| Clauses <a href="#">3</a> , <a href="#">4.11.14</a> , <a href="#">4.11.15</a> , <a href="#">4.11.16</a> , <a href="#">4.19.2</a> , <a href="#">4.19.16</a> , <a href="#">5.13</a> , <a href="#">5.17.4</a> , <a href="#">5.20.4</a> , <a href="#">5.20.5</a> , and <a href="#">5.20.6</a> | Δ                           |

Currently in preview, click buy full version

# ***Standards Update Service***

***ANSI Z21.97-2014 • CSA 2.41-2014***  
***March 2014***

**Title:** *Outdoor decorative gas appliances*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24227**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

# *ANSI Z21.97-2014 • CSA 2.41-2014*

## *Outdoor decorative gas appliances*



*American National Standards Institute, Inc.*

# IGAC

*Interprovincial Gas Advisory Council*



## CSA Group

*™A trade-mark of the Canadian Standards Association and CSA America Inc., operating as "CSA Group"*

*Approved on February 20, 2014 by ANSI*

*Approved on February 18, 2014 by IGAC*

*Effective in Canada August 1, 2015*

*Published in March 2014 by CSA Group*

*A not-for-profit private sector organization*

*5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6*

*To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-77139-398-0*

*© 2014 CSA Group*

*All rights reserved. No part of this publication may be reproduced to any form whatsoever without the prior permission of the publisher.*

# Contents

|  |           |
|--|-----------|
| Interprovincial Gas Advisory Council   | 3         |
| Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories | 5         |
| Canadian Technical Committee on Gas Appliances and Related Accessories                                       | 8         |
| Joint Technical Subcommittee on Standards for Decorative Gas Appliances                                      | 10        |
| Preface  | 13        |
| <b>1 Scope</b>   | <b>15</b> |
| <b>2 Reference publications</b>  | <b>17</b> |
| <b>3 Definitions</b>   | <b>20</b> |
| <b>4 Construction</b>  | <b>26</b> |
| 4.1 General construction and assembly  | 26        |
| 4.2 Materials  | 28        |
| 4.3 Main burners   | 29        |
| 4.4 Primary air adjustment means   | 30        |
| 4.5 Orifices and orifice fittings  | 30        |
| 4.6 Automatic gas ignition systems   | 31        |
| 4.7 Manual ignition of main burner(s)  | 32        |
| 4.8 Manual gas valves  | 33        |
| 4.9 Gas supply lines   | 34        |
| 4.10 Gas hose assemblies   | 37        |
| 4.11 Self-contained LP-gas supply systems  | 37        |
| 4.12 Enclosures for self-contained LP-gas supply systems   | 41        |
| 4.13 Thermostats   | 42        |
| 4.14 Automatic valves  | 42        |
| 4.15 Gas appliance pressure regulators   | 43        |
| 4.16 Adjustment of minimum input rating  | 43        |
| 4.17 Electrical equipment and wiring   | 43        |
| 4.18 Instructions  | 43        |
| 4.19 Marking   | 45        |
| <b>5 Performance</b>   | <b>55</b> |
| 5.1 General  | 55        |
| 5.2 Test gases   | 55        |
| 5.3 Test pressures and burner adjustments  | 56        |
| 5.4 Combustion   | 57        |
| 5.5 Burner operating characteristics   | 58        |
| 5.6 Pilot operating characteristics  | 59        |
| 5.7 Automatic gas ignition systems   | 60        |
| 5.8 Direct ignition systems  | 63        |

|      |  |    |
|------|--|----|
| 5.9  | Manual ignition systems                    | 64 |
| 5.10 | Manually operated gas valves               | 65 |
| 5.11 | Gas appliance pressure regulators          | 68 |
| 5.12 | Automatic valves                           | 68 |
| 5.13 | Dual cylinder manifold                     | 69 |
| 5.14 | Manifold and gas control assembly capacity | 69 |
| 5.15 | Wall, floor, and ceiling temperatures      | 70 |
| 5.16 | Rain test                                  | 72 |
| 5.17 | Wind test                                  | 75 |
| 5.18 | Burner durability                          | 76 |
| 5.19 | Glass panels                               | 76 |
| 5.20 | Appliance structure                        | 78 |
| 5.21 | Orifice and orifice fitting temperatures   | 79 |
| 5.22 | Marking material adhesion and legibility   | 80 |
| 5.23 | Manufacturing and production tests         | 80 |

## **6 Production and manufacturing tests** 81

## **7 Items unique to the United States** 83

|     |                                 |    |
|-----|---------------------------------|----|
| 7.1 | Electrical equipment and wiring | 83 |
|-----|---------------------------------|----|

## **8 Items unique to Canada** 94

---

|                       |   |     |
|-----------------------|---|-----|
| Annex A (normative)   | — Provisions for listed gas appliance conversion kits (optional)  | 99  |
| Annex B (normative)   | — Sample failure modes and effects analysis for component miswiring*  | 102 |
| Annex C (informative) | — Pertinent references to ANSI Y14.1  | 103 |
| Annex D (informative) | — Wire color designations   | 104 |
| Annex E (informative) | — Recommended wire color usage  | 105 |
| Annex F (informative) | — Preferred graphic symbols of commonly used items, extracted from standard ANSI/IEEE 315, Graphic symbols for electrical and electronics diagrams, and abbreviations for these items | 106 |
| Annex G (informative) | — Table of conversion factors   | 108 |

# Interprovincial Gas Advisory Council

|                      |  |                   |
|----------------------|--|-------------------|
| <b>J. Renaud</b>     | Régie du bâtiment du Québec,<br>Montréal, Québec, Canada                                     | <i>Chair</i>      |
| <b>J. Marshall</b>   | Technical Standards & Safety Authority (TSSA),<br>Toronto, Ontario, Canada                   | <i>Vice Chair</i> |
| <b>A. Ali</b>        | Government of Nunavut Community & Government<br>Services,<br>Iqaluit, Nunavut, Canada        |                   |
| <b>R. Brousseau</b>  | Régie du Bâtiment du Québec,<br>Montréal, Québec, Canada                                     | <i>Alternate</i>  |
| <b>M. Davidson</b>   | Province of New Brunswick Dept of Public Safety,<br>Fredericton, New Brunswick, Canada       |                   |
| <b>A. Durnie</b>     | Alberta Municipal Affairs,<br>Edmonton, Alberta, Canada                                      | <i>Alternate</i>  |
| <b>D. Eastman</b>    | Service NL, Newfoundland & Labrador,<br>St. John's, Newfoundland and Labrador, Canada        |                   |
| <b>B. Fierheller</b> | Office of the Fire Commissioner,<br>Winnipeg, Manitoba, Canada                               |                   |
| <b>D. Hird</b>       | SaskPower,<br>Regina, Saskatchewan, Canada   |                   |
| <b>C. Lashek</b>     | Manitoba, Office of the Fire Commissioner,<br>Winnipeg, Manitoba, Canada                     | <i>Non-voting</i> |
| <b>W. Lock</b>       | British Columbia Safety Authority (BCSA),<br>New Westminster, British Columbia, Canada       |                   |
| <b>S. Manning</b>    | Alberta Municipal Affairs Safety Services,<br>Edmonton, Alberta, Canada                      |                   |
| <b>McRae</b>         | Government of the NWT Public Works & Services,<br>Yellowknife, Northwest Territories, Canada |                   |

|                     |  |                  |
|---------------------|--|------------------|
| <b>J. Melling</b>   | SaskPower,<br>Saskatoon, Saskatchewan, Canada  | <i>Alternate</i> |
| <b>B. Reid</b>      | Department of Environment, Energy and Forestry,<br>Charlottetown, Prince Edward Island, Canada |                  |
| <b>D. Stewart</b>   | Department of Labour and Advanced Education,<br>Halifax, Nova Scotia, Canada                   |                  |
| <b>G. Tremblett</b> | Service NL, Newfoundland & Labrador,<br>St. John's, Newfoundland and Labrador, Canada          | <i>Alternate</i> |
| <b>C. Valliere</b>  | Alberta Municipal Affairs Safety Services,<br>Edmonton, Alberta, Canada                        | <i>Alternate</i> |
| <b>M. Wani</b>      | Government of Nunavut,<br>Iqaluit, Nunavut, Canada   |                  |
| <b>D. Young</b>     | Yukon Government,<br>Whitehorse, Yukon, Canada   |                  |
| <b>B. Zinn</b>      | British Columbia Safety Authority (BCSA),<br>Coquitlam, British Columbia, Canada               | <i>Alternate</i> |

# ***Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories***

|                      |   |                   |
|----------------------|---|-------------------|
| <b>B. Swiecicki</b>  | National Propane Gas Association,<br>Frankfort, Illinois, USA<br><i>Category: Gas Supplier</i>                | <i>Chair</i>      |
| <b>M. Wilber</b>     | Crane Engineering,<br>Plymouth, Minnesota, USA<br><i>Category: General Interest</i>                           | <i>Vice Chair</i> |
| <b>C. Adams</b>      | A.O. Smith Corporation,<br>Milwaukee, Wisconsin, USA<br><i>Category: Manufacturer</i>                         |                   |
| <b>S. Caudle</b>     | Southern California Gas Company,<br>Los Angeles, California, USA<br><i>Category: Gas Supplier</i>             | <i>Alternate</i>  |
| <b>M. Deegan</b>     | Clearwater Gas System,<br>Clearwater, Florida, USA<br><i>Category: Government and/or Regulatory Authority</i> |                   |
| <b>L. DeLaura</b>    | Southern California Gas Company,<br>Los Angeles, California, USA<br><i>Category: Gas Supplier</i>             |                   |
| <b>M. Diesch</b>     | Lennox International Inc,<br>Carrollton, Texas, USA<br><i>Category: Manufacturer</i>                          |                   |
| <b>J. Emmel</b>      | Virginia Tech,<br>Blacksburg, Virginia, USA<br><i>Category: Consumer/User</i>                                 |                   |
| <b>Z. Maczkowski</b> | Technical Standards & Safety Authority (TSSA),<br>Toronto, Ontario, Canada                                    | <i>Non-voting</i> |

|                    |   |                   |
|--------------------|---|-------------------|
| <b>R. Frazier</b>  | ATMOS Energy,<br>Arlington, Texas, USA<br><i>Category: Gas Supplier</i>   |                   |
| <b>T. Hardin</b>   | UL, LLC,<br>Research Triangle Pk, North Carolina, USA<br><i>Category: Research/Testing</i>                                | <i>Alternate</i>  |
| <b>D. Jakobs</b>   | Rheem Manufacturing Company Air Conditioning<br>Division,<br>Fort Smith, Arkansas, USA<br><i>Category: Manufacturer</i>   |                   |
| <b>R. Jordan</b>   | Consumer Product Safety Commission,<br>Rockville, Maryland, USA   | <i>Non-voting</i> |
| <b>F. Myers</b>    | PVI Industries LLC,<br>Fort Worth, Texas, USA<br><i>Category: Manufacturer</i>  |                   |
| <b>G. Potter</b>   | Cambridge Engineering,<br>Chesterfield, Missouri, USA<br><i>Category: Producer Interest</i>                               |                   |
| <b>J. Ranfone</b>  | American Gas Association Inc.,<br>Washington, District of Columbia, USA<br><i>Category: Gas Supplier</i>                  |                   |
| <b>N. Rolph</b>    | Lochinvar LLC,<br>Lebanon, Tennessee, USA<br><i>Category: Manufacturer</i>  | <i>Alternate</i>  |
| <b>G. Ruzicka</b>  | Lowe's Companies, Inc,<br>Mooresville, North Carolina, USA<br><i>Category: General Interest</i>                           |                   |
| <b>I. Sargunam</b> | Bloomington, Indiana, USA<br><i>Category: General Interest</i>  |                   |
| <b>C. Souhrada</b> | North American Association of Food Equipment<br>Manufacturers,<br>Chicago, Illinois, USA<br><i>Category: Manufacturer</i> |                   |
| <b>F. Stanonik</b> | Air-Conditioning, Heating, and Refrigeration Institute,<br>Arlington, Virginia, USA                                       | <i>Non-voting</i> |

|                          |  |                        |
|--------------------------|--|------------------------|
| <b>T. Stroud</b>         | Hearth Patio & Barbecue Association,<br>Seattle, Washington, USA<br><i>Category: General Interest</i>                            |                        |
| <b>C. Suchovsky</b>      | Burner Technology Unlimited, Inc,<br>Walton Hills, Ohio, USA<br><i>Category: General Interest</i>                                |                        |
| <b>D. Switzer</b>        | Consumer Product Safety Commission,<br>Rockville, Maryland, USA  | <i>Non-voting</i>      |
| <b>H. Virgil</b>         | Brownsburg, Indiana, USA<br><i>Category: Consumer/User</i>   |                        |
| <b>A. Wagner-Sherwin</b> | St. Louis Community College,<br>St. Louis, Missouri, USA<br><i>Category: Consumer/User</i>                                       |                        |
| <b>M. Williams</b>       | Association of Home Appliance Manufacturers<br>(AHAM),<br>Washington, District of Columbia, USA<br><i>Category: Manufacturer</i> |                        |
| <b>R. Wozniak</b>        | UL, LLC,<br>Melville, New York, USA<br><i>Category: Research/Testing</i>   |                        |
| <b>S. Corcoran</b>       | CSA Group,<br>Cleveland, Ohio, USA   | <i>Project Manager</i> |

# Canadian Technical Committee on Gas Appliances and Related Accessories

|                       |   |                   |
|-----------------------|---|-------------------|
| <b>Z. Fraczkowski</b> | Technical Standards & Safety Authority (TSSA),<br>Toronto, Ontario, Canada<br><i>Category: Government and/or Regulatory Authority</i> | <i>Chair</i>      |
| <b>A. Gould</b>       | Reliance Comfort Ltd. Partnership dba Reliance Home<br>Comfort,<br>Cambridge, Ontario, Canada<br><i>Category: User Interest</i>       | <i>Vice-Chair</i> |
| <b>A. Abdel-Rehim</b> | A.O. Smith Enterprises Ltd.,<br>Fergus, Ontario, Canada   | <i>Non-voting</i> |
| <b>P. Baker</b>       | Maxitrol Company,<br>Hamilton, Ontario, Canada<br><i>Category: Producer Interest</i>  |                   |
| <b>D. Baxter</b>      | Enbridge Gas Distribution,<br>Thorold, Ontario, Canada<br><i>Category: User Interest</i>  |                   |
| <b>J. Boros</b>       | Rheem Sales Co Inc AKA Rheem Manufacturing Co,<br>Montgomery, Alabama, USA<br><i>Category: Producer Interest</i>                      |                   |
| <b>T. Brennan</b>     | Natural Resources Canada,<br>Ottawa, Ontario, Canada  | <i>Non-voting</i> |
| <b>C. Côté</b>        | Gaz Métro Inc.,<br>Montréal, Québec, Canada<br><i>Category: User Interest</i>   |                   |
| <b>C. Gibbs</b>       | Guelph, Ontario, Canada<br><i>Category: General Interest</i>  |                   |
| <b>E. Grzesik</b>     | Mississauga, Ontario, Canada<br><i>Category: General Interest</i>   |                   |
| <b>D. Hird</b>        | SaskPower,<br>Regina, Saskatchewan, Canada<br><i>Category: Government and/or Regulatory Authority</i>                                 |                   |

|                     |   |                        |
|---------------------|---|------------------------|
| <b>D. Jamieson</b>  | GHP Group Inc,<br>Oakville, Ontario, Canada<br><i>Category: Producer Interest</i>   |                        |
| <b>C. Jorgenson</b> | British Columbia Safety Authority (BCSA),<br>New Westminster, British Columbia, Canada<br><i>Category: Government and/or Regulatory Authority</i> |                        |
| <b>S. Katz</b>      | S. Katz and Associates Inc.,<br>North Vancouver, British Columbia, Canada   | <i>Non-voting</i>      |
| <b>J. Marshall</b>  | Technical Standards & Safety Authority (TSSA),<br>Toronto, Ontario, Canada  | <i>Non-voting</i>      |
| <b>J. Melling</b>   | SaskPower,<br>Saskatoon, Saskatchewan, Canada   | <i>Non-voting</i>      |
| <b>J. Overall</b>   | Union Gas Limited,<br>Toronto, Ontario, Canada  | <i>Non-voting</i>      |
| <b>T. Poulin</b>    | A.O. Smith Enterprises Ltd.,<br>Fergus, Ontario, Canada<br><i>Category: Producer Interest</i>   |                        |
| <b>G. Prociw</b>    | Union Gas Limited,<br>Chatham, Ontario, Canada<br><i>Category: User Interest</i>  |                        |
| <b>E. Scott</b>     | British Columbia Safety Authority (BCSA),<br>New Westminster, British Columbia, Canada  | <i>Non-voting</i>      |
| <b>B. Swiecicki</b> | National Propane Gas Association,<br>Frankfort, Illinois, USA   | <i>Non-voting</i>      |
| <b>M. Thomas</b>    | Natural Resources Canada CANMET Energy,<br>Ottawa, Ontario, Canada  | <i>Non-voting</i>      |
| <b>M. Khan</b>      | CSA Group,<br>Mississauga, Ontario, Canada  | <i>Project Manager</i> |

# ***Joint Technical Subcommittee on Standards for Decorative Gas Appliances***

|                     |   |                   |
|---------------------|---|-------------------|
| <b>S. Caudle</b>    | Southern California Gas Company,<br>Los Angeles, California, USA                    | <i>Chair</i>      |
| <b>A. James</b>     | Woodbridge Fireplace,<br>Brampton, Ontario, Canada                                  | <i>Vice-Chair</i> |
| <b>G. Achman</b>    | Hearth & Home Technologies,<br>Lakeville, Minnesota, USA                            |                   |
| <b>M. Adkins</b>    | Hearth Products Controls Co,<br>Kettering, Ohio, USA                                |                   |
| <b>R. AlMasri</b>   | Monessen Hearth Systems Company,<br>Paris, Kentucky, USA                            |                   |
| <b>J. Baldwin</b>   | Monessen Hearth Systems Company,<br>Paris, Kentucky, USA                            | <i>Alternate</i>  |
| <b>B. Book</b>      | Miles Industries Ltd,<br>North Vancouver, British Columbia, Canada                  | <i>Alternate</i>  |
| <b>J. Buezis</b>    | Honeywell International Inc,<br>Golden Valley, Minnesota, USA                       |                   |
| <b>T. Campbell</b>  | Ironhaus Inc,<br>Hamilton, Montana, USA   | <i>Non-voting</i> |
| <b>J. Cittadini</b> | Enbridge Gas Distribution,<br>Toronto, Ontario, Canada                              |                   |
| <b>R. Curkeet</b>   | Intertek Testing Services NA Inc.,<br>Middleton, Wisconsin, USA                     |                   |
| <b>D. Delaquila</b> | Air-Conditioning, Heating, and Refrigeration Institute,<br>Arlington, Virginia, USA |                   |
| <b>K. Dorrough</b>  | Rinnai America Corporation,<br>Peachtree City, Georgia, USA                         | <i>Alternate</i>  |

|                         |   |                   |
|-------------------------|---|-------------------|
| <b>G. Edgar</b>         | VenTech Consulting Ltd,<br>Lancaster, Ohio, USA                                     | <i>Non-voting</i> |
| <b>Z. Fraczkowski</b>   | Technical Standards & Safety Authority (TSSA),<br>Toronto, Ontario, Canada          | <i>Non-voting</i> |
| <b>R. Jordan</b>        | Consumer Product Safety Commission,<br>Rockville, Maryland, USA                     | <i>Non-voting</i> |
| <b>K. Kirchner</b>      | Continental Appliance, Inc. dba Procom,<br>Brea, California, USA                    | <i>Alternate</i>  |
| <b>K. Leason</b>        | Continental Appliance, Inc. dba Procom,<br>Brea, California, USA                    |                   |
| <b>D. Lyons</b>         | Hearth & Home Technologies,<br>Lakeville, Minnesota, USA                            | <i>Alternate</i>  |
| <b>R. Mateos Martin</b> | Copreci S. Coop,<br>Marietta, Georgia, USA  |                   |
| <b>M. Miles</b>         | Miles Industries Ltd,<br>North Vancouver, British Columbia, Canada                  |                   |
| <b>N. Nash</b>          | Monessen Hearth Systems Company,<br>Paris, Kentucky, USA                            | <i>Alternate</i>  |
| <b>B. Rahn</b>          | Hearth & Home Technologies,<br>Lake City, Minnesota, USA                            | <i>Alternate</i>  |
| <b>R. Rasmussen</b>     | Rasmussen Iron Works, Inc.,<br>Whittier, California, USA                            |                   |
| <b>S. Richardson</b>    | Ferguson, Andors & Company,<br>South Royalton, Vermont, USA                         |                   |
| <b>R. Smith</b>         | Sourcing Solutions Services LLC,<br>New Smyrna Beach, Florida, USA                  |                   |
| <b>J. Sorenson</b>      | Intertek Testing Services NA Inc ETL SEMKO,<br>Cortland, New York, USA              | <i>Alternate</i>  |
| <b>F. Stanonik</b>      | Air-Conditioning, Heating, and Refrigeration Institute,<br>Arlington, Virginia, USA | <i>Alternate</i>  |

---

|                     |  |                        |
|---------------------|--|------------------------|
| <b>T. Stroud</b>    | Hearth Patio & Barbecue Association,<br>Seattle, Washington, USA |                        |
| <b>C. Suchovsky</b> | Burner Technology Unlimited, Inc,<br>Walton Hills, Ohio, USA     |                        |
| <b>D. Szubra</b>    | Channel Products, Inc.,<br>Chesterland, Ohio, USA                |                        |
| <b>T. Wagoner</b>   | Monessen Hearth Systems Company,<br>Paris, Kentucky, USA         | <i>Alternate</i>       |
| <b>R. Wozniak</b>   | UL, LLC,<br>Melville, New York, USA                              |                        |
| <b>J. York</b>      | Rinnai America Corporation,<br>Peachtree City, Georgia, USA      |                        |
| <b>L. McCourt</b>   | CSA Group,<br>Cleveland, Ohio, USA                               | <i>Project Manager</i> |

# Preface

This is the second edition of ANSI Z21.97 • CSA 2.41, *Outdoor decorative gas appliances*. It supersedes the previous edition published in 2012.

This Standard was prepared by the Z21/CSA Joint Technical Subcommittee on Standards for Decorative Gas Appliances, under the jurisdiction of the Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories, the Canadian Technical Committee on Gas Appliances and Related Accessories, and the Strategic Steering Committee on Standards for Fuel Burning Equipment, and had been formally approved by the Technical Committees, American National Standards Institute, and the Interprovincial Gas Advisory Council.

**Interpretations:** The Strategic Steering Committee on Standards for Fuel Burning Equipment has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *This Standard contains SI (Metric) units corresponding to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009, Quantities and units — Part 1: General, is used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units are both specified as a quoted marking requirement, the first stated unit, or both, are to be provided.*
- 3) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 4) *This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity.” It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.*
- 5) *This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*
- 6) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

## History of the development of ANSI Z21.97-2014 • CSA 2.41-2014

**Note:** *This history is informative and is not part of the standard.*

The draft standard for outdoor decorative gas appliances was based on coverage from IAS U.S. *Requirements for Outdoor Gas Fireplaces*, No. 4-96; the *Standard for Outdoor cooking gas appliances*, ANSI Z21.58-2007 CSA 1.6-2007; and the *Standard for Vented gas fireplaces*, ANSI Z21.50-2007 • CSA 2.22-2007.

In 2007, due to an increase in the development and use of outdoor gas fireplaces, CSA America was approached by the Hearth, Patio and Barbeque Association (HPBA) to develop an American National Standard for outdoor open flame decorative gas appliances. A working group was formed and a draft standard developed. During March 2008, the draft standard was transferred to the Z21/CSA Joint Technical Advisory Group (TAG) on Standards for Decorative Gas Appliances for review. Revisions were made to the draft standard, and during the TAG's October 29, 2008 meeting the first draft standard was approved for distribution for review and comment.

Following reconsideration, modification, and additional reviews of the proposed draft standard, the joint TAG during its July 27, 2009 meeting recommended the proposed draft standard to the Z21/83 Technical Committee for approval.

The Z21/83 Technical Committee approved the proposed standard for outdoor decorative gas appliances on November 18, 2009.

The American National Standards Institute, Inc., on January 5, 2010, approved the first edition of the American National Standard For Outdoor Decorative Gas Appliances, ANSI Z21.97.

The following identifies the designation and year of the first edition of the standard: ANSI Z21.97-2010

The draft standard was distributed for Review and Comment during July 2009.

The CSA Technical Committee approved the first harmonized standard for outdoor decorative gas appliances on April 4, 2012; and the Z21/83 Technical Committee approved it on April 3, 2012.

The first edition of the harmonized Standard for Outdoor decorative gas appliances was approved by the Interprovincial Gas Advisory Council (IGAC) on July 27, 2012, and by the American National Standards Institute, Inc. on August 1, 2012.

This, the second edition of the Standard for Outdoor decorative gas appliances was distributed for industry review during June 2010, March 2012 and December 2012; and approved by the Z21/83 Technical Committee on Performance and Installation of Gas Burning and Related Accessories on December 20, 2013; the Canadian Technical Committee on Gas Appliances and Related Accessories on October 30, 2013; ANSI on February 20, 2014; and the IGAC on February 18, 2014.

The following identifies the designation and year of this Standard:

ANSI Z21.97-2014 • CSA 2.41-2014

# ANSI Z21.97-2014 • CSA 2.41-2014

## Outdoor decorative gas appliances

### 1 Scope

#### 1.1

This Standard applies to newly produced decorative gas appliances for outdoor installation (see Clause 3, Definitions), constructed entirely of new, unused parts and materials; hereinafter referred to as “appliance”. Appliances submitted for examination under this Standard are classified as one of the following: portable, stationary, or built-in.

#### 1.2

Appliances may be for:

- a) connection to a fixed fuel piping system; or
- b) connection to a self-contained liquefied petroleum (LP) gas supply system (see Clause 3, Definitions). Cylinder(s) for a self-contained system may be either remote to the appliance or integrally mounted on the appliance, and shall be designed for vapor withdrawal only.
  - i) Appliances with input ratings less than 60,000 Btu/hr (17 584 W) shall be designed to accommodate a vertically mounted integral cylinder with a maximum size of 20 lb (9.1kg) of fuel.
  - ii) Appliances with input ratings greater than or equal to 60,000 Btu/hr (17 584 W) may be designed to accommodate a vertically mounted integral cylinder with a maximum size of 30 lb (13.6 kg) of fuel.
  - iii) Appliances with input ratings greater than or equal to 80,000 Btu/hr (23 446 W) may be designed for not more than two vertically mounted integral vapor withdrawal cylinders, each with a maximum size of 20 lb (9.1 kg) of fuel.
  - iv) Portable appliances intended for table top use shall have input ratings limited to not more than 15,000 Btu/hr (4 396 W) and shall be designed to accommodate a vertically mounted cylinder with a maximum size of 16.4 oz (465 g) of fuel.
  - v) Portable appliances with input ratings not greater than or equal to 25,000 Btu/hr (7 327 W) may be designed for the use of not more than two cylinders, each with a maximum size of 16.4 oz (465 g) of fuel.
  - vi) Appliances designed for use with remote LP cylinders shall be limited to one cylinder of maximum 30 lb (13.6 kg) of fuel or two cylinders with maximum of 20 lb (9.1kg) of fuel each.

#### 1.3

An appliance conforming to Clause 1.2b)ii), and that is capable of accepting either a 20 lb (9.1 kg) or a 30 lb (13.6 kg) LP-gas cylinder, shall have all applicable tests in Clause 4, Construction, and Clause 5, Performance, conducted with both size cylinders.

#### 1.4

This Standard applies to appliances operating at inlet gas pressures not to exceed 1/2 psi (3.5 kPa) for connection to a fixed fuel piping system and for use with:

- a) natural gas; and
- b) liquefied petroleum gases.