



ANSI Z21.81-2005 • CSA 6.25-2005
(reaffirmed 2020)

American National Standard/CSA Standard for Cylinder Connection Devices



Legal Notice for Standards

Canadian Standards Association and CSA America Standards Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

ANSI Z21.81-2005 • CSA 6.25-2005 February 2005

Title: *American National Standard/CSA Standard for Cylinder Connection Devices*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **20179.1**

If you require assistance, please e-mail techsupport@csagroup.org or call 410-326-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA Group

The Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects product that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard, Toronto, Ontario,
Canada M9W 1R3

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, State and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests
with the
American National Standards Institute, Inc.
25 West 43rd Street, Fourth floor
New York, NY 10036

AMERICAN NATIONAL STANDARD
ANSI Z21.81-2005

CSA STANDARD
CSA 6.25-2005

Second Edition - 2005

This Standard is a revised edition
of the former Standard for

CYLINDER CONNECTION DEVICES
ANSI Z21.81-1997 • CSA 6.25-1997
ANSI Z21.81a-1998 • CSA 6.25a-1998
ANSI Z21.81b-2003 • CSA 6.25b-2003

APPROVED



November 19, 2004
American National Standards Institute, Inc.

IGAC

February 1, 2005
Interprovincial Gas Advisory Council
Effective in Canada June 1, 2006

Secretariat

CSA AMERICA, INC.
8501 East Pleasant Valley Road
Cleveland, Ohio 44131

CANADIAN STANDARDS ASSOCIATION
5060 Spectrum Way, Suite 100
Mississauga, Ontario Canada L4W 5N6

Published - February 2005

Copyright © 2005

Canadian Standards Association

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult the Canadian Standards Association at the address noted above.

Copyright © 2005

CSA America, Inc.

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult International Approval Services at the address noted above.

Preface

This publication represents a basic standard for safe operation, substantial and durable construction, and acceptable performance of cylinder connection devices. It is the result of years of experience in the manufacture, testing, installation, maintenance, inspection and research on cylinder connection devices designed for utilization of gas. There are risks of injury to persons inherent in appliances that, if completely eliminated, would defeat the utility of the appliance. The provisions in this standard are intended to help reduce such risks while retaining the normal operation of the appliance.

Nothing in this standard is to be considered in any way as indicating a measure of quality beyond compliance with the provisions it contains. It is designed to allow compliance of cylinder connection devices, the safety construction and performance of which may exceed the various provisions specified herein. In its preparation, full recognition has been given to possibilities of improvement through ingenuity of design. As progress takes place, revisions may become necessary. When they are believed desirable, recommendations or suggestions should be forwarded to the Chairman of Accredited Standards Committee Z21/Z83, 8501 East Pleasant Valley Road, Cleveland, Ohio 44131 or the Chairman of CSA Technical Committee, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada, L4W 5N6.

Safe and satisfactory operation of a cylinder connection device depends to a great extent upon its proper installation, use and maintenance. It should be installed, as applicable, in accordance with the *National Fuel Gas Code, ANSI Z223.1/NFPA54*; the *Natural Gas and Propane Installation Code, CSA-B149.1*.

Users of this American National Standard/CSA Standard are advised that the devices, products and activities within its scope may be subject to regulation at the Federal, Territorial, Provincial, state or local level. Users are strongly urged to investigate this possibility through appropriate channels. In the event of a conflict with this standard, the Federal, Territorial, Provincial, state or local regulation should be followed.

THIS STANDARD IS INTENDED TO BE USED BY THE MANUFACTURING SECTOR AND BY THOSE APPLYING THE EQUIPMENT AND BY THOSE RESPONSIBLE FOR ITS PROPER INSTALLATION. IT IS THE RESPONSIBILITY OF THESE USERS TO DETERMINE WHAT IN EACH CASE THIS STANDARD IS SUITABLE FOR AND APPLICABLE TO THE SPECIFIC USE THEY INTEND.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc., require that action be taken to reaffirm, revise or withdraw this standard no later than five (5) years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, Inc., 25 West 43rd Street, New York, N.Y. 10036, (212) 642-4900.

EFFECTIVE DATE: An organization using this standard for product evaluation as a part of its certification program will normally establish the date by which all products certified by that organization should comply with this standard. In Canada the CSA Technical Committee and the Interprovincial Gas Advisory Council normally stipulate an effective date for the standard.

History Of The Development Of The Standard For Cylinder Connection Devices

(This History is informative and is not part of the standard.)

With the onset of the Free Trade Agreement between the United States and Canada on January 2, 1988, significant attention was given to the harmonization of the United States and Canadian safety standards addressing gas-fired equipment for residential, commercial and industrial applications. It was believed that the elimination of the differences between the standards would remove potential trade barriers and provide an atmosphere in which North American manufacturers could market more freely in the United States and Canada. The harmonization of these standards was also seen as a step toward harmonization with international standards. Joint subcommittees were established to facilitate the standards harmonization process between the United States and Canada.

This standard is a direct result of the outdoor gas cooking appliance (gas grill) industry requiring a connection device which included several safety enhancements that were not available in devices used prior to 1993.

Prior to 1993 the ANSI Z21/83•(Interim CSA) Joint Subcommittee on Outdoor Cooking and Illuminating Appliances prepared several standards proposals for cylinder connection devices. These proposed requirements were intended for inclusion in the harmonized ANSI Z21.58•CGA 1.6 standard on Outdoor Cooking Gas Appliances. The Joint Subcommittee realized that there were several important issues that needed specific standard requirements, including interchangeability, non-proprietary connection to protect the end user, and test criteria to ensure that all requirements of the Z21.58•CGA 1.6 were satisfied. Permission was granted to the Joint Subcommittee to proceed with development with a separate standard for Cylinder Connection Devices.

In 1993 a task group was formed consisting of representatives of valve, cylinder, connector, and appliance manufacturers, all of whom were either members, or actively participated on the Joint Subcommittee. The first meeting of this task group was held in May 1993.

This standard has evolved through four drafts, the fourth becoming this first edition. At the October 1996 meeting of the Joint Subcommittee, the subcommittee addressed the outstanding comments received on the third draft which was issued for public review and comment in August 1996. At the October 1996 meeting, the Joint Subcommittee agreed to forward the fourth draft, which included amendments made to the third draft, to the parent committees for their approval.

The first edition was approved by the (Interim CSA) Steering Committee on Gas Appliances and Related Accessories in March 1997, and ANSI Z21/83 Committee in April 1997. It was subsequently approved by the Interprovincial Gas Advisory Council in July 1997, and ANSI on October 28, 1997.

This the second edition of the harmonized Z21/CSA Standard for Cylinder Connection Devices was approved by the Canadian Interprovincial Gas Advisory Council on February 1, 2005 and by the American National Standards Institute, Inc. on November 19, 2004.

The previous edition of the Cylinder Connection Devices Standard, and addenda there to, approved by the Canadian Interprovincial Gas Advisory Council and American National Standards Institute, Inc. are as follows:

- Z21.81-1997 • CSA 6.25-M97
- Z21.81a-1998 • CSA 6.25a-M98
- Z21.81b-2003 • CSA 6.25b-2003

The following identifies the designation and year of the harmonized standard:

ANSI Z21.81-2005 • CSA 6.25-2005.

NOTE: *This 2005 edition of Z21.81 • CSA 6.25 incorporates changes to the 1997 edition and addenda there to. Changes, other than editorial, are denoted by a vertical line in the margin.*

Currently in preview, click buy full version

Interprovincial Gas Advisory Council

(August, 2004)

G. Williams	SaskPower Corporation	(Chairman)
B. Alberts	SaskPower Corporation	(Alternate Member)
B. Bachellier	Public Works and Service	
J.F. Bussieres	Regie du batiment du Quebec	(Alternate Member)
S. Cook	Technical Standards & Safety Authority	
D. Eastman	Government of Newfoundland & Labrador	
D. Evans	Province of New Brunswick	
Z. Franzkowski	Technical Standards & Safety Authority	(Alternate Member)
S. Kamminga	Province of New Brunswick	(Alternate Member)
W.C. LaRose	Alberta Municipal Affairs	
E. Marotta	Human Resources Development Canada	
I.W. Mault	Manitoba Labour	
R. McRae	Government of the Northwest Territories	
W.G. Mitchell	Human Resources Development Canada	(Alternate Member)
B. Reid	P.E.I. Department of Labour	
J. Samson	Regie du batiment du Quebec	
D.C. Stewart	Nova Scotia Department of Labour	
I. Svorinich	Gas Safety Branch	(Alternate Member)
D. Warriner	Manitoba Labour	(Alternate Member)
D. Young	Government of Yukon Territory	
S. Krsikapa	Canadian Standards Association	(Secretary)

Accredited Standards Committee Z21/83

DARYL L. HOSLER, Chairman

PAUL E. BEACH, Vice Chairman

ALLEN J. CALLAHAN, Administrative Secretary (Non-Voting)

**REPRESENTING AIR-CONDITIONING
CONTRACTORS OF AMERICA:**

Michael Honeycutt

**REPRESENTING AMERICAN ASSOCIATION OF
FAMILY AND CONSUMER SERVICES:**

Frances Gailey

**REPRESENTING AMERICAN BOILER
MANUFACTURERS ASSOCIATION:**

Dan Christenson

**REPRESENTING AMERICAN GAS
ASSOCIATION:**

Edward Angelone
C. John Beck
Ronnie Ray Frazier
Martin Petchul
Jack D. Rea
Amy Beth Wagner Sherwin
Matthew W. Wilber

**REPRESENTING AMERICAN PUBLIC GAS
ASSOCIATION:**

Bert Kalisch

**REPRESENTING ASSOCIATION OF HOME
APPLIANCE MANUFACTURERS:**

Issac Sargunam
Tom Riley (Alternate)

**REPRESENTING GAS APPLIANCE
MANUFACTURERS ASSOCIATION, INC.:**

Charles V. Adams
Paul E. Beach
Daniel J. Canclini
Lloyd Christenson
Michael Eberlien
Norm Mattson
James Mullen
Frank Meyers
Gary Potter
Terry Slaby
Neil Rolph (Alternate)

**REPRESENTING GENERAL SERVICES
ADMINISTRATION:**

Bruce Green
John Vann (Alternate)

**REPRESENTING HEARTH, PATIO, AND
BARBEQUE ASSOCIATION:**

Jack Goldman

REPRESENTING INDIVIDUAL MEMBERS:

R. Michael Marston
Alex Spataru

**REPRESENTING INDUSTRIAL HEATING
EQUIPMENT ASSOCIATION:**

David Perry

**REPRESENTING INTERNATIONAL
ASSOCIATION OF PLUMBING AND
MECHANICAL OFFICIALS:**

Robert L. Shepard

**REPRESENTING INTERNATIONAL CODE
COUNCIL (ICC):**

Gregg Gress

REPRESENTING LOWE'S COMPANIES, INC.:

Jeff Jacumin

**REPRESENTING NATIONAL ELECTRICAL
MANUFACTURERS ASSOCIATION:**

John T. Adams

**REPRESENTING NATIONAL FIRE PROTECTION
ASSOCIATION:**

Theodore C. Lemoff

**REPRESENTING NATIONAL PROPANE GAS
ASSOCIATION:**

Bruce J. Swiecicki

Accredited Standards Committee Z21/83

**REPRESENTING NAVAL FACILITIES
ENGINEERING COMMAND, U.S. DEPARTMENT
OF THE NAVY:**

Thomas J. Harris

**REPRESENTING NORTH AMERICAN
ASSOCIATION OF FOOD EQUIPMENT
MANUFACTURERS (NAFEM):**

Jeffery A. Kincer

**REPRESENTING SOUTHERN CALIFORNIA GAS
COMPANY:**

Daryl L. Hosler

**REPRESENTING UNDERWRITERS
LABORATORIES INC.:**

Robert Wozniak
Travis Hardin (Alternative)

**REPRESENTING U.S. CONSUMER PRODUCT
SAFETY COMMISSION:**

Donald W. Switzer

REPRESENTING U.S. DEPARTMENT OF ENERGY:

Cyrus Nasser

**REPRESENTING U.S. DEPARTMENT OF HEALTH
AND HUMAN SERVICES:**

Rudy Tatum

**REPRESENTING U.S. DEPARTMENT OF
HOUSING AND URBAN DEVELOPMENT:**

Victor J. Ferrante

CSA Technical Committee On Gas Appliances And Related Equipment

(August, 2004)

J.Marshall	Enbridge Gas Distribution	(Chairman)
G.L. Williams	SaskPower Corporation	(Vice Chairman)
B.E. Alberts	SaskPower Corporation	(Alternate Member)
M. Binet	Gas Metro	
J. Boros	Rheem Manufacturing Company	
Z. Franzkowski	Technical Standards and Safety Authority	
C. Gibbs	Consumer's Association of Canada	
A. Gould	Union Energy	(Alternate Member)
K.Greiss	Natural Resource Canada	
E. Grzesik	Ontario Ministry of Energy	
W. Harrigill	Rheem Manufacturing Company	(Alternate Member)
G. Holloway	Direct Energy Essential Home Services	
D. Hosler	W.E. Associates	
E.J. Hurd	B.C. Ministry of Municipal Affairs	(Alternate Member)
D. Jamieson	CFM Corporation	
J.M. Jones	J. Jones Consulting Services	
S. Katz	B.C. Ministry of Municipal Affairs	
J. Krill	Union Energy	
S. Lajoie	Gaz Metropolitan Inc.	(Alternate Member)
T.C. Lemoff	National Fire Protection Association	(Alternate Member)
T. Poulin	GSW Water Heating Company	(Alternate Member)
G. Prociw	Union Gas Limited	
I. Svorinic	B.C. Safety Authority	
S. Krsikapa	Canadian Standards Association	(Secretary)

Joint Technical Advisory Group On Standards For Outdoor Cooking And Illuminating Gas Appliances

RONALD E. MELL, Chairman

REPRESENTING GAS COMPANIES:

Denise Beach
Ed Furguson

REPRESENTING MANUFACTURERS:

George Brake (Alternate)
Christopher V. Childers
Dennis Ducate
William J. Ferlin
Alex Gafford (Alternate)
Sam Hatfield
Paul Heald (Alternate)
Donald Hudson
James Jollay
Jim Klein
Greg Love (Alternate)
Don McLemore
Ronald E. Mell
Shawn Minshall
Ken Sharer
T.A. Witzel (Alternate)
Eric Wolf (Alternate)

REPRESENTING AUXILIARY EQUIPMENT MANUFACTURERS:

Jeffre Borton
Steven Gentry
Ted E. Squires

REPRESENTING LP-GAS DISTRIBUTORS

Ed Ferguson
David Slone
Donald L. Smith

REPRESENTING REGULATORY AUTHORITY:

Joshy P. Kallungal

REPRESENTING CONSUMER INTERESTS:

Michael Lio (Alternate)
Peggy Smith

Table Of Contents

Page

Part I - Construction

- 1.1 Scope 1
- 1.2 General..... 1
- 1.3 Materials..... 3
- 1.4 Operation 4
- 1.5 Service Pressure And Temperature 4
- 1.6 Markings 5

Part II. - Performance

- 2.1 General..... 7
- 2.2 Operation Test..... 8
- 2.3 Positive Seal And External Leakage Test..... 8
- 2.4 Seat Leakage Test 8
- 2.5 Abuse Test..... 9
- 2.6 Load Test..... 9
- 2.7 Endurance Test..... 9
- 2.8 Bending Test..... 10
- 2.9 Temperature Activated Shut Off Test 10
- 2.10 Hydrostatic Pressure Strength Test 10
- 2.11 10-Day Moist Ammonia Air Stress Cracking Test 11
- 2.12 Accelerated Aging Test 11
- 2.13 LP-gas Compatibility Test..... 11
- 2.14 Low Temperature Test 12
- 2.15 Exposure To Ultraviolet Light 12
- 2.16 Flow Limiting Test..... 12
- 2.17 Flow Limiting Device Endurance Test 14
- 2.18 Fire Test..... 14
- 2.19 Elevated Temperature Load Test 15
- 2.20 Marking Material Adhesion And Legibility 15

Tables.

- Table I. List of Tests..... 18
- Table II. Test Sample and Test Sequence 18
- Table III Force and Torque Criteria 19

- EXHIBIT A. Items Unique To Canada..... 21

- EXHIBIT B. List Of Referenced Standards..... 23

Table Of Contents (Continued)

	Page
Part III. Manufacturing And Production Tests	25
Part IV. Definitions	27
Appendix. Table of Conversion Factors	29

Foreword

This Standard contains basic requirements for products. These requirements are based upon sound engineering principles, research, records of tests and field experience, and an appreciation of the problems of manufacture, installation, and use derived from consultation with and information obtained from manufacturers, users, inspection authorities, and others having specialized experience. They are subject to revision as further experience and investigation may show is necessary or desirable.

A product which complies with the text of this Standard will not necessarily be judged to comply with the Standard if, when examined and tested, it is found to have other features which impair the level of safety contemplated by these requirements.

A product employing materials or having forms of construction differing from those detailed in the requirements of this Standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the Standard.

Note

This standard contains SI (Metric) equivalents to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10 or CAN/CSA Z234.1 are used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and an equivalent value in other units, the first stated is to be regarded as the requirement. The given equivalent value may be approximate. If a value for a measurement and an equivalent value in other units, are both specified as a quoted marking requirement, the first stated unit, or both shall be provided.

Blank page

American National Standard/ CSA Standard For Cylinder Connection Devices

Part I: Construction

1.1 Scope

- 1.1.1** This Standard covers CGA 791 (Type I) and CGA 810 (Type II) cylinder connection devices, as defined in Part IV, Definitions, intended to connect the cylinder valve on portable LP-Gas containers to the inlet of the regulator on outdoor cooking gas appliances. These cylinder connection devices are intended for vapour withdrawal service only.
- 1.1.2** The cylinder connection devices covered by this standard are used in applications covered by *Standard for Outdoor Cooking Gas Appliances, ANSI Z21.58 • CSA 1.6*.
- 1.1.3** This Standard does not cover connection devices for engine fuel applications.
- 1.1.4** A product that contains features, characteristics, components, materials, or systems new or different from those in use when the standard was developed, and that involves a risk of fire, electric shock, or injury to persons, shall be evaluated using the appropriate additional component and end-product requirements as determined necessary to maintain the level of safety for the user of the product as originally anticipated by the intent of this standard.
- 1.1.5** Exhibit A, Items Unique to Canada, contains provisions that are unique to Canada.

1.2 General

- 1.2.1** Assembly
- a. A cylinder connection device shall include all the components necessary for its normal function and use, and shall be furnished in not more than two parts or assemblies: Cylinder portion and Appliance portion.
 - b. Pipe threads shall be in accordance with the *Standard for Pipe Threads General Purpose (Inch), ANSI/ASME B1.20.1*.
 - c. Cylinder connection devices shall incorporate means for obtaining a leak-tight connection, without the use of tools, before the flow of gas is permitted.
 1. The cylinder portion of a cylinder connection device shall incorporate means for automatic shut off from the gas supply side when the cylinder connection device is disconnected.