

**CSA A123.51:14**

*(reaffirmed 2023)*



# **Asphalt shingle application on roof slopes 1:6 and steeper**



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

## ***CSA A123.51:14*** ***January 2014***

**Title:** *Asphalt shingle application on roof slopes 1:6 and steeper*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2122160**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

*CSA A123.51:14*

***Asphalt shingle application on roof  
slopes 1:6 and steeper***



\*A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in January 2014 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at  
[www.csagroup.org/store/](http://www.csagroup.org/store/) or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-77139-208-2*

*© 2014 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Bituminous Roofing Materials (A123 Series) 3

Preface 6

**1 Scope 7**

**2 Reference publications 7**

**3 Definitions 9**

**4 Materials 10**

4.1 Shingles 10

4.2 Roll roofing 10

4.3 Underlayment and ice dam/eaves protection 11

4.4 Cement 11

4.5 Fasteners 12

4.6 Materials for drip edges, valleys, and flashings 12

**5 Roof preparation 12**

5.1 Drip edge installation 12

5.2 Ice dam/eaves protection 13

5.2.4 Using roll roofing or SBS polymer modified base sheets 13

5.2.5 Using self-adhesive modified bituminous membranes 13

5.3 Valley preparation 14

5.4 Underlayment 14

5.4.1 Underlayment installation — Slopes 1:6 and steeper 14

5.4.2 Underlayment installation — Slopes 1:6 to 1:3 15

5.5 Valley installation 15

5.5.1 Open valley 15

5.5.2 Closed (cut) valley 16

5.5.3 Woven valley 16

**6 Application of shingles 16**

6.1 Alignment 17

6.1.1 Horizontal alignment 17

6.1.2 Vertical alignment 17

6.2 Starter strip 17

6.3 First course 17

6.4 Second and succeeding courses 17

6.5 Eaves and ridges 18

6.6 Nailing 18

6.6.1 General 18

6.6.2 Standard nailing 18

6.6.3 Special nailing 18

6.6.4 Protection against wind 19

**7 Flashings 19**

- 7.1 Intersection of shingle roofing and vertical surfaces 19
- 7.2 Intersection of roofing and wall cladding other than masonry 20
- 7.3 Flashing at other locations 20

**8 Special procedures 20**

---

Annex A (informative) — Roof sheathing 30

Annex B (informative) — Ventilation and application of asphalt shingles directly over insulation 31

Annex C (informative) — Other asphalt shingle installation precautions 32

# Technical Committee on Bituminous Roofing Materials (A123 Series)

<b>A. Lodge</b>	IKO Industries Ltd., Brampton, Ontario <i>Representing Manufacturers</i>	<i>Chair</i>
<b>P.J. Julian</b>	Materieaux de Construction Corp Building Products of Canada Corp., LaSalle, Québec <i>Representing Manufacturers</i>	<i>Vice-Chair</i>
<b>B. Baskaran</b>	National Research Council Canada, Ottawa, Ontario <i>Representing General Interests</i>	
<b>M. Bryson</b>	Bryson Company, Independence, Missouri, USA <i>Representing Manufacturers</i>	
<b>W. Clark</b>	IKO Industries Ltd., Brampton, Ontario	<i>Associate</i>
<b>J.-F. Côté</b>	Soprema Inc., Drummondville, Québec	<i>Associate</i>
<b>T. Davis</b>	Everest Supply Inc., Mississauga, Ontario	
<b>S.I. Dinwiddie</b>	W. R. Grace, Tacoma, West Virginia, USA <i>Representing Manufacturers</i>	
<b>D.C. Fishburn</b>	Fishburn Building Sciences Group Inc., Hornby, Ontario <i>Representing General Interests</i>	
<b>C. P. Furesher</b>	Tarion Warranty Corporation, Toronto, Ontario <i>Representing General Interests</i>	
<b>M.S. Graham</b>	National Roofing Contractors Association (NRCA), Rosemont, Illinois, USA	

<b>R. Kaethler</b>	Trimline Building Products, Surrey, British Columbia	<i>Associate</i>
<b>P. Kalinger</b>	Canadian Roofing Contractors' Association, Ottawa, Ontario	
<b>G. Keeler</b>	Owens Corning, Granville, Ohio, USA	<i>Associate</i>
<b>R.A. McNulty</b>	Global Laboratory and Research Corporation, Hamilton, Ontario <i>Representing General Interests</i>	
<b>F. Nabhan</b>	National Research Council Canada, Ottawa, Ontario <i>Representing General Interests</i>	
<b>G.T. Nishio</b>	Intertek Testing Services NA Ltd., Coquitlam, British Columbia	<i>Associate</i>
<b>A.R. Phillips</b>	TAMKO Building Products, Joplin, Missouri, USA <i>Representing Manufacturers</i>	
<b>G. Riahi</b>	Hal Industries Inc., Surrey, British Columbia <i>Representing Manufacturers</i>	
<b>R.A. Snyder</b>	Certain Teed Corporation, Blue Bell, Pennsylvania, USA <i>Representing Manufacturers</i>	
<b>A.J. Steen</b>	Ontario Ministry of Municipal Affairs and Housing, Toronto, Ontario	
<b>M. Vandenburg</b>	CASMA, Canadian Asphalt Shingle Man Association, St. Lazare, Québec <i>Representing Manufacturers</i>	
<b>K. Wilso</b>	Orillia, Ontario <i>Representing Manufacturers</i>	

**W. Woodring**

GAF Materials Corporation,  
Wayne, New Jersey, USA

*Associate*

**J. Venalainen**

CSA Group,  
Mississauga, Ontario

*Project Manager*

Currently in preview, click buy full version

# Preface

This is the first edition of CSA A123.51, *Asphalt Shingle Application on Roof Slopes 1:6 and Steeper*. It combines CSA CAN3-A123.51-M, *Asphalt Shingle Application on Roof Slopes 1:3 and Steeper*, and CSA CAN3-A123.52-M, *Asphalt Shingle Application on Roof Slopes 1:6 to Less Than 1:3*. It supersedes the second editions, published in 1985, of the two separate standards. It forms part of the series of CSA Group Standards on bituminous roofing materials (A123.1-M through A123.52-M) and is written in SI (metric) units.

This Standard also supersedes the previous (Imperial) editions published in 1965.

This Standard was prepared by the Technical Committee on Bituminous Roofing Materials under the jurisdiction of the Strategic Steering Committee on Building Materials and Products and was formally approved by the Technical Committee.

## Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- 4) To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:
  - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - b) provide an explanation of circumstances surrounding the actual field condition; and
  - c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csagroup.org](http://standardsactivities.csagroup.org).

- 5) This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:
  - a) Standard designation (number);
  - b) relevant clause, table, and/or figure number;
  - c) wording of the proposed change; and
  - d) rationale for the change.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical *Info Update*, which is available on the CSA Web site at [www.csagroup.org](http://www.csagroup.org).