



CSA/ANSI HGV 2:23
National Standard of Canada
American National Standard



Compressed hydrogen gas vehicle fuel containers



scc  ccn

Legal Notice for Standards

Canadian Standards Association and CSA America Standards Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA/ANSI HGV 2:23 June 2023

Title: *Compressed hydrogen gas vehicle fuel containers*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2730-11**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

CSA Group

The Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to:
CSA Group
178 Rexdale Boulevard, Toronto, Ontario, M9W 1R7
Canada

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10 000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, state and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in the standards process.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests with the
American National Standards Institute, Inc.
25 West 43rd Street, Fourth floor
New York, NY 10036

*National Standard of Canada
American National Standard*

CSA/ANSI HGV 2:23

*Compressed hydrogen gas vehicle
fuel containers*



®A trademark of the Canadian Standards Association, operating as "CSA Group"



American National Standards Institute, Inc.



Approved on May 15, 2023 by ANSI
Published in June 2023 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 27.075
ISBN 978-1-4883-4517-3

© 2023 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.

Contents

Technical Committee on Hydrogen Transportation	5
Subcommittee on Fuel Containers for Compressed Hydrogen Gas Vehicles	9
Preface	12
1 Scope	14
1.1 General	14
1.2 Container type	14
1.2.1 Cylindrical containers	14
1.2.2 Conformable containers	14
1.3 Welded containers	14
1.4 Units of measurement	14
1.5 Terminology	15
2 Reference publications	15
3 Definitions	18
4 General requirements and service conditions	21
4.1 Precedence of requirements	21
4.2 Requalification of containers	21
4.3 Conformable container type identifier	21
4.4 Service conditions	21
4.4.1 Standard service conditions	21
4.4.2 Use of containers	21
4.4.3 Category	21
4.4.4 Service life	21
4.4.5 Periodic in-service inspections	22
4.4.6 Conditions requiring immediate inspections	22
4.5 Nominal working pressures	22
4.6 Maximum number of filling cycles	22
4.7 Temperature range	23
4.7.1 Settled gas temperatures	23
4.7.2 Container temperatures	23
4.7.3 Transient gas temperatures	23
4.7.4 Test temperatures	23
4.8 Gas composition	23
4.9 External surfaces	23
4.10 Gas permeation or leakage	23
4.11 Installation requirements	24
5 Compliance	24
5.1 General	24
5.2 Retroactivity	24

6	Material qualification tests and requirements	24
6.1	General	24
6.2	Material requirements	25
6.3	Metal containers and metal liners	26
6.3.1	Material properties	26
6.3.2	Impact test for steel	26
6.3.3	Tensile tests for metals	27
6.3.4	Sustained load cracking (SLC) test for aluminum	27
6.3.5	Corrosion tests for aluminum	27
6.4	Ultraviolet resistance of external coatings	27
6.5	Fibres	27
6.6	Resins	28
6.7	Nonmetallic liners (Type 4)	28
6.8	Bosses for Type 4 containers	28
7	Container design	28
7.1	Type 1 containers	28
7.2	Liners for Type 2, Type 3, and Type 4 containers	28
7.3	Stress analysis	29
7.3.1	General	29
7.3.2	Stress ratios	29
7.3.3	Modified stress ratio test	29
7.3.4	Hybrid designs	29
7.4	External loads on containers	30
8	Threaded openings	30
9	Inspection requirements	30
9.1	General	30
9.2	Inspection during qualification	30
9.3	Inspection during manufacturing	30
9.4	Duties of inspector during manufacturing	31
9.4.1	Duties performed by all manufacturing inspectors	31
9.4.2	Additional duties (to Clause 9.4.1) performed by third-party inspectors	31
9.5	Inspection during service	32
10	Manufacture	32
10.1	General	32
10.2	Metal containers and metal liners	32
10.3	Nonmetallic liners	32
10.4	Composite containers with metallic liners	32
10.5	Composite containers with nonmetallic liners	33
10.6	Bracing	33
10.7	Welding	33
10.8	End closing by forming	33
10.9	Mounting and protection	33
10.10	Batch definitions and requirements	33
10.11	Design qualification tests	34

11	Production tests and examinations	34
11.1	General	34
11.2	Hydrostatic test	35
11.3	Leak test	35
12	Batch tests	36
12.1	General	36
12.2	Batch material tests	36
12.3	Coated containers	36
12.4	Burst test	36
12.4.1	Batch burst test	36
12.4.2	Periodic burst test	37
12.5	Cycle test	37
12.5.1	Batch cycle test	37
12.5.2	Periodic pressure cycling test	37
13	Rejected containers and liners	38
13.1	Physical test	38
13.2	Leak test	38
13.3	Hydrostatic test	38
13.4	Cycle test	38
13.5	Burst test	38
14	Pressure relief devices	39
15	Records of manufacture	39
16	Markings, dispatch and manufacturer's instructions	39
16.1	Markings	39
16.1.1	General	39
16.1.2	Marking information	39
16.2	Dispatch	40
16.3	Manufacturer's instructions	40
17	Quality assurance	40
17.1	General	40
17.2	Independent inspection (Option 2)	41
18	Design qualification tests	41
18.1	General	41
18.2	Test requirements	41
18.3	Category A: Design qualification tests	43
18.3.1	Test requirements	43
18.3.2	Ambient cycling test	43
18.3.3	Environmental test	44
18.3.4	Extreme temperature cycling test	46
18.3.5	Burst test	46
18.3.6	Flaw tolerance test	46
18.3.7	Drop test	47
18.3.8	Bonfire test	48

18.3.9	High temperature static pressure test	52
18.3.10	Penetration test	52
18.3.11	Permeation test	52
18.3.12	Boss torque test	53
18.3.13	Hydrogen gas cycling test	53
18.3.14	Leak before break test	53
18.3.15	Supplemental creep test	54
18.4	Change of design	54
18.5	Category B: Design qualification tests	58
18.5.1	General test requirements	58
18.5.2	Ambient cycling test	58
18.5.3	Burst test	58
18.5.4	Container test for performance durability	58
18.5.5	High strain rate impact test	60
18.5.6	Permeation test	60
18.5.7	Container test for expected on-road performance	60
18.5.8	Bonfire test	60
18.6	Mechanical tests	61
18.6.1	General	61
18.6.2	Container set-up and preparation	61
18.6.3	Vibration test	61
18.6.4	Mechanical shock test	62
18.6.5	System leakage test	64
18.6.6	Acceptance criteria	64
18.7	Qualification test results	65

Annex A (informative)	— Visual inspection	67
Annex B (informative)	— Non-destructive examination	68
Annex C (informative)	— Records of manufacturing	70
Annex D (informative)	— Validation tests on durability of CT2 conformable container shells	77
Annex E (normative)	— Design approval of specific Canadian requirements	79
Annex F (informative)	— Procedure for requalifying all-steel hydrogen vehicle storage containers	86

Technical Committee on Hydrogen Transportation

J. Hamilton	California Fuel Cell Partnership, West Sacramento, California, USA <i>Category: User Interest</i>	<i>Chair</i>
C. Hayes	Swagelok Company, Solon, Ohio, USA <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
A. I. Murra	Abraham Murra Consulting, Santa Margarita, California, USA <i>Category: Gas Supplier</i>	<i>Vice-Chair</i>
K. Beaulieu	Transport Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
M. Blieske	LIFTE H2 Inc., Boston, Massachusetts, USA	<i>Non-voting</i>
R. S. Bommenahalli	Nikola Corporation, Phoenix, Arizona, USA	<i>Non-voting</i>
R. Boyd	Boyd Hydrogen LLC, Spring Lake Heights, New Jersey, USA <i>Category: General Interest</i>	
J. P. Cohen	Air Products and Chemicals Inc., Allentown, Pennsylvania, USA <i>Category: Gas Supplier</i>	
M. Conrad	Ford Motor Company, Dearborn, Michigan, USA	<i>Alternate</i>
W. L. Cook	Plug Power, Newport Beach, California, USA <i>Category: Gas Supplier</i>	
R. Early	Compressed Gas Association Inc., Chantilly, Virginia, USA	<i>Non-voting</i>

J. E. Eihusen	Hexagon Lincoln Inc., Lincoln, Nebraska, USA	<i>Non-voting</i>
E. Girouard	Emcara Gas Development Inc., Guelph, Ontario, Canada <i>Category: Producer Interest</i>	
B. R. Gordon	Ivys Energy Solutions Inc., Somerville, Massachusetts, USA <i>Category: Producer Interest</i>	
A. Harris	Air Liquide, Redwood City, California, USA <i>Category: Gas Supplier</i>	
K. Harris	John Cockerill, Erie, Pennsylvania, USA	<i>Non-voting</i>
P. Horacek	Powertech Labs Inc., Surrey, British Columbia, Canada <i>Category: General Interest</i>	
J. F. Jordan	Hexagon Agility, Cook, Minnesota, USA <i>Category: User Interest</i>	
S. Katz	S. Katz and Associates Inc., North Vancouver, British Columbia, Canada <i>Category: General Interest</i>	
S. Mathison	FirstElement Fuel Inc., Irvine, California, USA <i>Category: Gas Supplier</i>	
C. McWhinney	Millennium Reign Energy LLC, Dayton, Ohio, USA <i>Category: Producer Interest</i>	
G. Meadows	Westport Fuel Systems Canada Inc., Cambridge, Ontario, Canada	<i>Non-voting</i>
B. Mezher	Luxfer Canada Ltd., Calgary, Alberta, Canada	<i>Non-voting</i>

N. L. Newhouse	Hexagon Lincoln Inc., Lincoln, Nebraska, USA <i>Category: Producer Interest</i>	
D. Patel	ANGI Energy Systems, Janesville, Wisconsin, USA <i>Category: Producer Interest</i>	
K. Quackenbush	Fuel Cell & Hydrogen Energy Association, Washington, District of Columbia, USA <i>Category: General Interest</i>	
S. Quong	Quong & Associates Inc., San Francisco, California, USA <i>Category: General Interest</i>	
A. Ryan	Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA	<i>Alternate</i>
A. Sadiku	Energy and Transportation Division — Environment and Climate Change Canada (ECCC), Ottawa, Ontario, Canada	<i>Non-voting</i>
G. Stottler	Stottler Development LLC, Honeoye Falls, New York, USA <i>Category: General Interest</i>	
A. Tchouvelev	A.V. Tchouvelev & Associates Inc., Mississauga, Ontario, Canada <i>Category: General Interest</i>	
M. Tuttle	Hexagon Purus, Westminster, Maryland, USA	<i>Non-voting</i>
M. Veenstra	Ford Motor Company, Dearborn, Michigan, USA <i>Category: User Interest</i>	
C. Webster	TesTneT Canada Inc., Langley, B.C., Canada <i>Category: General Interest</i>	
S. Wheaton	Choshu Industry Corporation of America Inc., Calgary, Alberta, Canada <i>Category: Producer Interest</i>	

L. Yang

Toyota Motor Engineering & Manufacturing North
America,
Gardena, California, USA
Category: User Interest

I. Monner

CSA Group,
Calgary, Alberta, Canada

Project Manager

Subcommittee on Fuel Containers for Compressed Hydrogen Gas Vehicles

N. L. Newhouse	Hexagon Lincoln Inc., Lincoln, Nebraska, USA	<i>Chair</i>
K. Bowker	U.S. Department of Transportation (USDOT), Washington, DC, USA	
R. Boyd	Boyd Hydrogen LLC, Spring Lake Heights, New Jersey, USA	
M. E. Cashatt	McLaren Engineering, Livonia, Michigan, USA	
S. Clark	Powertech Labs Inc., Surrey, British Columbia, Canada	
W. Collins	WPCSOL LLC, East Windsor, Connecticut, USA	
M. Conrad	Ford Motor Company, Dearborn, Michigan, USA	
J. Coursen	Luxfer Gas Controls, Pomona, California, USA	
R. Denny	Uttam Composites, Garden Grove, California, USA	
J. E. Eihusen	Hexagon Lincoln Inc., Lincoln, Nebraska, USA	
L. Gambone	Nikola Motor, Phoenix, Arizona, USA	
M. Gilio	A-1 Alternative Fuel Systems, Fresno, California, USA	
E. Girouard	Emcara Gas Development Inc., Guelph, Ontario, Canada	

A. Grab	Nikola Motor Company, Phoenix, Arizona, USA
M. Gust	Quantum Fuel Systems LLC, Lake Forest, California, USA
J. Hamilton	California Fuel Cell Partnership, West Sacramento, California, USA
C. Hayes	Swagelok Company, Solon, Ohio, USA
P. Horacek	Powertech Labs Inc., Surrey, British Columbia, Canada
J. F. Jordan	Hexagon Agility, Cook, Minnesota, USA
S. Katz	S. Katz and Associates Inc., North Vancouver, British Columbia, Canada
C. Kondogiani	Noble Gas Systems, Royal Oak, Michigan, USA
P. Lam	Quantum Fuel Systems LLC, Irvine, California, USA
D. Linster	Audi AG, Ingolstadt, Germany
S. Mathison	FirstElement Fuel Inc., Irvine, California, USA
B. Mezher	Luxfer Canada Ltd., Calgary, Alberta, Canada
A. Pierorazio	Jensen Hughes, Toronto, Ontario, Canada
M. Pirraglia	HYGEN Group, Mississauga, Ontario, Canada
S. Quong	Quong & Associates Inc., San Francisco, California, USA

B. Ravinel	cellcentric GmbH & Co. KG, Kirchheim unter Teck, Germany	
S. Rivalta	Winkelmann Flowform Technology — Fuel Systems, Thousand Oaks, California, USA	
M. S. Sekura	TÜV SÜD Product Service GmbH, Garching, Germany	
M. Trudgeon	Luxfer Inc., Riverside, California, USA	
M. Tuttle	Hexagon Purus, Westminster, Maryland, USA	
M. Veenstra	Ford Motor Company, Dearborn, Michigan, USA	
C. Webster	TesTneT Canada Inc., Langley, B.C., Canada	
D. Wenger	Wenger Engineering GmbH, Ulm, Germany	
E. Wolff-Klammer	UL Solutions, Northbrook, Illinois, USA	
L. Yang	Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA	
T. Yoder	National Aeronautics and Space Administration (NASA), Las Cruces, New Mexico, USA	
A. Zuniga	Luxfer Gas Cylinders, Riverside, California, USA	
I. Monner	CSA Group, Calgary, Alberta, Canada	<i>Project Manager</i>

Preface

This is the third edition of CSA/ANSI HGV 2, *Compressed hydrogen gas vehicle fuel containers*. It supersedes the previous editions published in 2021 and 2014.

The major changes to this edition include the following:

- a) incorporation of requirements from CSA B51, Part 2; and
- b) harmonization and clarification of test requirements.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of Natural Resources Canada.

This Standard was prepared by the Subcommittee on Fuel Containers for Compressed Hydrogen Gas Vehicles, under the jurisdiction of the Technical Committee on Hydrogen Transportation and the Transportation Strategic Steering Committee, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

This Standard has been approved by the American National Standards Institute (ANSI) as an American National Standard.

Interpretations: The Transportation Strategic Steering Committee has provided the following direction for the interpretation of Standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant CSA committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csagroup.org.