




**CSA
Group**

CSA/ANSI NGV 1-2017

Compressed natural gas vehicle (NGV) fueling connection devices



Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA/ANSI NGV 1-2017

March 2017

Title: *Compressed natural gas vehicle (NGV) fueling connection devices*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24250-1**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA Group

The Canadian Standards Association (operating as CSA Group), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Groups standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Groups total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects product that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard, Toronto, Ontario,
Canada M9W 1R3

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, State and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests
with the
American National Standards Institute, Inc.
25 West 43rd Street, Fourth floor
New York, NY 10036

CSA/ANSI NGV 1-2017
***Compressed natural gas vehicle
(NGV) fueling connection devices***



American National Standards Institute, Inc.

IGAC

Interprovincial Gas Advisory Council



**CSA
Group**

**A trademark of the Canadian Standards Association and CSA America Inc., operating as "CSA Group"*

*Approved on February 23, 2017 by ANSI
Approved on February 28, 2017 by IGAC
Published in March 2017 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0675-4

© 2017 CSA Group

*All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Interprovincial Gas Advisory Council	3
Technical Committee on Natural Gas Powered Vehicles and Fueling	5
Joint Automotive Technical Committee	7
Technical Subcommittee on Standards for Natural Gas Fueling Vehicle Receptacle and Fueling Connection Devices	10
Preface	12
1 Scope	13
2 Reference publications	14
3 Definitions	16
4 Construction	17
4.1 General construction and assembly	17
4.2 Nozzles	18
4.3 Standard receptacle dimensions	24
4.4 Receptacles	27
4.5 Three-way valve	28
4.6 Interchangeability	29
4.7 Instructions	30
4.8 Marking	31
5 Performance	32
5.1 General	32
5.2 User/machine interface	33
5.3 Dropping	34
5.4 Receptacle protective cap	34
5.5 Leakage at room temperature	35
5.6 Valve operating mode	35
5.7 Abnormal loads	35
5.8 User rocking/twisting	37
5.9 Mounting hardware torque	37
5.10 Low and high temperatures	37
5.10.1 General	37
5.10.2 Leakage	37
5.10.3 Operation	38
5.11 Durability and maintainability	38
5.11.1 Nozzle durability cycling	38
5.11.2 Receptacle durability cycling	43
5.11.3 Nozzles and receptacles	43
5.12 Service pressure compatibility	44
5.13 Atmospheric exposure	45

5.13.1	General	45
5.13.2	Oxygen-aging test	45
5.13.3	Ozone	45
5.13.4	Non-metallic synthetic material immersion test	45
5.13.5	Electrical resistance	46
5.14	Hydrostatic strength	46
5.15	Corrosion resistance	47
5.15.1	General	47
5.15.2	Salt spray exposure	47
5.15.3	Accelerated cyclic corrosion	47
5.16	Excess torque resistance	50
5.17	Non-igniting evaluation	50
5.18	Pressure tight protective caps	51
5.18.1	Leakage	51
5.18.2	Durability cycling	52
5.18.3	Abuse test	52
5.18.4	Ball impact test	52
5.18.5	Corrosion resistance	53
5.18.6	Hydrostatic test	53
6	Manufacturing and production test plan	53

Interprovincial Gas Advisory Council

J.R. Marshall	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Category: Regulatory Authority</i>	<i>Chair</i>
M.E. Davidson	Province of New Brunswick Dept of Public Safety, Fredericton, New Brunswick, Canada <i>Category: Regulatory Authority</i>	<i>Vice-Chair</i>
J. Renaud	Régie du bâtiment du Québec, Montréal, Québec, Canada <i>Category: Regulatory Authority</i>	<i>Vice-Chair</i>
A. Ali	SaskPower, Regina, Saskatchewan, Canada <i>Category: Regulatory Authority</i>	
D.A. Balcha	Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada	<i>Non-voting</i>
R. Brousseau	Régie du Bâtiment du Québec, Montréal, Québec, Canada	<i>Alternate</i>
P. Christensen	Yukon Government Community Services, Whitehorse, Yukon, Canada <i>Category: Regulatory Authority</i>	
P. Fowler	Nova Scotia Dept of Labour and Advanced Education, Dartmouth, Nova Scotia, Canada <i>Category: Regulatory Authority</i>	
Z.J. Fraczkowski	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Alternate</i>
C. Guay	Standards Council of Canada (SCC), Ottawa, Ontario, Canada	<i>Non-voting</i>
D. Hill	SaskPower, Regina, Saskatchewan, Canada	<i>Alternate</i>
S.C. Manning	Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada <i>Category: Regulatory Authority</i>	

R. McRae	Government of the NWT Public Works & Services, Yellowknife, Northwest Territories, Canada <i>Category: Regulatory Authority</i>	
A. Peters	Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada <i>Category: Regulatory Authority</i>	
B.W. Reid	Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island, Canada <i>Category: Regulatory Authority</i>	
A. Simard	Gov't of the Northwest Territories Public Works & Services, Inuvik, Northwest Territories, Canada	<i>Non-voting</i>
G. Tremblett	Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador, Canada <i>Category: Regulatory Authority</i>	
C. Valliere	Alberta Municipal Affairs Safety Service, Edmonton, Alberta, Canada	<i>Alternate</i>
M.A. Wani	Government of Nunavut Dept of Community & Government Svcs, Iqaluit, Nunavut, Canada <i>Category: Regulatory Authority</i>	
B. Wyatt	British Columbia Safety Authority (BCSA), Kelowna, British Columbia, Canada <i>Category: Regulatory Authority</i>	

Technical Committee on Natural Gas Powered Vehicles and Fueling

M.A. Tremayne	Enbridge Gas Distribution, Toronto, Ontario, Canada <i>Category: User Interest</i>	<i>Chair</i>
D. Davis	Transport Canada, Ottawa, Ontario, Canada <i>Category: Regulatory Authority</i>	
D. Ducasse	Gaz Métro, Montréal, Québec, Canada <i>Category: User Interest</i>	
V. Fe	FortisBC Energy Inc (FEI), Surrey, British Columbia, Canada <i>Category: Producer Interest</i>	
B. Gillis	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Category: Regulatory Authority</i>	
A. Hoskin	Natural Resources Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
J.F. Jordan	Agility Fuel Systems, Cook, Minnesota, USA <i>Category: Producer Interest</i>	
S. Katz	Katz and Associates Inc., North Vancouver, British Columbia, Canada <i>Category: General Interest</i>	
S. Kay	Union Gas Limited, Chatham, Ontario, Canada <i>Category: User Interest</i>	
S. LeBlanc	Gaz Métro, Montréal, Québec, Canada	<i>Non-voting</i>
W.C. LaRose	Edmonton, Alberta, Canada <i>Category: General Interest</i>	

G. Lenge	FortisBC Energy Inc (FEI), Surrey, British Columbia, Canada	<i>Non-voting</i>
T. Sanford	ComTech CNG, Halton Hills, Ontario, Canada <i>Category: Producer Interest</i>	
G.R. Smith	Change Energy Services, Mississauga, Ontario, Canada <i>Category: General Interest</i>	
J. Cairns	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

Joint Automotive Technical Committee

J.F. Jordan	Agility Fuel Systems, Cook, Minnesota, USA <i>Category: User Interest</i>	<i>Acting Chair</i>
J. Birdsall	Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA <i>Category: User Interest</i>	
D. Bowerson	NGVAmerica, Washington, District of Columbia, USA <i>Category: General Interest</i>	
R. Boyd	Boyd Hydrogen LLC, Oakland, California, USA <i>Category: General Interest</i>	
R.A. Cameron	General Motors of Canada, Oshawa, Ontario, Canada <i>Category: User Interest</i>	
J.P. Cohen	Air Products and Chemicals Inc., Allentown, Pennsylvania, USA <i>Category: Gas Supplier</i>	
J.B. Dimmick	JB Dimmick, LLC, Waukesha, Wisconsin, USA <i>Category: General Interest</i>	
J. Eihusen	Hexagon Lincoln Inc., Lincoln, Nebraska, USA	<i>Alternate</i>
E. Girouard	Emcara Gas Development Inc, Guelph, Ontario, Canada <i>Category: Producer Interest</i>	
B.P. Grote	Swagelok Company, Solon, Ohio, USA <i>Category: Producer Interest</i>	
A. Harris	Air Liquide, Houston, Texas, USA <i>Category: Gas Supplier</i>	

P. Horacek	PowerTech Labs Inc, Surrey, British Columbia, Canada <i>Category: General Interest</i>	
S. Johnston	Ann Arbor, Michigan, USA	<i>Non-voting</i>
S. Katz	S. Katz and Associates Inc., North Vancouver, British Columbia, Canada <i>Category: General Interest</i>	
M. Leavitt	Quantum Fuel Systems LLC, Lake Forest, California, USA <i>Category: Producer Interest</i>	
N.L. Newhouse	Hexagon Lincoln Inc., Lincoln, Nebraska, USA <i>Category: Producer Interest</i>	
D. Patel	Kraus Global Ltd., Winnipeg, Manitoba, Canada <i>Category: Producer Interest</i>	
S. Quong	Quong & Associates, Inc, San Francisco, California, USA <i>Category: General Interest</i>	
A. Ryan	Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA	<i>Alternate</i>
M. Spears	AFV LLC, Twinsburg, Ohio, USA <i>Category: Producer Interest</i>	
R. Stephenson	Motor Vehicle Fire Research Institute, La Canada, California, USA	<i>Non-voting</i>
M. Ursan	Burnaby, British Columbia, Canada	<i>Non-voting</i>
M. Veenstra	Ford Motor Company, Dearborn, Michigan, USA <i>Category: User Interest</i>	

T.A. Williams

American Gas Association Inc.,
Washington, District of Columbia, USA
Category: Gas Supplier

L.B. Willmore

Southern California Gas Company,
Los Angeles, California, USA
Category: Gas Supplier

J. Cairns

CSA Group,
Cleveland, Ohio, USA

Project Manager

Technical SubCommittee on Standards for Natural Gas Fueling Vehicle Receptacle and Fueling Connection Devices

B.P. Grote	Swagelok Company, Solon, Ohio, USA	<i>Chair</i>
D. Bowerson	NGVAmerica, Washington, District of Columbia, USA	<i>Vice-Chair</i>
J. Cardenas	Stäubli Faverges SCA, Faverges, France	<i>Alternate</i>
J.P. Cohen	Air Products and Chemicals Inc., Allentown, Pennsylvania, USA	
D. Cun	Honda R&D Americas, Inc, Torrance, California, USA	<i>Alternate</i>
J. De Clippeleir	Covess NV, Hasselt, Belgium	
K. Flint	Oasis Engineering Ltd, Tauranga, New Zealand	
D. Hopson	Parker Hannifin Corporation, Union City, Pennsylvania, USA	
C. Hoyt	Trillium CNG, Salt Lake City, Utah, USA	<i>Associate</i>
S. Johnston	Ann Arbor, Michigan, USA	
J.F. Jordan	Agility Fuel Systems, Cook, Minnesota, USA	
S. Mathison	Honda R&D Americas, Inc, Torrance, California, USA	<i>Associate</i>
N. Monnier	Stäubli Corporation, Duncan, South Carolina, USA	<i>Alternate</i>

D. Olenick	OPW CleanEnergy Fueling Products, Hamilton, Ohio, USA	
K. Teslovich	CNG One Source, Inc., Franklin, Pennsylvania, USA	
A.C. Tiberghien	Stäubli Faverges SCA, Faverges, France	
M. Veenstra	Ford Motor Company, Dearborn, Michigan, USA	
K. Whiting	BlackPak Inc, San Leandro, California, USA	
A. Willfort	WEH Technologies Inc., Katy, Texas, USA	
E. Wolff-Klammer	UL LLC, Northbrook, Illinois, USA	
M. Zilioli	Maerba del Garda, Italy	<i>Associate</i>
S. Marxen	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

Preface

This is the third edition of CSA/ANSI NGV 1, *Compressed natural gas vehicle (NGV) fueling connection devices*. It supersedes the previous editions published in 2006 and 1998.

P36HD nozzles designed in accordance with this Standard will not be compatible with existing P36 heavy duty applications using C200 (ISO 14469) receptacles, equivalent to P30HD (see Figure 6).

This Standard was prepared by the NGV 1 Technical Subcommittee on Standards for Natural Gas Fueling Vehicle Receptacle and Fueling Connection Devices, under the jurisdiction of the Automotive Technical Committee and JB112 Natural Gas Powered Vehicles and Fueling Technical Committee and has been formally approved by the Technical Committees, American National Standards Institute and the Interprovincial Gas Advisory Council.

Interpretations: The Automotive Technical Committee has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *This Standard contains SI (Metric) units corresponding to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009, Quantities and units – Part 1: General, is used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units are both specified as a quoted marking requirement, the first stated unit, or both, are to be provided.*
- 3) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 4) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization – Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity.” It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 5) *This Standard is subject to review at least every five years; suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*
- 6) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

CSA/ANSI NGV 1-2017

Compressed natural gas vehicle (NGV) fueling connection devices

1 Scope

1.1

This Standard applies to newly produced compressed Natural Gas Vehicle (NGV) fueling connection devices, hereinafter referred to as “devices”, constructed entirely of new, unused parts and materials. NGV fueling connection devices consist of the following components, as applicable:

- a) receptacle and protective cap (mounted on vehicle) (see Clause 4.4);
- b) nozzle (see Clause 4.2); and
- c) three-way valve (external to nozzle and mounted in the fuel dispenser system) (see Clause 4.5).

1.2

This Standard applies to devices that have a service pressure of either 8300 kPa (1200 psi), 16 500 kPa (2400 psi), 20 700 kPa (3000 psi), or 24 800 kPa (3600 psi), hereinafter referred to in this Standard as the following (see Clause 4.8.3 c):

“P12”	-	8300 kPa (1200 psi)
“P24”	-	16 500 kPa (2400 psi)
“P30” and “P30HD”	-	20 700 kPa (3000 psi)
“P36” and “P36HD”	-	24 800 kPa (3600 psi)

The “HD” suffix designates a larger geometry version to allow higher flow rates associated with fueling larger heavy duty applications.

1.3

This Standard applies to devices with standardized mating components (see Clauses 4.4.6 and 4.6).

1.4

This Standard applies to devices that:

- a) prevent natural gas vehicles from being fueled by a dispenser with service pressures higher than the vehicle it was designed for;
- b) allow natural gas vehicles to be fueled by a dispenser with service pressures equal to or lower than the vehicle fuel system service pressure; and
- c) prevent light duty natural gas vehicles from being fueled by a heavy duty dispenser.

1.5

This Standard does not apply to repaired or rebuilt nozzles.

1.6

All references to “psi or kPa” throughout this Standard are to be considered gauge pressures unless otherwise specified.

1.7

Units of measure

This Standard contains SI (metric) units with corresponding yard/pound quantities, the purpose being to allow the Standard to be used in yard/pound units. IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009 Quantities and units - Part 1: General, is used as a guide in making conversion.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units, are both specified as a quoted marking requirement, the first stated unit, or both are to be provided.

1.8

Terminology

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user shall satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including amendments published thereto.

CSA Group

B108-14

Compressed natural gas fuelling stations installation code

B109-14

Natural Gas for Vehicles Installation Code - Part 1 Compressed Natural Gas

B149.1-2015

Natural gas and propane installation code

ASTM International

B117-16

Standard Practice for Operating Salt Spray (Fog) Apparatus