




**CSA  
Group**

**Gas-fired water heaters, volume III,  
storage water heaters with input ratings  
above 75,000 Btu per hour, circulating  
and instantaneous**



# Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



## ***Standards Update Service***

### ***ANSI Z21.10.3-2014 • CSA 4.3-2014 August 2014***

**Title:** *Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **Z 228 1**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

## CSA Group

The Canadian Standards Association (operating as CSA Group), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Groups standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Groups total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
5060 Spectrum Way, Suite 100, Mississauga, Ontario,  
Canada L4W 5N6

## American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, state and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests with the  
American National Standards Institute, Inc.  
25 West 43rd Street, Fourth floor  
New York, NY 10036

**ANSI Z21.10.3-2014 • CSA 4.3-2014  
Gas-fired water heaters, volume III,  
storage water heaters with input  
ratings above 75,000 Btu per hour,  
circulating and instantaneous**



*American National Standards Institute, Inc.*

**IGAC**

*Interprovincial Gas Advisory Council*



**CSA  
Group**

*™A trade-mark of the Canadian Standards Association and CSA America Inc., operating as "CSA Group"*

*Approved on July 2, 2014 by ANSI  
Approved on August 7, 2014 by IGAC  
Effective in Canada June 1, 2016  
Published in August 2014 by CSA Group  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6*

*To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-77139-332-4

© 2014 CSA Group

*All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.*

# Contents

CSA Technical Committee on Gas Appliances and Related Accessories	4
Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories	7
Interprovincial Gas Advisory Council	10
Joint Technical Advisory Group on Standards for Gas-fired Water Heaters	12
Preface	17
<b>1 Scope</b>	<b>20</b>
<b>2 Reference publications</b>	<b>21</b>
<b>3 Definitions</b>	<b>26</b>
<b>4 Construction</b>	<b>37</b>
4.1 General construction	37
4.2 Materials	41
4.3 Combustion air supply	45
4.4 Water heater openings	46
4.5 Burners	46
4.6 Flame spreaders	47
4.7 Primary air adjustment means	48
4.8 Main burner orifices and orifice fitting	49
4.9 Automatic gas ignition systems	49
4.10 Pilot gas filters	54
4.11 Gas connections	54
4.12 Opening for relief valve	56
4.13 Dip tubes	57
4.14 Manually operated gas valves	57
4.15 Gas appliance pressure regulators and gas pressure switches	58
4.16 Adjustment of minimum input rating	59
4.17 Thermostats	60
4.18 Automatic valves and safety shut-off valves	60
4.19 Bleeds and vents	61
4.20 Automatic gas shutoff systems	61
4.21 Relief valves	62
4.22 Pipe collars	63
4.23 Flue pipe extensions	63
4.24 Draft hoods	63
4.25 Automatic vent damper devices	64
4.26 Automatic flue damper devices	64
4.27 Electrical equipment and wiring	66
4.28 Vent and air intake pipes of direct vent systems	81
4.29 Instructions	82

## 4.30 Marking 93

**5 Performance 103**

## 5.1 General 103

## 5.2 Test gases 109

## 5.3 Test pressures and burner adjustments 111

## 5.4 Combustion 111

## 5.5 Burner and pilot operating characteristics 113

## 5.6 Piloted ignition systems 116

## 5.7 Proved igniter systems 121

## 5.8 Direct ignition systems 123

## 5.9 Efficiency 124

## 5.10 Gas appliance pressure regulators 124

## 5.11 Automatic valves and safety shutoff valves 125

## 5.12 Temperature control 125

## 5.13 Storage heater temperature limits 126

## 5.14 Temperature limiting devices 127

## 5.15 Evaluation of burn hazard potential of exterior surfaces 129

## 5.16 Wall, floor and ceiling temperatures 132

## 5.17 Flue gas temperature 135

## 5.18 Temperature of manually operated parts 136

## 5.19 Burner and flame spreader temperatures 137

## 5.20 Draft hoods 138

## 5.21 Draft tests for water heaters equipped with power burners 141

## 5.22 Automatic vent damper devices 144

## 5.23 Automatic flue damper devices 144

## 5.23.1 Strength 144

## 5.23.2 Operation under variable voltage or variable motive power 144

## 5.23.3 Flue damper failure 145

## 5.23.4 Exposure to temperature extremes 145

## 5.23.5 Continued operation 145

## 5.24 Wind test 147

## 5.25 Safety circuit analysis 150

## 5.26 Capacities of storage vessels 150

## 5.27 Hydrostatic test 151

## 5.28 Non-metallic dielectric 152

## 5.29 Burner durability 155

## 5.30 Rain tests 155

## 5.31 Direct vent systems 157

## 5.31.1 Loading 157

## 5.31.2 Impact 158

## 5.31.3 Joint leakage 160

## 5.31.4 Component temperatures 161

## 5.31.5 Puncture test for venting systems that use corrugated pipe 161

## 5.31.6 Impact test for vent systems that use corrugated pipe 163

## 5.32 Marking material adhesion and legibility 164

**6 Manufacturing and production tests 165**

**7 Items unique to the United States 166**

- 7.1 High altitude 166
- 7.2 Thermal efficiency 166
- 7.3 Temperature and pressure relief valves 166
- 7.4 Marking material adhesion and legibility 166
- 7.5 General construction and assembly 166

**8 Items unique to Canada 167**

- 8.1 High altitude 167
- 8.2 Relief valves 167
- 8.3 Storage vessels 167
- 8.4 Outdoor installation 167
- 8.5 Marking material tests 167
- 8.6 Draft hoods 167
- 8.7 Pilot burners and safety shut-off devices 167
- 8.8 Thermal efficiency 167
- 8.9 French translations for quoted instructions and markings 168

- 
- Annex A (normative) — Outline of lighting instructions for appliances equipped with continuous pilots 185
  - Annex B (normative) — Outline of operating instructions for appliances equipped with intermittent pilot or interrupted pilot systems 185
  - Annex C (normative) — Outline of operating instructions for appliances equipped with direct ignition systems 191
  - Annex D (normative) — Optional provisions for listed gas appliance conversion kits 194
  - Annex E (normative) — Efficiency test procedures 195
  - Annex F (informative) — Pertinent references to ANSI Y14.15 201
  - Annex G (informative) — Wire color designations 202
  - Annex H (informative) — Recommended wire color usage 203
  - Annex I (informative) — Preferred graphic symbols of commonly used items, extracted from standard ANSI/IEEE 31, graphic symbols for electrical and electronics diagrams, and abbreviations for these items 204
  - Annex J (informative) — Sample failure modes and effects analysis for component miswiring\* 206
  - Annex K (informative) — Table of conversion factors 207
  - Annex L (informative) — Legibility and design of safety information in water heater markings and manuals 210

# CSA Technical Committee on Gas Appliances and Related Accessories

<b>Z.J. Fraczkowski</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Representing Government and/or Regulatory Authority</i>	<i>Chair</i>
<b>D. Baxter</b>	Enbridge Gas Distribution, Thorold, Ontario, Canada <i>Representing User Interest</i>	<i>Vice-Chair</i>
<b>A. Abdel-Rehim</b>	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	<i>Associate</i>
<b>P.A. Baker</b>	Maxitrol Company, Hamilton, Ontario, Canada <i>Representing Producer Interest</i>	
<b>J. Boros</b>	Rheem Manufacturing Company, Montgomery, Alabama, USA <i>Representing Producer Interest</i>	
<b>T. Brennan</b>	Natural Resources Canada Ottawa, Ontario, Canada	<i>Associate</i>
<b>C. Côté</b>	Gaz Métro inc., Montréal, Québec, Canada <i>Representing User Interest</i>	
<b>C. Gibbs</b>	Windsor, Ontario, Canada <i>Representing General Interest</i>	
<b>A. Gould</b>	Reliance Comfort Ltd. Patnership dba Reliance Home Comfort, Cambridge, Ontario, Canada <i>Representing User Interest</i>	
<b>F. Galesik</b>	Mississauga, Ontario, Canada <i>Representing General Interest</i>	

<b>D.N. Hird</b>	SaskPower, Regina, Saskatchewan, Canada <i>Representing Government and/or Regulatory Authority</i>	
<b>D.R. Jamieson</b>	GHP Group Inc, Oakville, Ontario, Canada <i>Representing Producer Interest</i>	
<b>J.M. Jones</b>	J.M. Jones Consulting Services, Leamington, Ontario, Canada	<i>Associate</i>
<b>C.E. Jorgenson</b>	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada <i>Representing Government and/or Regulatory Authority</i>	
<b>S. Katz</b>	S. Katz and Associates Inc., North Vancouver, British Columbia, Canada	<i>Associate</i>
<b>J.R. Marshall</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Associate</i>
<b>J. Melling</b>	SaskPower, Saskatoon, Saskatchewan, Canada	<i>Associate</i>
<b>J. Overall</b>	Union Gas Limited, Toronto, Ontario, Canada	<i>Associate</i>
<b>T.W. Poulin</b>	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada <i>Representing Producer Interest</i>	
<b>G.B. Prociw</b>	Union Gas Limited, Chatham, Ontario, Canada <i>Representing User Interest</i>	
<b>E. Scott</b>	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada	<i>Associate</i>
<b>B.J. Twiecki</b>	National Propane Gas Association, Frankfort, Illinois, USA	<i>Associate</i>
<b>M. Thomas</b>	Natural Resources Canada CANMET Energy, Ottawa, Ontario, Canada	<i>Associate</i>

**C.L. Rake**

CSA Group,  
Cleveland, Ohio, USA

*Program Manager*

**M. Khan**

CSA Group,  
Mississauga, Ontario, Canada

*Project Manager*

# ***Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories***

<b>B.J. Swiecicki</b>	National Propane Gas Association, Washington, District of Columbia, USA <i>Representing Gas Supplier/Utility Interest</i>	<i>Chair</i>
<b>M.W. Wilber</b>	Crane Engineering, Plymouth, Minnesota, USA <i>Representing General Interest</i>	<i>Vice-Chair</i>
<b>C.W. Adams</b>	A.O. Smith Corporation, Milwaukee, Wisconsin, USA <i>Representing Producer Interest</i>	
<b>S.R. Caudle</b>	Southern California Gas Company, Los Angeles, California, USA <i>Representing Gas Supplier/Utility Interest</i>	<i>Alternate</i>
<b>M. Deegan</b>	Clearwater Gas System, Clearwater, Florida, USA <i>Representing Government Agency Interest</i>	
<b>L. DeLaura</b>	Sempra Energy Utility, Los Angeles, California, USA <i>Representing Gas Supplier/Utility Interest</i>	
<b>M. Diesch</b>	Lennox International Inc., Carrollton, Texas, USA <i>Representing Producer Interest</i>	
<b>J.M. Emmel</b>	Virginia Tech, Blacksburg, Virginia, USA <i>Representing Consumer/User Interest</i>	
<b>Z.J. Fraczkowski</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Associate</i>

<b>R.R. Frazier</b>	ATMOS Energy, Arlington, Texas, USA <i>Representing Gas Supplier/Utility Interest</i>	
<b>T.F. Hardin</b>	Underwriters Laboratories Inc., Research Triangle Pk, North Carolina, USA <i>Representing Research &amp; Testing Interest</i>	<i>Alternate</i>
<b>D.M. Jakobs</b>	Rheem Manufacturing Company Air Conditioning Division, Fort Smith, Arkansas, USA <i>Representing Producer Interest</i>	
<b>R.A. Jordan</b>	Consumer Product Safety Commission, Rockville, Maryland, USA <i>Representing Government Agency Interest</i>	<i>Associate</i>
<b>F. Myers</b>	PVI Industries LLC, Fort Worth, Texas, USA <i>Representing Producer Interest</i>	
<b>G.J. Potter</b>	Cambridge Engineering, Chesterfield, Missouri, USA <i>Representing Producer Interest</i>	
<b>J.A. Ranfone</b>	American Gas Association Inc., Washington, District of Columbia, USA <i>Representing Gas Supplier/Utility Interest</i>	
<b>N.W. Rolph</b>	Lochinvar LLC, Lebanon, Tennessee, USA <i>Representing Producer Interest</i>	<i>Alternate</i>
<b>G.A. Ruzicka</b>	Lowe's Companies, Inc., Mooresville, North Carolina, USA <i>Representing General Interest</i>	
<b>I. Sargunam</b>	Bloomington, Indiana, USA <i>Representing Individual Member Interest</i>	
<b>C. Souhrada</b>	North American Association of Food Equipment Manufacturers, Chicago, Illinois, USA <i>Representing Producer Interest</i>	

<b>F.A. Stanonik</b>	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA <i>Representing Producer Interest</i>	<i>Associate</i>
<b>T. Stroud</b>	Hearth Patio & Barbecue Association, Seattle, Washington, USA <i>Representing General Interest</i>	
<b>C. Suchovsky</b>	Burner Technology Unlimited, Inc., Walton Hills, Ohio, USA <i>Representing General Interest</i>	
<b>D.W. Switzer</b>	Consumer Product Safety Commission, Rockville, Maryland, USA <i>Representing Government Agency Interest</i>	<i>Associate</i>
<b>H. Virgil</b>	Brownsburg, Indiana, USA <i>Representing Consumer/User Interest</i>	
<b>A.B. Wagner-Sherwin</b>	St. Louis Community College, St. Louis, Missouri, USA <i>Representing Consumer/User Interest</i>	
<b>M.B. Williams</b>	Association of Home Appliance Manufacturers (AHAM), Washington, District of Columbia, USA <i>Representing Producer Interest</i>	
<b>T.R. Wiseman</b>	Vulcan-Hart Company A Div. of ITW Food Equipment Group, Baltimore, Maryland, USA <i>Representing Producer Interest</i>	<i>Alternate</i>
<b>R. Wozniak</b>	Underwriters Laboratories Inc., Melville, New York, USA <i>Representing Research &amp; Testing Interest</i>	
<b>C.L. Rake</b>	CSA Group, Cleveland, Ohio, USA	<i>Program Manager</i>
<b>S.M. Corcoran</b>	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

# *Interprovincial Gas Advisory Council*

<b>A. Ali</b>	Government of Nunavut Community & Government Services, Iqaluit, Nunavut, Canada	
<b>R. Brousseau</b>	Régie du Bâtiment du Québec, Montréal, Quebec, Canada	<i>Alternate</i>
<b>M.E. Davidson</b>	Province of New Brunswick Dept of Public Safety, Fredericton, New Brunswick, Canada	
<b>A. Durnie</b>	Alberta Municipal Affairs, Edmonton, Alberta, Canada	<i>Alternate</i>
<b>D. Eastman</b>	Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador, Canada	
<b>P. Fowler</b>	Department of Labour and Advanced Education, Halifax, Nova Scotia, Canada	
<b>D.N. Hird</b>	SaskPower, Regina, Saskatchewan, Canada	<i>Alternate</i>
<b>C. Lashek</b>	Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada	
<b>W. Locke</b>	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada	
<b>S.C. Manning</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada	
<b>J.R. Marshall</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	
<b>R. McRae</b>	Government of the NWT Public Works & Services, Yellowknife, Northwest Territories, Canada	
<b>J. Melling</b>	SaskPower, Saskatoon, Saskatchewan, Canada	<i>Alternate</i>

<b>B.W. Reid</b>	Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island, Canada	
<b>J. Renaud</b>	Régie du bâtiment du Québec, Montréal, Quebec, Canada	<i>Chair</i>
<b>G. Tremblett</b>	Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador, Canada	<i>Alternate</i>
<b>C. Valliere</b>	Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada	<i>Alternate</i>
<b>M.A. Wani</b>	Government of Nunavut Department of Community and Government Services, Iqaluit, Nunavut, Canada	
<b>D. Young</b>	Yukon Government, Whitehorse, Yukon Territory, Canada	
<b>B. Zinn</b>	British Columbia Safety Authority (BCSA), Coquitlam, British Columbia, Canada	<i>Alternate</i>

# ***Joint Technical Advisory Group on Standards for Gas-fired Water Heaters***

<b>A.B. Wagner-Sherwin</b>	St. Louis Community College, St. Louis, Missouri, USA	<i>Chair</i>
<b>D. Berning</b>	A.O. Smith Corporation, McBee, South Carolina, USA	<i>Vice-Chair</i>
<b>A. Abdel-Rehim</b>	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	<i>Alternate</i>
<b>J. Boros</b>	Rheem Manufacturing Company, Montgomery, Alabama, USA	
<b>D. Breejen</b>	Allegan Tubular Products, Inc., Allegan, Michigan, USA	
<b>S.R. Caudle</b>	Southern California Gas Company, Los Angeles, California, USA	<i>Alternate</i>
<b>J. Chicoine</b>	Mestex, A Division of Mestek, Inc., Dallas, Texas, USA	
<b>R. Choi</b>	KD Navien America, Inc., Irvine, California, USA	<i>Alternate</i>
<b>J. Derksen</b>	Direct Energy Home Services, Markham, Ontario, Canada	
<b>E. Dionne</b>	White-Rodgers Division, St. Louis, Missouri, USA	<i>Alternate</i>
<b>R. Dominguez</b>	Brass-Craft Manufacturing Co, Novi, Michigan, USA	<i>Alternate</i>
<b>K.S. Dorrough</b>	Rinnai America Corporation, Peachtree City, Georgia, USA	<i>Alternate</i>
<b>G. Doss</b>	Bradford-White Corporation, Rochester, New Hampshire, USA	

<b>G. Edgar</b>	VenTech Consulting Ltd, Lancaster, Ohio, USA	<i>Associate</i>
<b>G. Fabbruzzo</b>	Enbridge Gas Distribution, Toronto, Ontario, Canada	
<b>Z.J. Fraczkowski</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Associate</i>
<b>R.R. Frazier</b>	ATMOS Energy, Arlington, Texas, USA	
<b>L. Gill</b>	IPEX Management Inc, Mississauga, Ontario, Canada	
<b>A. Gould</b>	Reliance Comfort Ltd. Patnership dba Reliance Home Comfort, Cambridge, Ontario, Canada	
<b>R. Green</b>	Brass-Craft Manufacturing Co, Novi, Michigan, USA	<i>Alternate</i>
<b>R.H. Gregg</b>	Cash Acme, Franklin, Tennessee, USA	
<b>P. Hikspoors</b>	Giant Factories Inc. Usines Giant Inc., Montreal, Quebec, Canada	
<b>D. Hubbard</b>	Intertek Commercial & Electrical, Twinsburg, Ohio, USA	
<b>S. Isaksen</b>	Noritz America Corporation, Fountain Valley, California, USA	<i>Alternate</i>
<b>R. Jensen</b>	White-Rodgers Division, St. Louis, Missouri, USA	
<b>R.A. Jordan</b>	Consumer Product Safety Commission, Rockville, Maryland, USA	<i>Associate</i>
<b>R. Kane</b>	IPEX Management Inc, Mississauga, Ontario, Canada	<i>Alternate</i>

<b>L. Kidd</b>	Air Conditioning Division Rheem Manufacturing Company, Fort Smith, Arkansas, USA	<i>Alternate</i>
<b>J. Kleiss</b>	Lochinvar LLC, Lebanon, Tennessee, USA	
<b>G.M. Kusterer</b>	Bock Water Heaters, Inc., Madison, Wisconsin, USA	<i>Alternate</i>
<b>S. Lackie</b>	Atwood Mobile Products LLC, Elkhart, Indiana, USA	<i>Alternate</i>
<b>F. Lazar</b>	Channel Products, Inc., Chesterland, Ohio, USA	
<b>K.J. Madill</b>	Direct Energy Home Services, Markham, Ontario, Canada	<i>Alternate</i>
<b>J.F. McGraw</b>	Atwood Mobile Products LLC, Elkhart, Indiana, USA	
<b>G. McPherson</b>	McPherson Propane, Inc., Sturgis, South Dakota, USA	
<b>K. Minkler</b>	Invensys Appliance Controls, Corona, California, USA	
<b>T.D. Mulligan</b>	Brass-Craft Manufacturing Co, Novi, Michigan, USA	
<b>F. Myers</b>	PVI Industries LLC, Fort Worth, Texas, USA	
<b>J. Myers</b>	Channel Products, Inc., Chesterland, Ohio, USA	<i>Alternate</i>
<b>J. Nelson</b>	General Electric Company, Louisville, Kentucky, USA	
<b>M. Neufcourt</b>	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA	<i>Associate</i>
<b>M. O'Donnell</b>	Beckett Gas Inc., North Ridgeville, Ohio, USA	

<b>R. Oshiro</b>	Noritz America Corporation, Fountain Valley, California, USA	
<b>J. Overall</b>	Union Gas Limited, Toronto, Ontario, Canada	
<b>M. Pablo</b>	Orkli, S. Coop, Ordizia-Gipuzkoa, Spain	<i>Associate</i>
<b>K. Pirotin</b>	KD Navien America, Inc., Irvine, California, USA	
<b>T.W. Poulin</b>	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	
<b>K. Reaves</b>	Cash Acme A Division of the Reliance Worldwide Corporation, Cullman, Alabama, USA	<i>Alternate</i>
<b>E. Rightmier</b>	AERCO International, Inc, Blauvelt, New York, USA	
<b>J. Rose</b>	Southern California Gas Company, Los Angeles, California, USA	
<b>K. Shaw</b>	M&G Duravent, Inc, Vacaville, California, USA	
<b>W. Shepard</b>	Allegan Tubular Products, Inc., Allegan, Michigan, USA	<i>Alternate</i>
<b>S. Siddiqui</b>	Zodiac Pool Systems, Inc., Vista, California, USA	
<b>D. Snyder</b>	A.O. Smith Corporation, Johnson City, Tennessee, USA	
<b>F.A. Stanonik</b>	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA	
<b>M. Steinhafel</b>	Bock Water Heaters, Inc., Madison, Wisconsin, USA	

<b>P.W. Stephens</b>	Heat Transfer Products Inc, East Freetown, Massachusetts, USA	
<b>C. Suchovsky</b>	Burner Technology Unlimited, Inc, Walton Hills, Ohio, USA	
<b>B.J. Swiecicki</b>	National Propane Gas Association, Frankfort, Illinois, USA	<i>Associate</i>
<b>J. Todd</b>	General Electric Company, Louisville, Kentucky, USA	<i>Alternate</i>
<b>M. Travers</b>	Reliance Comfort L.P, Cambridge, Ontario, Canada	<i>Alternate</i>
<b>E. Truskoski</b>	Bradford-White Corporation, Middleville, Michigan, USA	<i>Alternate</i>
<b>R. Vlasic</b>	Union Gas Limited, London, Ontario, Canada	
<b>C. Weiss</b>	Field Controls LLC, Kinston, North Carolina, USA	<i>Associate</i>
<b>M.W. Wilber</b>	Crane Engineering, Plymouth, Minnesota, USA	
<b>T.A. Williams</b>	American Gas Association Inc., Washington, District of Columbia, USA	
<b>J. York</b>	Rinnai America Corporation, Peachtree City, Georgia, USA	
<b>S.M. Corcoran</b>	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

# Preface

This is the sixth edition of ANSI Z21.10.3 • CSA 4.3, Gas-Water Heaters, Volume III, Storage Water Heaters With Input Ratings Above 75,000 Btu Per Hour, Circulating Or Instantaneous.

This Standard was prepared by the Z21/CSA Joint Technical Advisory Group on Standards for Gas-Fired Water Heaters under the jurisdiction of the Technical Committee on Gas Appliances and Related Accessories, the Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories, and the Strategic Steering Committee on Standards for Fuel Burning Appliances, and had been formally approved by the Technical Committee(s), American National Standards Institute, and the Interprovincial Gas Advisory Council.

**Interpretations:** The Strategic Steering Committee on Standards for Fuel Burning Appliances has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *This Standard contains SI (Metric) units corresponding to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009, Quantities and units – Part 1: General, is used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units are both specified as a quoted marking requirement, the first stated unit, or both, are to be provided.*
- 3) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 4) *This publication was developed by consensus, which is defined by CSA Policy governing standardization – Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity.” It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.*
- 5) *This Standard is subject to periodic review, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*
- 6) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

## History of the development of ANSI Z21.10.3 • CSA 4.3

**Note:** *This history is informative and is not part of the standard.*

With the onset of the Free Trade Agreement between the United States and Canada on January 2, 1988, significant attention was given to the harmonization of the United States and Canadian safety standards addressing gas-fired equipment for residential, commercial and industrial applications. It was believed that the elimination of the differences between the standards would remove potential trade barriers and provide an atmosphere in which North American manufacturers could market more freely in the United States and Canada. The harmonization of these standards was also seen as a step toward harmonization with international standards. Joint subcommittees were established to facilitate the standards harmonization process between the United States and Canada.

The draft harmonized standard was based on current coverage from the American National Standard for Gas Water Heaters, Volume III, Storage Water Heaters, with Input Rating above 75,000 Btu Per Hour, Circulating and Instantaneous, ANSI Z21.10.3-1993 and Addenda Z21.10.3a-1994, Z21.10.3b-1994, Z21.10.3c-1996 and the Canadian Standard for Circulating Tank, and Instantaneous and Large Automatic Storage Type Gas Water Heaters, CAN1-4.3-M85. The draft was subsequently issued for public review and comment during April 1996.

Following reconsideration and modification of the proposed draft standard, in light of comments received, the joint water heater subcommittee, at its July 24-25, 1996 meeting, recommended the proposed draft to the Z21 Committee and the CGA Standards Steering Committee for approval.

The proposed draft of the harmonized standard for gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, as modified by the joint subcommittee at its meeting of July 24-25, 1996, was approved by the Z21/83 Committee by at its April 17, 1997 meeting and by the CGA Standards Steering Committee on May 6, 1997.

The first edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters, with input rating above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 10, 1997 and by the American National Standards Institute Inc. on March 19, 1998.

The second edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, instantaneous and circulating, was approved by the Canadian Interprovincial Gas Advisory Council on August 1, 2001 and by the American National Standards Institute Inc. on December 20, 2001.

The third edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 7, 2004 and by the American National Standards Institute, Inc. on July 2, 2004.

The fourth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 7, 2004 and by the American National Standards Institute, Inc. on July 2, 2004.

The fifth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on March 25, 2013 and by the American National Standards Institute, Inc. on February 25, 2013.

This, the sixth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on August 7, 2014 and by the American National Standards Institute, Inc. on July 2, 2014.

The previous editions of the Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, instantaneous and circulating, and addenda thereto, approved by the Interprovincial Gas Advisory Council and American National Standards Institute, Inc. are as follows:

Z21.10.3-1998 • CSA 4.3-M98  
Z21.10.3a-2000 • CSA 4.3a-M00  
Z21.10.3b-2000 • CSA 4.3b-2000

ANSI Z21.10.3-2004 • CSA 4.3-2004  
ANSI Z21.10.3a-2007 • CSA 4.3a-2007  
ANSI Z21.10.3b-2008 • CSA 4.3b-2008

Z21.10.3-2001 • CSA 4.3-2001  
Z21.10.3a-2003 • CSA 4.3a-2003  
Z21.10.3b-2004 • CSA 4.3b-2004

Z21.10.3-2011 • CSA 4.3-2011

Z21.10.3-2013 • CSA 4.3-2013  
Z21.10.3-2014 • CSA 4.3-2014

# ***ANSI Z21.10.3-2014 • CSA 4.3-2014***

## ***Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous***

### **1 Scope**

#### **1.1**

This Standard applies to newly produced, large automatic storage water heaters having input ratings above 75,000 Btu/hr (21 980 W), instantaneous water heaters, circulating water heaters including booster water heaters (see Clause 3, Definitions), hereinafter referred to as water heaters or appliances, constructed entirely of new, unused parts and materials:

- a) for use with natural gas;
- b) for use with manufactured gas;
- c) for use with mixed gas;
- d) for use with liquefied petroleum gases;
- e) for use with LP gas-air mixtures;
- f) for recreational vehicle installation for use with liquefied petroleum gases only (see Clause 4.1.26);
- g) for manufactured home (mobile home) installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.25);
- h) for recreational vehicle installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.26); and
- i) for use with combination potable water/space heating applications (see Clauses 3, Definitions, and 4.1.29).

Automatic storage water heaters having input ratings of 75,000 Btu/hr (21 980 W) or less are covered in Volume I.

#### **1.2**

Instantaneous water heaters with input ratings of 200,000 Btu/h (58 614 W) or less which are designed to deliver water at a controlled temperature of less than 180 °F (82 °C) are subject to Federal minimum efficiency requirements for residential water heaters or covered in Clause 8, Items unique to Canada, are exempt from recovery, thermal efficiencies and standby loss, and related markings required by this Standard.

#### **1.3**

Direct vent water heaters anticipated by this Standard are essentially balanced flue appliances with the air intake and vent outlet in close proximity. Other designs are to be subjected to such additional tests as believed necessary at the discretion of the testing agency.

## 1.4

Water heaters for installation in recreational vehicles are to be of the direct vent type.

## 1.5

This Standard also applies to water heaters with draft hoods which are factory equipped with automatic vent damper devices (see Clause 3, Definitions), hereinafter referred to as vent damper devices.

## 1.6

This Standard also applies to water heaters of other than the direct vent type which are factory equipped with electrically operated or mechanically actuated automatic flue damper devices (see Clause 3, Definitions), hereinafter referred to as flue damper devices.

## 1.7

If a value for measurement as given in this Standard is followed by an equivalent value in other units, the first stated value is to be regarded as the specification, except as noted in Clauses 4.29.1 and 4.30.1.

## 1.8

All references to “psi” throughout this Standard are to be considered gauge pressures unless otherwise specified.

## 1.9

Clause 7 contains provisions that are unique to the United States.

## 1.10

Clause 8 contains provisions that are unique to Canada.

## 1.11

Special construction provisions applicable to a water heater designed for use with an optional listed conversion kit are outlined under Annex D, Optional provisions of listed appliance conversion kits.

## 1.12

Clause 2, Reference publications, contains a list of standards specifically referenced in this Standard, and sources from which these reference standards may be obtained.

## 2 Reference publications

### CSA Group

**Note:** *CGA Standards, Recommended Practices, and Codes are published by CSA Group.*

B149.1-10

*Natural Gas and Propane Installation Code*

C22.1-12

*Canadian Electrical Code, Part 1*

C22.2 No. 3-1988 (R2009)

*Electrical Features of Fuel-Burning Equipment*