




**CSA
Group**

ANSI Z21.10.3-2015 • CSA 4.3-2015

Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous



Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association and CSA America, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in printed or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and must not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

ANSI Z21.10.3-2015 • CSA 4.3-2015, Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous

Revisions from the Sixth Edition	Revision symbol (in margin)
Clauses 1.13 , 3 , 4.1.25 , 4.22 , 4.30.2 , 4.31.12 , 4.31.32 , 5.1.20 , 5.5 , 5.28 , 5.29.2 , 5.32 , 7.1 , E.2 , and E.3 Figures 2-A and 2-B	Δ

Currently in preview, click buy full version

Standards Update Service

ANSI Z21.10.3-2015 • CSA 4.3-2015 November 2015

Title: *Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **123 24**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA Group

The Canadian Standards Association (operating as CSA Group), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Groups standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Groups total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects product that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard, Toronto, Ontario,
Canada M9W 1R3

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, State and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

Responsibility of approving American standards rests with the
American National Standards Institute, Inc.
25 West 43rd Street, Fourth floor
New York, NY 10036

**ANSI Z21.10.3-2015 • CSA 4.3-2015
Gas-fired water heaters, volume III,
storage water heaters with input
ratings above 75,000 Btu per hour,
circulating and instantaneous**



American National Standards Institute, Inc.

IGAC

Interprovincial Gas Advisory Council



**CSA
Group**

™A trade-mark of the Canadian Standards Association and CSA America Inc., operating as "CSA Group"

*Approved on October 5, 2015 by ANSI
Approved on August 7, 2015 by IGAC
Effective in Canada April 1, 2017
Published in November 2015 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-000-4

© 2015 CSA Group

*All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Interprovincial Gas Advisory Council	4
Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories	6
CSA Technical Committee on Gas Appliances and Related Accessories	9
Joint Technical Advisory Group on Standards for Gas-fired Water Heaters	12
Preface	17
1 Scope	20
2 Reference publications	22
3 Definitions	26
4 Construction	37
4.1 General construction	37
4.2 Materials	43
4.3 Combustion air supply	46
4.4 Water heater openings	47
4.5 Burners	47
4.6 Flame spreaders	48
4.7 Primary air adjustment means	49
4.8 Main burner orifices and orifice fitting	50
4.9 Automatic gas ignition systems	51
4.10 Pilot gas filters	55
4.11 Gas connections	55
4.12 Opening for relief valve	58
4.13 Dip tubes	58
4.14 Manually operated gas valves	58
4.15 Gas appliance pressure regulators and gas pressure switches	59
4.16 Adjustment of minimum input rating	60
4.17 Thermostats	61
4.18 Automatic valves and safety shutoff valves	61
4.19 Bleeds and vents	62
4.20 Automatic gas shutoff systems	62
4.21 Relief valves	63
4.22 Condensate disposal	64
4.23 Flue collars	64
4.24 Flue pipe extensions	65
4.25 Draft hoods	65
4.26 Automatic vent damper devices	66
4.27 Automatic flue damper devices	66
4.28 Electrical equipment and wiring	68
4.29 Vent and air intake pipes of direct vent systems	82

4.30	Instructions	83
4.31	Marking	95
5	Performance	106
5.1	General	106
5.2	Test gases	112
5.3	Test pressures and burner adjustments	114
5.4	Combustion	114
5.5	Category determination	116
5.6	Burner and pilot operating characteristics	121
5.7	Piloted ignition systems	123
5.8	Proved igniter systems	128
5.9	Direct ignition systems	130
5.10	Efficiency	132
5.11	Gas appliance pressure regulators	132
5.12	Automatic valves and safety shutoff valves	132
5.13	Temperature control	132
5.14	Storage heater temperature limits	133
5.15	Temperature limiting devices	135
5.16	Evaluation of burn hazard potential of exterior surfaces	137
5.17	Wall, floor and ceiling temperatures	140
5.18	Flue gas temperature	143
5.19	Temperature of manually operated parts	144
5.20	Burner and flame spreader temperatures	145
5.21	Draft hoods	146
5.22	Draft tests for water heaters equipped with power burners	149
5.23	Automatic vent damper devices	152
5.24	Automatic flue damper devices	152
5.25	Wind test	155
5.26	Safety circuit analysis	158
5.27	Capacities of storage vessels	158
5.28	Capacities of tube type water heaters	159
5.29	Hydrostatic test	159
5.30	Non-metallic dip tube	160
5.31	Burner durability	163
5.32	Venting systems for category II, III, or IV water heaters	163
5.33	Rain tests	164
5.34	Direct vent systems	166
5.35	Marking, material adhesion and legibility	173
6	Manufacturing and production tests	174
7	Items unique to the United States	175
7.1	High altitude	175
7.2	Thermal efficiency	175
7.3	Temperature and pressure relief valves	175
7.4	Marking material adhesion and legibility	175
7.5	General construction and assembly	176

8 Items unique to Canada 176

- 8.1 High altitude 176
- 8.2 Relief valves 176
- 8.3 Storage vessels 176
- 8.4 Outdoor installation 176
- 8.5 Marking material tests 176
- 8.6 Draft hoods 176
- 8.7 Pilot burners and safety shutoff devices 177
- 8.8 Thermal efficiency 177
- 8.9 French translations for quoted instructions and markings 177

-
- Annex A (normative) — Outline of lighting instructions for appliances equipped with continuous pilots 194
 - Annex B (normative) — Outline of operating instructions for appliances equipped with intermittent pilot or interrupted pilot systems 197
 - Annex C (normative) — Outline of operating instructions for appliances equipped with direct ignition systems 200
 - Annex D (normative) — Optional provisions for listed gas appliance conversion kits 203
 - Annex E (normative) — Efficiency test procedures 206
 - Annex F (informative) — Pertinent references to ANSI Y14.15 211
 - Annex G (informative) — Wire color designations 212
 - Annex H (informative) — Recommended wire color usage 213
 - Annex I (informative) — Preferred graphic symbols of commonly used items, extracted from standard ANSI/IEEE 315, graphic symbols for electrical and electronics diagrams, and abbreviations for these items 214
 - Annex J (informative) — Sample failure modes and effect analysis for component miswiring* 216
 - Annex K (informative) — Table of conversion factors 217
 - Annex L (informative) — Legibility and design of safety information in water heater markings and manuals 220

Interprovincial Gas Advisory Council

J.R. Marshall	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Chair</i>
J. Renaud	Régie du bâtiment du Québec, Montréal, Quebec, Canada	<i>First Vice-Chair</i>
M.E. Davidson	Province of New Brunswick Dept of Public Safety, Fredericton, New Brunswick, Canada	<i>Second Vice-Chair</i>
A. Ali	Government of Nunavut Community & Government Services, Iqaluit, Nunavut, Canada	
R. Brousseau	Régie du Bâtiment du Québec, Montréal, Quebec, Canada	<i>Alternate</i>
P. Fowler	Department of Labour and Advanced Education, Halifax, Nova Scotia, Canada	
D.N. Hird	SaskPower, Regina, Saskatchewan, Canada	<i>Alternate</i>
C. Lashek	Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada	
W. Locke	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada	
S.C. Manning	Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada	
R. McRae	Government of the NWT Public Works & Services, Yellowknife, Northwest Territories, Canada	
B.W. Peia	Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island, Canada	
J. Tremblett	Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador, Canada	<i>Alternate</i>

C. Valliere	Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada	<i>Alternate</i>
M.A. Wani	Government of Nunavut Department of Community and Government Services, Iqaluit, Nunavut, Canada	
B. Zinn	British Columbia Safety Authority (BCSA), Coquitlam, British Columbia, Canada	<i>Alternate</i>

Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories

B.J. Swiecicki	National Propane Gas Association, Washington, District of Columbia, USA <i>Representing Gas Supplier</i>	<i>Chair</i>
M.W. Wilber	Crane Engineering, Plymouth, Minnesota, USA <i>Representing General Interest</i>	<i>Vice-Chair</i>
C.W. Adams	A.O. Smith Corporation, Milwaukee, Wisconsin, USA <i>Representing Manufacturer</i>	
S.R. Caudle	Southern California Gas Company, Los Angeles, California, USA <i>Representing Gas Supplier</i>	<i>Alternate</i>
M. Deegan	Clearwater Gas System, Clearwater, Florida, USA <i>Representing Government and/or Regulatory Interest</i>	
M. Diesch	Lennox International Inc., Carrollton, Texas, USA <i>Representing Manufacturer</i>	
R. Ehsan	Association of Home Appliance Manufacturers (AHAM), Washington, District of Columbia, USA <i>Representing Manufacturer</i>	<i>Alternate</i>
J.M. Emmel	Virginia Tech, Blacksburg, Virginia, USA <i>Representing Consumer/User Interest</i>	
R.R. Frazier	ATMOS Energy, Arlington, Texas, USA <i>Representing Gas Supplier</i>	

T.F. Hardin	Underwriters Laboratories Inc., Research Triangle Pk, North Carolina, USA <i>Representing Research & Testing Interest</i>	
D. Hubbard	Intertek Commercial and Electrical, Chagrin Falls, Ohio, USA <i>Representing Research/Testing</i>	
D.M. Jakobs	Rheem Manufacturing Company Air Conditioning Division, Fort Smith, Arkansas, USA <i>Representing Producer Interest</i>	
R.A. Jordan	Consumer Product Safety Commission, Rockville, Maryland, USA	<i>Non-voting</i>
A. Kovalenko	Heat Transfer Products, Inc., East Freetown, Massachusetts, USA	<i>Non-voting</i>
S. Kristjansson	Sempra Energy Utility, Los Angeles, California, USA <i>Representing Gas Supplier</i>	
G. McPherson	Sturgis, South Dakota, USA	
F. Myers	PVI Industries LLC, Fort Worth, Texas, USA <i>Representing Manufacturer</i>	
A. Papageorge	AGL Resources, Atlanta, Georgia, USA <i>Representing Gas Supplier</i>	
D. Parker	Western Industries, Inc., Engineered Products Group, Watertown, Wisconsin, USA	<i>Non-voting</i>
G.J. Potter	Cambridge Engineering, Chesterfield, Missouri, USA <i>Representing Manufacturer</i>	
T. Poulin	A.O. Smith Enterprises Ltd., Fergus, Ontario, Canada	<i>Non-voting</i>
J.A. Ranfone	American Gas Association Inc., Washington, District of Columbia, USA <i>Representing Gas Supplier</i>	

N.W. Rolph	Lochinvar LLC, Lebanon, Tennessee, USA <i>Representing Producer Interest</i>	<i>Alternate</i>
I. Sargunam	Bloomington, Indiana, USA <i>Representing General Interest</i>	
A.B. Sherwin	St. Louis Community College, St. Louis, Missouri, USA <i>Representing Consumer/User Interest</i>	
C. Souhrada	North American Association of Food Equipment Manufacturers, Chicago, Illinois, USA <i>Representing Producer Interest</i>	
F.A. Stanonik	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA <i>Representing Producer Interest</i>	<i>Non-voting</i>
T. Stroud	Hearth Patio & Barbecue Association, Seattle, Washington, USA <i>Representing General Interest</i>	
C. Suchovsky	Burner Technology Unlimited, Inc., Walton Hills, Ohio, USA <i>Representing General Interest</i>	
H. Virgil	Brownsburg, Indiana, USA <i>Representing Consumer/User Interest</i>	
M.B. Williams	Association of Home Appliance Manufacturers (AHAM), Washington, District of Columbia, USA <i>Representing Producer Interest</i>	
J. Novkovic	CSA Group, Cleveland, Ohio, USA	<i>Program Manager</i>
S.M. Corcoran	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

CSA Technical Committee on Gas Appliances and Related Accessories

T.W. Poulin	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada <i>Representing Producer Interest</i>	<i>Chair</i>
A. Gould	Reliance Comfort Ltd. Patnership dba Reliance Home Comfort, Cambridge, Ontario, Canada <i>Representing User Interest</i>	<i>First Vice-Chair</i>
D.N. Hird	SaskPower, Regina, Saskatchewan, Canada <i>Representing Government and/or Regulatory Authority</i>	<i>Second Vice-Chair</i>
A. Abdel-Rehim	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	<i>Non-voting</i>
P.A. Baker	Maxitrol Company, Hamilton, Ontario, Canada <i>Representing Producer Interest</i>	
D. Baxter	Enbridge Gas Distribution, Thorold, Ontario, Canada <i>Representing User Interest</i>	
J. Boros	Rheem Manufacturing Company, Montgomery, Alabama, USA <i>Representing Producer Interest</i>	
T. Brennan	Natural Resources Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
C. Côté	Gaz Métro Inc., Montréal, Quebec, Canada <i>Representing User Interest</i>	
Z.J. Fraczkowski	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Representing Government and/or Regulatory Authority</i>	

C. Gibbs	Guelph, Ontario, Canada <i>Representing General Interest</i>	
E. Grzesik	Mississauga, Ontario, Canada <i>Representing General Interest</i>	
D.R. Jamieson	GHP Group Inc, Oakville, Ontario, Canada <i>Representing Producer Interest</i>	
J.M. Jones	J.M. Jones Consulting Services, Leamington, Ontario, Canada	<i>Non-voting</i>
C.E. Jorgenson	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada <i>Representing Government and/or Regulatory Authority</i>	
S. Katz	S. Katz and Associates Inc., North Vancouver, British Columbia, Canada	<i>Non-voting</i>
J.R. Marshall	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Non-voting</i>
J. Melling	SaskPower, Saskatoon, Saskatchewan, Canada	<i>Non-voting</i>
J. Overall	Union Gas Limited, Toronto, Ontario, Canada	<i>Non-voting</i>
G.B. Prociw	Union Gas Limited, Chatham, Ontario, Canada <i>Representing User Interest</i>	
E. Scott	British Columbia Safety Authority (BCSA), New Westminster, British Columbia, Canada	<i>Non-voting</i>
B.J. Swiecicki	National Propane Gas Association, Frankfort, Illinois, USA	<i>N</i>
M. Thomas	Natural Resources Canada CANMET Energy, Ottawa, Ontario, Canada	<i>Non-voting</i>
J. Novkovic	CSA Group, Cleveland, Ohio, USA	<i>Program Manager</i>

J. Vulovic

CSA Group,
Etobicoke, Ontario, Canada

Project Manager

Joint Technical Advisory Group on Standards for Gas-fired Water Heaters

A.B. Wagner-Sherwin	St. Louis Community College, St. Louis, Missouri, USA	<i>Chair</i>
D. Berning	A.O. Smith Corporation, McBee, South Carolina, USA	<i>Vice-Chair</i>
A. Abdel-Rehim	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	<i>Alternate</i>
J. Boros	Rheem Manufacturing Company, Montgomery, Alabama, USA	
D. Breejen	Allegan Tubular Products, Inc., Allegan, Michigan, USA	
S.R. Caudle	Southern California Gas Company, Los Angeles, California, USA	<i>Alternate</i>
J. Chicoine	Mestex, A Division of Mestek, Inc., Dallas, Texas, USA	
R. Choi	KD Navien America, Inc., Irvine, California, USA	<i>Alternate</i>
J. Derksen	Direct Energy Home Services, Markham, Ontario, Canada	
E. Dionne	White-Rodgers Division, St. Louis, Missouri, USA	<i>Alternate</i>
R. Dominguez	Brass-Craft Manufacturing Co, Novi, Michigan, USA	<i>Alternate</i>
K.S. Dorrough	Rinnai America Corporation, Peachtree City, Georgia, USA	<i>Alternate</i>
G. Doss	Bradford-White Corporation, Rochester, New Hampshire, USA	

G. Edgar	VenTech Consulting Ltd, Lancaster, Ohio, USA	<i>Associate</i>
G. Fabbruzzo	Enbridge Gas Distribution, Toronto, Ontario, Canada	
Z.J. Fraczkowski	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Associate</i>
R.R. Frazier	ATMOS Energy, Arlington, Texas, USA	
L. Gill	IPEX Management Inc, Mississauga, Ontario, Canada	
A. Gould	Reliance Comfort Ltd. Patnership dba Reliance Home Comfort, Cambridge, Ontario, Canada	
R. Green	Brass-Craft Manufacturing Co, Novi, Michigan, USA	<i>Alternate</i>
R.H. Gregg	Cash Acme, Franklin, Tennessee, USA	
P. Hikspoors	Giant Factories Inc. Usines Giant Inc., Montreal, Quebec, Canada	
D. Hubbard	Intertek Commercial & Electrical, Twinsburg, Ohio, USA	
S. Isaksen	Noritz America Corporation, Fountain Valley, California, USA	<i>Alternate</i>
R. Jensen	White-Rodgers Division, St. Louis, Missouri, USA	
R.A. Jordan	Consumer Product Safety Commission, Rockville, Maryland, USA	<i>Associate</i>
R. Kane	IPEX Management Inc, Mississauga, Ontario, Canada	<i>Alternate</i>

L. Kidd	Air Conditioning Division Rheem Manufacturing Company, Fort Smith, Arkansas, USA	<i>Alternate</i>
J. Kleiss	Lochinvar LLC, Lebanon, Tennessee, USA	
G.M. Kusterer	Bock Water Heaters, Inc., Madison, Wisconsin, USA	<i>Alternate</i>
S. Lackie	Atwood Mobile Products LLC, Elkhart, Indiana, USA	<i>Alternate</i>
F. Lazar	Channel Products, Inc., Chesterland, Ohio, USA	
K.J. Madill	Direct Energy Home Services, Markham, Ontario, Canada	<i>Alternate</i>
J.F. McGraw	Atwood Mobile Products LLC, Elkhart, Indiana, USA	
G. McPherson	McPherson Propane, Inc., Sturgis, South Dakota, USA	
K. Minkler	Invensys Appliance Controls, Corona, California, USA	
T.D. Mulligan	Brass-Craft Manufacturing Co, Novi, Michigan, USA	
F. Myers	PVI Industries LLC, Fort Worth, Texas, USA	
J. Myers	Channel Products, Inc., Chesterland, Ohio, USA	<i>Alternate</i>
J. Nelson	General Electric Company, Louisville, Kentucky, USA	
M. Neufcourt	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA	<i>Associate</i>

M. O'Donnell	Beckett Gas Inc., North Ridgeville, Ohio, USA	
R. Oshiro	Noritz America Corporation, Fountain Valley, California, USA	
J. Overall	Union Gas Limited, Toronto, Ontario, Canada	
M. Pablo	Orkli, S. Coop, Ordizia-Gipuzkoa, Spain	<i>Associate</i>
K. Pirotin	KD Navien America, Inc., Irvine, California, USA	
T.W. Poulin	A.O. Smith Enterprises Ltd, Fergus, Ontario, Canada	
K. Reaves	Cash Acme A Division of the Reliance Worldwide Corporation, Cullman, Alabama, USA	<i>Alternate</i>
E. Rightmier	AERCO International, Inc, Blauvelt, New York, USA	
J. Rose	Southern California Gas Company, Los Angeles, California, USA	
K. Shaw	M&G Duravent, Inc, Vacaville, California, USA	
W. Shepard	Allegan Tubular Products, Inc., Allegan, Michigan, USA	<i>Alternate</i>
S. Siddiqui	Zodiac Pool Systems, Inc., Vista, California, USA	
D. Snyder	A.O. Smith Corporation, Johnson City, Tennessee, USA	
F.A. Stanonik	Air-Conditioning, Heating, and Refrigeration Institute, Arlington, Virginia, USA	

M. Steinhafel	Bock Water Heaters, Inc., Madison, Wisconsin, USA	
P.W. Stephens	Heat Transfer Products Inc, East Freetown, Massachusetts, USA	
C. Suchovsky	Burner Technology Unlimited, Inc, Walton Hills, Ohio, USA	
B.J. Swiecicki	National Propane Gas Association, Frankfort, Illinois, USA	<i>Associate</i>
J. Todd	General Electric Company, Louisville, Kentucky, USA	<i>Alternate</i>
M. Travers	Reliance Comfort L.P, Cambridge, Ontario, Canada	<i>Alternate</i>
E. Truskoski	Bradford-White Corporation, Middleville, Michigan, USA	<i>Alternate</i>
R. Vlastic	Union Gas Limited, London, Ontario, Canada	
C. Weiss	Field Controls LLC, Kinston, North Carolina, USA	<i>Associate</i>
M.W. Wilber	Crane Engineering, Plymouth, Minnesota, USA	
T.A. Williams	American Gas Association Inc., Washington, District of Columbia, USA	
J. York	Rinnai America Corporation, Peachtree City, Georgia, USA	
S.M. Corcoran	CSA Group, Cleveland, Ohio, USA	<i>Project Manager</i>

Preface

This is the seventh edition of ANSI Z21.10.3 • CSA 4.3, *Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous*. It supersedes the previous editions published in 2014, 2013, 2011, 2004, 2001, and 1998.

This Standard was prepared by the Z21/CSA Joint Technical Advisory Group on Standards for Gas-Fired Water Heaters under the jurisdiction of the Technical Committee on Gas Appliances and Related Accessories, the Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories, and the Strategic Steering Committee on Standards for Fuel Burning Appliances, and had been formally approved by the Technical Committee(s), American National Standards Institute, and the Interprovincial Gas Advisory Council.

Interpretations: The Strategic Steering Committee on Standards for Fuel Burning Appliances has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *This Standard contains SI (Metric) units corresponding to the yard/pound quantities, the purpose being to allow the standard to be used in SI (Metric) units. (IEEE/ASTM SI 10, American National Standard for Metric Practice, or ISO 80000-1:2009, Quantities and units – Part 1: General, is used as a guide in making metric conversion from yard/pound quantities.) If a value for a measurement and a corresponding value in other units are stated, the first stated value is to be regarded as the requirement. The given corresponding value may be approximate. If a value for a measurement and a corresponding value in other units are both specified as a quoted marking requirement, the first stated unit, or both, are to be provided.*
- 3) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 4) *This publication was developed by consensus, which is defined by CSA Policy governing standardization – Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity.” It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.*
- 5) *This Standard is subject to review at least every five years; and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*
- 6) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

History of the development of ANSI Z21.10.3 • CSA 4.3

Note: *This history is informative and is not part of the standard.*

With the onset of the Free Trade Agreement between the United States and Canada on January 2, 1988, significant attention was given to the harmonization of the United States and Canadian safety standards addressing gas-fired equipment for residential, commercial and industrial applications. It was believed that the elimination of the differences between the standards would remove potential trade barriers and provide an atmosphere in which North American manufacturers could market more freely in the United States and Canada. The harmonization of these standards was also seen as a step toward harmonization with international standards. Joint subcommittees were established to facilitate the standards harmonization process between the United States and Canada.

The draft harmonized standard was based on current coverage from the American National Standard for Gas Water Heaters, Volume III, Storage Water Heaters, with Input Rating above 75,000 Btu Per Hour, Circulating and Instantaneous, ANSI Z21.10.3-1993 and Addenda Z21.10.3a-1994, Z21.10.3b-1994, Z21.10.3c-1996 and the Canadian Standard for Circulating Tank, and Instantaneous and Large Automatic Storage Type Gas Water Heaters, CAN1-4.3-M85. The draft was subsequently issued for public review and comment during April 1996.

Following reconsideration and modification of the proposed draft standard, in light of comments received, the joint water heater subcommittee, at its July 24-25, 1996 meeting, recommended the proposed draft to the Z21 Committee and the CGA Standards Steering Committee for approval.

The proposed draft of the harmonized standard for gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, as modified by the joint subcommittee at its meeting of July 24-25, 1996, was approved by the Z21/83 Committee by at its April 17, 1997 meeting and by the CGA Standards Steering Committee on May 6, 1997.

The first edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters, with input rating above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 10, 1997 and by the American National Standards Institute Inc. on March 19, 1998.

The second edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, instantaneous and circulating, was approved by the Canadian Interprovincial Gas Advisory Council on August 1, 2001 and by the American National Standards Institute Inc. on December 20, 2001.

The third edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 7, 2004 and by the American National Standards Institute, Inc. on July 2, 2004.

The fourth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on September 7, 2004 and by the American National Standards Institute, Inc. on July 2, 2004.

The fifth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on March 25, 2013 and by the American National Standards Institute, Inc. on February 25, 2013.

The sixth edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on August 7, 2014 and by the American National Standards Institute, Inc. on July 2, 2014.

This, the seventh edition of the harmonized Z21/CSA Standard for Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous, was approved by the Canadian Interprovincial Gas Advisory Council on August 7, 2015 and by the American National Standards Institute, Inc. on October 5, 2015.

The previous editions of the Gas water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, instantaneous and circulating, and addenda thereto, approved by the Interprovincial Gas Advisory Council and American National Standards Institute, Inc. are as follows:

Z21.10.3-1998 • CSA 4.3-M98
Z21.10.3a-2000 • CSA 4.3a-M00
Z21.10.3b-2000 • CSA 4.3b-2000

ANSI Z21.10.3-2004 • CSA 4.3-2004
ANSI Z21.10.3a-2007 • CSA 4.3a-2007
ANSI Z21.10.3b-2008 • CSA 4.3b-2008

Z21.10.3-2013 • CSA 4.3-2013

Z21.10.3-2001 • CSA 4.3-2001
Z21.10.3a-2003 • CSA 4.3a-2003
Z21.10.3b-2004 • CSA 4.3b-2004

Z21.10.3-2011 • CSA 4.3-2011

Z21.10.3-2014 • CSA 4.3-2014

The following identifies the designation and year of the seventh edition of the Standard:

Z21.10.3-2015 • CSA 4.3-2015

Note: This, the 2015 edition of ANSI Z21.10.3 • CSA 4.3, incorporates changes to the 2014 edition. Changes, other than editorial, are denoted by a delta in the margin.

ANSI Z21.10.3-2015 • CSA 4.3-2015 Gas-fired water heaters, volume III, storage water heaters with input ratings above 75,000 Btu per hour, circulating and instantaneous

1 Scope

1.1

This Standard applies to newly produced, large automatic storage water heaters having input ratings above 75,000 Btu/hr (21 980 W), instantaneous water heaters, circulating water heaters including booster water heaters (see Clause 3, Definitions), hereinafter referred to as water heaters or appliances, constructed entirely of new, unused parts and materials:

- a) for use with natural gas;
- b) for use with manufactured gas;
- c) for use with mixed gas;
- d) for use with liquefied petroleum gases;
- e) for use with LP gas-air mixtures;
- f) for recreational vehicle installation for use with liquefied petroleum gases only (see Clause 4.1.27);
- g) for manufactured home (mobile home) installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.26);
- h) for recreational vehicle installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.27); and
- i) for use with combination potable water/space heating applications (see Clauses 3, Definitions, and 4.1.30).

Automatic storage water heaters having input ratings of 75,000 Btu/hr (21 980 W) or less are covered in Volume I.

1.2

Instantaneous water heaters with input ratings of 200,000 Btu/h (58 614 W) or less, which are designed to deliver water at a controlled temperature of less than 180 °F (82 °C), are subject to Federal minimum efficiency requirements for residential water heaters or covered in Clause 8, Items unique to Canada, are exempt from recovery, thermal efficiencies and standby loss, and related markings required by this Standard.

1.3

Direct vent water heaters anticipated by this Standard are essentially balanced flue appliances with the air intake and vent outlet in close proximity. Other designs are to be subjected to such additional tests as believed necessary at the discretion of the testing agency.

1.4

Water heaters for installation in recreational vehicles are to be of the direct vent type.

1.5

This Standard also applies to water heaters with draft hoods which are factory equipped with automatic vent damper devices (see Clause 3, Definitions), hereinafter referred to as vent damper devices.

1.6

This Standard also applies to water heaters of other than the direct vent type which are factory equipped with electrically operated or mechanically actuated automatic flue damper devices (see Clause 3, Definitions), hereinafter referred to as flue damper devices.

1.7

If a value for measurement as given in this Standard is followed by an equivalent value in other units, the first stated value is to be regarded as the specification, except as noted in Clauses 4.30.2 and 4.31.2.

1.8

All references to “psi” throughout this Standard are to be considered gauge pressures unless otherwise specified.

1.9

Clause 7 contains provisions that are unique to the United States.

1.10

Clause 8 contains provisions that are unique to Canada.

1.11

Special construction provisions applicable to a water heater designed for use with an optional listed conversion kit are outlined under Annex D, Optional provisions for listed gas appliance conversion kits.

1.12

Clause 2, Reference publications, contains a list of standards specifically referenced in this Standard, and sources from which these reference standards may be obtained.

Δ 1.13

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user shall satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.