



**CSA
Group**

B108-18
National Standard of Canada



Natural gas refuelling stations installation code

Currently in preview, click buy full version



Standards Council of Canada
Conseil canadien des normes

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

B108-18

June 2018

Title: *Natural gas refuelling stations installation code*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24250-01**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-977-47-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



Standards Council of Canada
Conseil canadien des normes

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

B108-18
Natural gas refuelling stations
installation code

IGAC

Interprovincial Gas Advisory Council



®A trademark of the Canadian Standards Association, operating as "CSA Group"



Approved on June 5, 2018 by IGAC
Effective in Canada September 30, 2019
Published in June 2018 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 75.200
ISBN 978-1-4883-1336-3

© 2018 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.

Contents

| | |
|---|----|
| Interprovincial Gas Advisory Council (IGAC) | 4 |
| Technical Committee on Natural Gas Transportation | 6 |
| Subcommittee on Natural Gas for Vehicle Refuelling Stations Installation Code | 10 |
| Preface | 12 |

B108-18, Part 1, Compressed natural gas refuelling stations installation code

| | |
|--|----|
| 1 Scope | 15 |
| 2 Reference publications | 16 |
| 3 Definitions | 17 |
| 4 General requirements | 21 |
| 5 Compressors | 23 |
| 6 Storage | 26 |
| 7 Dispensing | 30 |
| 8 Flow control devices | 33 |
| 9 Design, installation, and testing of piping, tubing, and fittings | 37 |
| 10 Reserved | 38 |
| 11 Reserved | 38 |
| 12 Reserved — Fire protection, safety and security | 38 |
| 13 Reserved — Mobile refuelling units | 38 |

Annexes

| | |
|---|----|
| Annex A — reserved — Operation, maintenance, and personnel training | 39 |
| Annex B (normative) — Indoor refuelling of natural gas vehicles | 40 |
| Annex C (normative) — Bulk container dispatch and receiving | 51 |
| Annex D (normative) — Additional information on natural gas refuelling stations | 52 |
| Annex E (normative) — Installation of RFAs or VFAs connected to storage or piping | 53 |
| Annex F (normative) — Installation of CNG equipment in vaults | 55 |

B108-18, Part 2, Liquefied natural gas refuelling stations installation code

| | |
|----------------|----|
| 1 Scope | 58 |
|----------------|----|

| | | |
|----------|--|-----------|
| 2 | Reference publications | 59 |
| 3 | Definitions | 61 |
| 4 | General | 66 |
| 4.1 | Discrepancy with <i>Canadian Electrical Code, Part I</i> | 66 |
| 4.2 | Units of measurement | 66 |
| 4.3 | Retroactivity | 66 |
| 4.4 | Refuelling station site provisions | 66 |
| 4.5 | General requirements | 67 |
| 4.6 | Siting and design considerations | 68 |
| 4.7 | Provisions for spill containment and leak control | 71 |
| 4.8 | Concrete | 73 |
| 4.9 | Signage | 74 |
| 5 | LNG station equipment | 75 |
| 5.1 | General | 75 |
| 5.2 | Equipment depressurizing | 75 |
| 5.3 | Pressure relief | 75 |
| 5.4 | Station equipment supports | 76 |
| 5.5 | Remote notification | 76 |
| 5.6 | Pressure indication | 76 |
| 6 | Storage tanks | 76 |
| 7 | Vehicle LNG dispensing | 78 |
| 7.1 | General | 78 |
| 7.2 | Dispensing hose assemblies | 78 |
| 7.3 | Dispensers | 79 |
| 8 | Measurement and electrical services | 80 |
| 8.1 | General | 80 |
| 8.2 | Measurement | 80 |
| 8.3 | Fail-safe shutdown | 81 |
| 8.4 | Classified areas | 81 |
| 8.5 | Seals | 81 |
| 8.6 | Venting | 82 |
| 8.7 | Electrical grounding and bonding | 82 |
| 8.7.1 | General | 82 |
| 8.7.2 | Stray or impressed currents | 83 |
| 8.8 | Lightning protection | 83 |
| 9 | Piping systems and components | 83 |
| 9.1 | Piping systems | 83 |
| 9.2 | Materials | 83 |
| 9.3 | Temperature conditions | 83 |
| 9.4 | General design requirements | 83 |
| 9.5 | Leakage | 84 |
| 9.6 | Iron | 84 |
| 9.7 | Bolted connections | 84 |

| | | |
|--------|-----------------------------------|----|
| 9.8 | Coupling | 84 |
| 9.9 | Expansion joints | 84 |
| 9.10 | Examination and inspection | 85 |
| 9.10.1 | Non-destructive examination | 85 |
| 9.10.2 | Visual inspection | 85 |
| 9.11 | Corrosion | 85 |
| 9.12 | General | 85 |
| 9.12.1 | Cryogenic pipe-in-pipe systems | 85 |
| 9.12.2 | Inner pipe | 85 |
| 9.12.3 | Outer pipe | 86 |
| 9.12.4 | Vacuum jacket function | 86 |
| 9.12.5 | Annular space | 86 |
| 9.12.6 | General | 86 |
| 9.13 | Seismic design forces | 87 |
| 9.14 | Purging | 87 |
| 9.15 | General valving requirements | 87 |
| 9.16 | Relief valves | 88 |
| 9.16.1 | Pressure relieving safety devices | 88 |
| 9.16.2 | Thermal expansion relief valve | 88 |

10 Boil-off control and venting 88

11 Transfer of fuel 89

12 Fire protection, safety, and security 91

13 Mobile refuelling units 93

| | | |
|------|------------|----|
| 13.1 | General | 93 |
| 13.2 | MRU siting | 95 |

Annexes

| | | |
|---------------------|--|-----|
| Annex A (normative) | — Operation, maintenance, and personnel training | 114 |
| Annex B | — Reserved — Indoor refuelling of LNG vehicles | 120 |
| Annex C | — Reserved — LNG to CNG systems (includes vaporization and odourization systems) | 121 |
| Annex D | — Reserved — Additional information | 122 |

Interprovincial Gas Advisory Council (IGAC)

| | | |
|-------------------------|---|-------------------|
| J.R. Marshall | Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Category: Regulatory Authority</i> | <i>Chair</i> |
| M.E. Davidson | Province of New Brunswick Dept of Public Safety, Fredericton, New Brunswick, Canada <i>Category: Regulatory Authority</i> | <i>Vice-Chair</i> |
| J. Renaud | Régie du bâtiment du Québec, Montréal, Québec, Canada <i>Category: Regulatory Authority</i> | <i>Vice-Chair</i> |
| A. Ali | SaskPower, Regina, Saskatchewan, Canada <i>Category: Regulatory Authority</i> | |
| D.A. Balcha | Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada | <i>Non-voting</i> |
| R. Brousseau | Régie du Bâtiment du Québec, Montréal, Québec, Canada | <i>Alternate</i> |
| P. Christensen | Yukon Government Community Services, Whitehorse, Yukon, Canada <i>Category: Regulatory Authority</i> | |
| P. Fowler | Department of Labour and Advanced Education, Dartmouth, Nova Scotia, Canada <i>Category: Regulatory Authority</i> | |
| Z.J. Fraczkowski | Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada | <i>Alternate</i> |
| C. Gony | Standards Council of Canada (SCC), Ottawa, Ontario, Canada | <i>Non-voting</i> |
| N. Hird | SaskPower, Regina, Saskatchewan, Canada | <i>Alternate</i> |

| | | |
|---------------------|--|-------------------|
| J. Jachniak | ENEFEN Energy Efficiency Engineering Ltd, Leduc, Alberta, Canada | <i>Non-voting</i> |
| S.C. Manning | Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada <i>Category: Regulatory Authority</i> | |
| A. Peters | Manitoba, Office of the Fire Commissioner, Winnipeg, Manitoba, Canada <i>Category: Regulatory Authority</i> | |
| B.W. Reid | Department of Environment, Energy and Forestry, Charlottetown, Prince Edward Island, Canada <i>Category: Regulatory Authority</i> | |
| A. Simard | Gov't of the Northwest Territories Public Works & Services, Inuvik, Northwest Territories, Canada <i>Category: Regulatory Authority</i> | |
| G. Tremblett | Service NL, Newfoundland & Labrador, St. John's, Newfoundland and Labrador, Canada <i>Category: Regulatory Authority</i> | |
| C. Valliere | Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada | <i>Alternate</i> |
| M.A. Wani | Government of Nunavut Dept of Community & Government Services Iqaluit, Nunavut, Canada <i>Category: Regulatory Authority</i> | |
| B. Wyatt | Technical Safety BC, Vancouver, British Columbia, Canada <i>Category: Regulatory Authority</i> | |

Technical Committee on Natural Gas Transportation

| | | |
|------------------------|--|-------------------|
| J.F. Jordan | Agility Fuel Solutions, Cook, Minnesota, USA <i>Category: User Interest</i> | <i>Chair</i> |
| M.A. Tremayne | Enbridge Gas Distribution, Toronto, Ontario, Canada <i>Category: Gas Supplier</i> | <i>Vice-Chair</i> |
| A. Ahmadzadegan | Emcara Gas Development Inc, Guelph, Ontario, Canada | <i>Alternate</i> |
| J. Birdsall | Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA <i>Category: User Interest</i> | |
| D. Bowerson | NGVAmerica, Washington, DC, USA <i>Category: General Interest</i> | |
| R. Boyd | Boyd Hydrogen LLC, Oakland, California, USA <i>Category: General Interest</i> | |
| J.P. Cohen | Air Products and Chemicals Inc., Allentown, Pennsylvania, USA | <i>Non-voting</i> |
| D. Davis | Transport Canada, Ottawa, Ontario, Canada <i>Category: General Interest</i> | |
| D. Ducasse | Énergir, Montréal, Québec, Canada | <i>Alternate</i> |
| J. Eihusen | Hexagon Lincoln Inc., Lincoln, Nebraska, USA | <i>Alternate</i> |
| V. Fe | FortisBC Energy Inc (FEI), Surrey, British Columbia, Canada <i>Category: Gas Supplier</i> | |

| | | |
|----------------------|---|-------------------|
| B. Gillis | Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada <i>Category: General Interest</i> | |
| E. Girouard | Emcara Gas Development Inc, Guelph, Ontario, Canada <i>Category: Producer Interest</i> | |
| B.P. Grote | Swagelok Company, Solon, Ohio, USA <i>Category: Producer Interest</i> | |
| M. Gust | Quantum Fuel Systems LLC, Lake Forest, California, USA <i>Category: Producer Interest</i> | |
| A. Harris | Air Liquide, Houston, Texas, USA <i>Category: Gas Supplier</i> | |
| K. Hendershot | Transport Canada, Ottawa, Ontario, Canada | <i>Alternate</i> |
| P. Horacek | Powertech Labs Inc, Surrey, British Columbia, Canada <i>Category: Producer Interest</i> | |
| A. Hoskin | Natural Resources Canada, Ottawa, Ontario, Canada | <i>Non-voting</i> |
| S. Katz | S. Katz and Associates Inc., North Vancouver, British Columbia, Canada <i>Category: General Interest</i> | |
| S. Kay | Union Gas Limited, Chatham, Ontario, Canada <i>Category: Gas Supplier</i> | |
| S. Lajoie | Énergir, Montréal, Québec, Canada <i>Category: Gas Supplier</i> | |
| P. Lam | Quantum Fuel Systems Technologies Worldwide, Inc., Irvine, California, USA | <i>Alternate</i> |

| | | |
|----------------------|--|------------------|
| W.C. LaRose | Edmonton, Alberta, Canada <i>Category: General Interest</i> | |
| G. Lengle | FortisBC Energy Inc (FEI), Surrey, British Columbia, Canada | <i>Alternate</i> |
| N.L. Newhouse | Hexagon Lincoln Inc., Lincoln, Nebraska, USA <i>Category: Producer Interest</i> | |
| D. Patel | Kraus Global Ltd., Winnipeg, Manitoba, Canada <i>Category: Producer Interest</i> | |
| D. Rea | Quantum Fuel Systems Technologies Worldwide, Inc., Irvine, California, USA | <i>Alternate</i> |
| A. Ryan | Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA | <i>Alternate</i> |
| R.G. Smith | Change Energy Services Inc, Oakville, Ontario, Canada <i>Category: General Interest</i> | |
| D. Stumpf | InsightFuel, Macedonia, Ohio, USA <i>Category: Producer Interest</i> | |
| C. Valliere | Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada <i>Category: General Interest</i> | |
| M. Veenstra | Ford Motor Company, Dearborn, Michigan, USA <i>Category: User Interest</i> | |
| T.A. Williams | American Gas Association Inc., Washington, DC, USA <i>Category: Gas Supplier</i> | |
| L.B. Willmore | Southern California Gas Company, Los Angeles, California, USA <i>Category: Gas Supplier</i> | |

B. Wyatt

Technical Safety BC,
Kelowna, British Columbia, Canada
Category: General Interest

J. Cairns

CSA Group,
Cleveland, Ohio, USA

Project Manager

Subcommittee on Natural Gas for Vehicle Refuelling Stations Installation Code

| | | |
|---------------------|--|--------------|
| R.G. Smith | Change Energy Services Inc., Oakville, Ontario, Canada | <i>Chair</i> |
| R. Brousseau | Régie du Bâtiment du Québec, Montréal, Québec, Canada | |
| D. Ding | Clean Energy, Newport Beach, California, USA | |
| M.A. Epp | Jenmar Concepts, Inc., Langley, British Columbia, Canada | |
| V. Fe | FortisBC Energy Inc. (FEI), Surrey, British Columbia, Canada | |
| B. Gillis | Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada | |
| D.N. Hird | SaskPower, Regina, Saskatchewan, Canada | |
| A. Hoskin | Natural Resources Canada, Ottawa, Ontario, Canada | |
| S. Katz | S. Katz and Associates Inc., North Vancouver, British Columbia, Canada | |
| S. Lajoie | Énergir, Montréal, Québec, Canada | |
| R. Milligan | Technical Safety BC, Victoria, British Columbia, Canada | |
| R. Newth | FortisBC Energy Inc. (FEI), Surrey, British Columbia, Canada | |
| D. Patel | Kraus Global Ltd., Winnipeg, Manitoba, Canada | |

| | | |
|----------------------|---|------------------------|
| I. Patterson | NGV Technologies Inc., Calgary, Alberta, Canada | |
| S. Pogorski | Jenmar Concepts, Toronto, Ontario, Canada | |
| J. Renaud | Régie du bâtiment du Québec, Montréal, Québec, Canada | |
| J.M. Rowand | Jordair Compressors Incorporated, Delta, British Columbia, Canada | |
| R. Service | Enbridge Gas Distribution, Toronto, Ontario, Canada | |
| R. Temple | Clean Energy Compression Corp d.b.a. IMW Industries, Chilliwack, British Columbia, Canada | |
| M.A. Tremayne | Enbridge Gas Distribution, Toronto, Ontario, Canada | |
| C. Valliere | Alberta Municipal Affairs Safety Services, Edmonton, Alberta, Canada | |
| B. Vodden | 598796 Ontario Limited ola Hi-Tech Auto Care/Hi- Tech Fuel Syst, London, Ontario, Canada | |
| T.A. Williams | American Gas Association Inc., Washington, DC, USA | |
| P.R. Wressell | FTI International Inc., Vaughan, Ontario, Canada | |
| B. Wyatt | Technical Safety BC, Kelowna, British Columbia, Canada | |
| J. Cairns | CSA Group, Cleveland, Ohio, USA | <i>Project Manager</i> |

Preface

This is the fourth edition of CSA B108, *Natural gas refuelling stations installation code*. It supersedes the previous editions published in 2014, 1999, and 1995, under the title *Compressed natural gas fuelling stations installation code*.

This Code consists of the following:

- a) Part 1 — *Compressed natural gas refuelling stations installation code*; and
- b) Part 2 — *Liquefied natural gas refuelling stations installation code*.

Part 1 is applicable to compressed natural gas (CNG) refuelling stations. Part 2 is applicable to liquefied natural gas (LNG) refuelling stations, including LNG to CNG conversion systems. Part 2 supersedes Annex D of CSA Z276, *LNG vehicle fuelling stations*.

Significant changes in this edition include the following:

- a) Added a new Part 2 to address the design, location, construction, operation, operator training, and maintenance of LNG refuelling stations, including mobile refuelling units, with single containment storage tanks up to 265 m³ (70 000 gal) water capacity employed for vehicle LNG dispensing operations.
- b) Reorganized content for consistency of organization between Parts 1 and 2.
- c) Revised scope, definitions, and requirements to include distinction between residential fuelling appliances (RFAs) and listed non-residential vehicle fuelling appliances (VFAs)
- d) Revised Table 2 of Part 1, *Electrical classification of space surrounding gas storage facilities*, to indicate plugged ends of containers are not considered openings.
- e) Clarified distinction between and requirements for “fill post” and “dispensers” at public and private refuelling locations.
- f) Clarified requirements for hose length and prevention from contact with ground.
- g) Clarified requirements for location of ESD button.
- h) Added Figure 5 of Part 2 for hazardous area zones around CNG relief valve stack for clarification of requirements.
- i) Clarified requirements for exits from a refuelling room.
- j) Clarified refuelling area ventilation requirements.
- k) Editorial revisions to clarify wording and references, resolve conflicts identified with other documents, provide consistency and clarification between Part 1 and Part 2, correct metrication values, and harmonize definitions with other industry codes and standards.

This Code was prepared by the Subcommittee on Natural Gas for Vehicle Refuelling Stations Installation Code, under the jurisdiction of the Technical Committee on Natural Gas Transportation and the Strategic Steering Committee on Transportation. It has been formally approved by the Technical Committee and the Interprovincial Gas Advisory Council.

This Code has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Code is stated in its Scope, it is important to note that it remains the responsibility of the users of the Code to judge its suitability for their particular purpose.*
- 3) *This Code was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple*

majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Code.

- 4) To submit a request for interpretation of this Code, please send the following information to inquiries@csagroup.org and include "Request for interpretation" in the subject line:
- a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - b) provide an explanation of circumstances surrounding the actual field condition; and
 - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) This Code is subject to review within three years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:
- a) Code designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

National Standard of Canada

B108-18, Part 1

Compressed natural gas refuelling stations installation code

IGAC

Interprovincial Gas Advisory Council



®A trademark of the Canadian Standards Association, operating as "CSA Group"



Approved on June 5, 2018 by IGAC

Effective in Canada September 30, 2019

Published in June 2018 by CSA Group

A not-for-profit private sector organization

178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ICS 75.200

ISBN 978-1-4883-1336-3

© 2018 Canadian Standards Association

*All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

B108-18, Part 1

Compressed natural gas refuelling stations installation code

1 Scope

1.1

Part 1 of this Code applies to all compressed natural gas refuelling stations, including those that are intended for fleet or public dispensing operations.

1.2

Part 1 of this Code does not apply to refuelling vehicles with liquefied natural gas (LNG). Refuelling vehicles with LNG is addressed in Part 2 of this Code.

However, if an LNG facility has capacity for CNG vehicle refuelling, Part 1 of this Code applies to facilities downstream of the isolation valve at the outlet of the natural gas odourizer.

1.3

Part 1 of this Code does not apply to listed residential fuelling appliances (RFAs) and listed non-residential vehicle fuelling appliances (VFAs) except where

- a) the aggregate inlet flow capacity of a connected VFA or RFA, or a combination thereof, exceeds 0.850 Sm³/min (30 SCFM), or
- b) the VFA or RFA is connected to storage, in which case coverage applies to the storage and dispensing system starting at the outlet of the individual VFA or RFA (see Figure B.1).

1.4

All references to pressure throughout Part 1 of this Code are to be considered gauge pressures, unless otherwise specified.

1.5

In this Code, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the code; “should” is used to express a recommendation or that which is advised but not required; “may” is used to express an option or that which is permissible within the limits of the code; and “can” is used to express possibility or capability.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.