



**CSA  
Group**

**B125.3-12**

# Plumbing fittings

Currently in preview, click buy full version

# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its content, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***B125.3-12***

***December 2012***

**Title:** *Plumbing fittings*

**Pagination:** **37 pages** (ix preliminary and 28 text), each dated **December 2012**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2422032**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

Currently in preview, click buy full version

*B125.3-12*  
***Plumbing fittings***



**CSA  
Group**

™A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in December 2012 by CSA Group  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6  
1-800-463-6727 • 416-747-4044*

***Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)***



CSA Group prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-463-6727 or 416-747-4044.

ISSN 1978-1-77139-021-7

© 2012 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Plumbing Fittings vi

Preface ix

## 1 Scope 1

## 2 Reference publications 2

## 3 Definitions and abbreviations 3

3.1 Definitions 3

3.2 Abbreviations 5

## 4 Design requirements 5

4.1 Rated pressure 5

4.2 Rated temperatures 5

4.3 Seating members 5

4.4 Servicing 5

4.5 Solder joints 6

4.6 Threads 6

4.7 Flared and ball sleeve (compression) tube fittings 6

4.8 Accessible designs 6

4.9 Flushometer valves 6

4.10 Temperature-actuated mixing valves 6

4.11 Backflow prevention 6

4.12 Automatic compensating valves and temperature-limiting devices 6

4.12.1 Automatic compensating valves 6

4.12.2 Automatic temperature-limiting devices 6

4.13 Cover plates and escutcheons 7

4.14 Materials 7

4.15 Toxicity and lead content 7

4.16 Trap primers 7

4.17 Fittings incorporating electrical features 7

4.18 Dimensions 8

4.18.1 Anti-siphon fill valves 8

4.19 Cross-flow 8

4.20 Push-fit fittings 8

## 5 Performance requirements and test procedures 8

5.1 General 8

5.1.1 Preconditioning 8

5.1.2 Installation for testing 8

5.2 Coatings 8

5.3 Pressure and temperature 8

5.3.1 Static and dynamic seals 8

5.3.2 Burst pressure 8

5.3.3 Cross-flow check valves 9

5.4 Flow rate 9

5.4.1 Supply fittings 9

5.4.2 Flushometer valves 9

5.4.3 Anti-siphon fill valves 9

5.4.4 Non-hold-open flushometer valves for use with low-consumption or water closets 9

5.4.5	Thermal expansion relief valves	10
5.4.6	Trap primers	10
5.5	Resistance to installation loading and use loading	11
5.6	Operating requirements	11
5.6.1	Manually operated valves or operating controls	11
5.6.2	Performance requirement	11
5.6.3	Accessible design devices	11
5.6.4	Flushometer valves and stops	11
5.7	Automatic compensating valves	11
5.7.1	Performance criteria	11
5.7.2	Set-up	11
5.7.3	Test procedure for pressure-balancing compensating valves	12
5.7.4	Test procedure for thermostatic compensating valves	12
5.7.5	Procedure for the supply line pressure-loss test	12
5.7.6	Automatic temperature-limiting devices	13
5.8	Life cycle	14
5.8.1	General	14
5.8.2	Trap primers	15
5.8.3	Flushometer valves	15
5.8.4	Anti-siphon fill valves	15
5.8.5	Automatic compensating valves	16
5.8.6	Thermal expansion relief valves	16
5.8.7	Supply line stops	17
5.9	Backflow prevention	17
5.9.1	General	17
5.9.2	Back siphonage test for anti-siphon fill valves	17
5.9.3	Trap primers	19

## **6 Markings, packaging, and installation instructions** 19

6.1	General	19
6.2	Anti-siphon fill valves	19
6.3	Flushometer valves	20
6.4	Thermal expansion relief valves	20
6.5	Temperature identification	20
6.6	Packaging	20
6.7	Installation instructions	20
6.7.1	Trap primers	20
6.7.2	Automatic compensating valves	20
6.7.3	Anti-siphon fill valves	20
6.7.4	Flushometer valves	20
6.8	Flow rate for automatic temperature-limiting devices	21

## **Annexes**

<b>A</b> (informative)	Unit conversion and rounding criteria	28
------------------------	---------------------------------------	----

## **Tables**

<b>1</b>	Operating requirements	21
<b>2</b>	Minimum flow rates for supply fittings	21
<b>3</b>	Allowable variations in discharge temperature for thermostatic compensating valves	22
<b>4</b>	Life cycle test cycles	22

**Figures**

- 1** — Typical trap primer 23
- 2** — Shank for anti-siphon fill valve 23
- 3** — Test assembly for determining valve opening pressure for thermal expansion relief valves 24
- 4** — Set-up for life cycle test for automatic compensating valves 24
- 5** — Anti-siphon fill valve test assembly 25
- 6** — Location of critical level for anti-siphon fill valves 26
- 7** — Set-up for back siphonage test for trap primers 27

Currently in preview, click buy full version

# Technical Committee on Plumbing Fittings

<b>K. Ernst</b>	Oakville Stamping & Bending Limited, Oakville, Ontario	<i>Chair</i>
<b>B. Lagueux</b>	Saint-Nicolas, Québec	<i>Vice-Chair</i>
<b>W. Ball</b>	Woodford Manufacturing Company, Colorado Springs, Colorado, USA	<i>Associate</i>
<b>J. Bertrand</b>	Moen Incorporated, North Olmsted, Ohio, USA	
<b>R. Bratsch-Blundel</b>	George Brown College, Toronto, Ontario	
<b>S. Breda</b>	Breda & Assoc. Ltd., Downsview, Ontario	
<b>M. Campos</b>	International Code Council, Whittier, California, USA	<i>Associate</i>
<b>S. Cavanaugh</b>	Cavanaugh Consulting, Santa Fe, New Mexico, USA	
<b>I. Chang</b>	Intertek Testing Services NA Ltd Coquitlam, British Columbia	<i>Associate</i>
<b>W. Chapin</b>	Reliance Worldwide Cullman, Alabama, USA	<i>Associate</i>
<b>R. Chauhan</b>	Ottawa, Ontario	
<b>G. Darnowski</b>	Watts Water Technologies (Canada) Inc., Burlington, Ontario	<i>Associate</i>
<b>M. Dennis</b>	Moen Incorporated, Oakville, Ontario	
<b>N. Dickey</b>	CSA Group, Independence, Ohio, USA	<i>Associate</i>
<b>J. Drumm</b>	City of Peterborough, Peterborough, Ontario	
<b>Y. Duchesne</b>	Régie du bâtiment du Québec, Québec, Québec	
<b>T. Eberhardy</b>	Bradley Corporation, Menomonee Falls, Wisconsin, USA	<i>Associate</i>

<b>W. Falcomer</b>	The Corporation of the City of Ottawa, Ottawa, Ontario	
<b>D. Green</b>	National Research Council Canada, Ottawa, Ontario	<i>Associate</i>
<b>L. Himmelblau</b>	Chicago Faucets Geberit Manufacturing Division, Des Plaines, Illinois, USA	
<b>E. Ho</b>	IAPMO Research & Testing Inc., Markham, Ontario	<i>Associate</i>
<b>K. Hui</b>	Ontario Ministry of Municipal Affairs and Housing, Toronto, Ontario	
<b>A. Knapp</b>	A. Knapp & Associates, Toronto, Ontario	
<b>J. Knapton</b>	SAIT Polytechnic School of Construction, Calgary, Alberta	
<b>N. Kummerlen</b>	Lorain, Ohio, USA	
<b>F. Lemieux</b>	Health Canada, Ottawa, Ontario	
<b>M. Malatesta</b>	American Standard Brands, d/b/a AS America, Inc., Piscataway, New Jersey, USA	<i>Associate</i>
<b>D. Marbry</b>	Fluidmaster Inc., San Juan Capistrano, California, USA	<i>Associate</i>
<b>S. Martin</b>	International Code Council, Pittsburgh, Pennsylvania, USA	<i>Associate</i>
<b>D. McNamara</b>	Franke Kindred Canada Limited, Midland, Ontario	<i>Associate</i>
<b>S. O'Neill</b>	Mohawk College of Applied Arts and Technology, Stoney Creek, Ontario	
<b>D. Orton</b>	NSF International, Ann Arbor, Michigan, USA	<i>Associate</i>
<b>P. Paré</b>	Masco Canada Limited, St. Thomas, Ontario	<i>Associate</i>
<b>S. Rawalpindiwala</b>	Kohler Co. Plumbing Division, Kohler, Wisconsin, USA	
<b>S. Remedios</b>	Remedios Consulting LLC, Noblesville, Indiana, USA	
<b>P. Saeed</b>	Powers, a Division of Watts Water Technologies, Inc., Buffalo Grove, Illinois, USA	

<b>T. Stessman</b>	Kohler Co. Plumbing Division, Kohler, Wisconsin, USA	<i>Associate</i>
<b>C. Trendelman</b>	Delta Faucet Company, Indianapolis, Indiana, USA	<i>Associate</i>
<b>C. Wright</b>	Ontario Pipe Trades, Dundalk, Ontario	
<b>L. Pilla</b>	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

# Preface

This is the third edition of CSA B125.3, *Plumbing fittings*. It supersedes the previous editions, published in 2011 and 2005.

Together with ASME A112.18.1/CSA B125.1, *Plumbing supply fittings*, ASME A112.18.2/CSA B125.2, *Plumbing waste fittings*, and ASME A112.18.6/CSA B125.6, *Flexible water connectors*, this Standard forms a series to cover plumbing fittings.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Technical Committee on Plumbing Fittings, under the jurisdiction of the Strategic Steering Committee on Water Management Products, Materials, and Systems, and has been formally approved by the Technical Committee.

## Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- (4) To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:
  - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - (b) provide an explanation of circumstances surrounding the actual field condition; and
  - (c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).
- (5) This Standard is subject to periodic review, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:
  - (a) Standard designation (number);
  - (b) relevant clause, table, and/or figure number;
  - (c) wording of the proposed change; and
  - (d) rationale for the change.



# B125.3-12

## ***Plumbing fittings***

### **1 Scope**

#### **1.1**

This Standard covers plumbing fittings, including the following:

- (a) anti-siphon fill valves;
- (b) automatic compensating valves other than those for individual wall-mounted showering systems;
- (c) flushometer valves and solenoid valves;
- (d) supply line stops;
- (e) temperature-actuated in-line mixing valves;
- (f) thermal expansion relief valves; and
- (g) trap primers.

#### **1.2**

This Standard does not cover the following plumbing supply fittings and accessories, which are covered by ASME A112.18.1/CSA B125.1:

- (a) automatic compensating valves for individual wall-mounted showering systems;
- (b) bath and shower supply fittings;
- (c) bidet supply fittings;
- (d) clothes washer supply fittings;
- (e) drinking fountain supply fittings;
- (f) humidifier supply stops;
- (g) kitchen, sink, and lavatory supply fittings;
- (h) laundry tub supply fittings;
- (i) lawn and sediment faucets;
- (j) metering and self-closing supply fittings; and
- (k) supply stops.

#### **1.3**

This Standard does not cover

- (a) plumbing waste fittings, which are covered by ASME A112.18.2/CSA B125.2;
- (b) flexible water connectors under continuous pressure, which are covered by ASME A112.18.6/CSA B125.6; and
- (c) pipes and tubes or pipe and tube fittings.

#### **1.4**

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.