

**Roll-over protective structures (ROPS), falling object protective structures (FOPS), operator protective structures (OPS), and tip-over protective structures (TOPS) for mobile machinery — General Canadian requirements**



# Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS  
ASSOCIATION

# CSA Standards Update Service

B352.0-09

September 2009

**Title:** *Roll-over protective structures (ROPS), falling object protective structures (FOPS), operator protective structures (OPS), and tip-over protective structures (TOPS) for mobile machinery — General Canadian requirements*

**Pagination:** **24 pages** (vii preliminary and 17 text), each dated **September 2009**

Automatic notifications about any updates to this publication are available.

- To register for e-mail notifications, and/or to download any existing updates in PDF, enter the Online Store at **www.ShopCSA.ca** and click on **My Account** on the navigation bar.

The **List ID** for this document is **2420130**.

- To receive printed updates, please complete and return the attached card.



Name \_\_\_\_\_

Organization \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

Province/State \_\_\_\_\_

Country \_\_\_\_\_ Postal/Zip Code \_\_\_\_\_

E-mail \_\_\_\_\_

I consent to CSA collecting and using the above information to send me updates relating to this publication.

Visit CSA's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**B352.0-09**

Currently in preview, click buy full version

**ASSOCIATION CANADIENNE DE  
NORMALISATION**

BUREAU CENTRAL DE L'INFORMATION  
5060, SPECTRUM WAY, BUREAU 100  
MISSISSAUGA ON L4W 5N6  
CANADA

**CANADIAN STANDARDS  
ASSOCIATION**

CONSOLIDATED MAILING LIST  
5060 SPECTRUM WAY, SUITE 100  
MISSISSAUGA ON L4W 5N6  
CANADA

Affranchir suffisamment
Place Stamp Here

*CSA Standard*

*B352.0-09*

***Roll-over protective structures (ROPS),  
falling object protective structures (FOPS),  
operator protective structures (OPS), and  
tip-over protective structures (TOPS) for  
mobile machinery — General Canadian  
requirements***



**CANADIAN STANDARDS  
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in September 2009 by Canadian Standards Association  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6  
1-800-463-6727 • 416-747-4044*

**Visit our Online Store at [www.ShopCSA.ca](http://www.ShopCSA.ca)**



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at [www.ShopCSA.ca](http://www.ShopCSA.ca) or call toll free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-55491-206-3

**Technical Editor:** Dave Shanahan

© Canadian Standards Association — 2009

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Roll-over Protective Structures v

Preface vii

## 0 Introduction 1

## 1 Scope 2

## 2 Reference publications 3

## 3 Definitions 5

## 4 General requirements for machines with ROPS, FOPS, OPS, and TOPS 8

- 4.1 General 8
- 4.2 Material requirements 8
  - 4.2.1 General 8
  - 4.2.2 Structural members and mounts 8
  - 4.2.3 ROPS material 8
  - 4.2.4 Fasteners 9
  - 4.2.5 Weld metal 9
- 4.3 Labelling requirements 9
  - 4.3.1 General 9
  - 4.3.2 Label content 9
  - 4.3.3 Alternative label content 9
- 4.4 Safety requirements 10
  - 4.4.1 Seat belts 10
  - 4.4.2 Exits 10
  - 4.4.3 Glazing 10
  - 4.4.4 Protection from sharp edges 10
  - 4.4.5 Protection from spillage 10

## 5 Analytical design of ROPS and OPS for one-of-a-kind machines 10

- 5.1 General 10
- 5.2 Design requirements 11
  - 5.2.1 Load response characteristics 11
  - 5.2.2 Fatigue 11
  - 5.2.3 Design factor 11
  - 5.2.4 ROPS configuration 11
- 5.3 Analytical model 11
- 5.4 Fabrication requirements 11
  - 5.4.1 Material 11
  - 5.4.2 Welds 11
- 5.5 Design loads 11
  - 5.5.1 Front loads 11
  - 5.5.2 Side loads 12
  - 5.5.3 Load application 12
  - 5.5.4 Load distribution 12
  - 5.5.5 Load magnitude 12
- 5.6 Longitudinal loads 12
  - 5.6.1 Load application 12

5.7.2	Load distribution	12
5.7.3	Load magnitudes	12
5.8	Top loads	13
5.8.1	Load application	13
5.8.2	Load distribution	13
5.8.3	Load magnitude	13
5.9	Design acceptance	13

---

**Tables**

<b>1</b>	— Minimum Charpy V-notch impact energy requirements for ROPS material	14
----------	---	----

---

**Figures**

<b>1</b>	— The design space	15
<b>2</b>	— Application of analytical side load	16
<b>3</b>	— Application of analytical longitudinal load	16
<b>4</b>	— Application of analytical top load	17

# Technical Committee on Roll-over Protective Structures

<b>E.O. Nyborg</b>	Nyborg Professional Services, Dorval, Québec	Chair
<b>J. Anderson</b>	International Union of Operating Engineers, Oakville, Ontario	
<b>D. Browning</b>	Nova Scotia Department of Agriculture and Fisheries, Truro, Nova Scotia	
<b>F. Desir</b>	Ontario Ministry of Agriculture, Food and Rural Affairs, Guelph, Ontario	
<b>D. Durant</b>	John Deere Co., Waterloo, Iowa, USA	
<b>D. Gamble</b>	Deere Construction and Forestry Division, Dubuque, Iowa, USA	
<b>I. Hale</b>	Quebec Farmers' Association, Alcove, Québec	
<b>R. Hoy</b>	University of Nebraska, Lincoln, Nebraska, USA	
<b>R. Kilpatrick</b>	National Research Council Canada — Industrial Research Assistance Program, North Bay, Ontario	Associate
<b>K. Klotzbach</b>	CNH America LLC, North Holland, Pennsylvania, USA	
<b>O. Knezevic</b>	Worksafe BC, Richmond, British Columbia	
<b>P. Leduc</b>	Prairie Agricultural Machinery Institute, Humboldt, Saskatchewan	
<b>W. Lenius</b>	MacDon Industries Ltd., Winnipeg, Manitoba	
<b>E. Morrison</b>	AGCO, Oakville, Ontario	
<b>E. Priddy</b>	Ontario Federation of Agriculture, Stayner, Ontario	
<b>B. Varrasso</b>	Construction Safety Association of Ontario, Toronto, Ontario	

<b>R. Vust</b>	Manitoba Farmers with Disabilities, Portage La Prairie, Manitoba
<b>J. Wedzicha</b>	Ontario Ministry of Labour, Sudbury, Ontario
<b>T. Whitworth</b>	Farm Safety Association, Guelph, Ontario
<b>D.J. Shanahan</b>	Canadian Standards Association, Mississauga, Ontario

*Project Manager*

Currently in preview, click buy full version

# Preface

This is the second edition of CSA B352.0, *Rollover protective structures (ROPS), falling object protective structures (FOPS), operator protective structures (OPS), and tip-over protective structures (TOPS) for mobile machinery — General Canadian requirements*. It supersedes the previous edition, published in 1995 under the title *Rollover Protective Structures (ROPS) for Agricultural, Construction, Earthmoving, Forestry, Industrial, and Mining Machines — Part 1: General Requirements*.

The scope of this Standard has been expanded to include requirements for analytical design for ROPS and TOPS for one-of-a-kind (custom designed) machines. The scope of the series, to which this Standard is a companion document, has been expanded to include FOPS, OPS, and TOPS, in addition to ROPS, by adopting or referencing the following standards from the International Organization for Standardization (ISO):

- (a) adopted standards:
  - (i) CAN/CSA-M3463;
  - (ii) CAN/CSA-M3471;
  - (iii) CAN/CSA-M5700;
  - (iv) CAN/CSA-M8082;
  - (v) CAN/CSA-M12003-1;
  - (vi) CAN/CSA-M12003-2; and
  - (vii) CAN/CSA-M12117; and
- (b) referenced standards:
  - (i) ISO 3449;
  - (ii) ISO 8083;
  - (iii) ISO 8084; and
  - (iv) ISO 10262.

This Standard was prepared by the Technical Committee on Roll-over Protective Structures, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee.

September 2009

## Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
  - Requests for interpretation should
    - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
    - (b) provide an explanation of circumstances surrounding the actual field condition; and
    - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at [www.csa.ca](http://www.csa.ca).



## B352.0-09

# ***Roll-over protective structures (ROPS), falling object protective structures (FOPS), operator protective structures (OPS), and tip-over protective structures (TOPS) for mobile machinery — General Canadian requirements***

### **0 Introduction**

This Standard is the Canadian companion document to a series of 11 International Standards that have been adopted or referenced to replace the B352 series of standards (B352.0-95, B352.1-95, and B352.2-95) on ROPS. This series of adopted and referenced standards (referenced as the ROPS/FOPS/OPS/TOPS series) represents the latest thinking, as well as providing international consensus, in operator protection for agricultural tractors, mobile earthmoving machines, construction equipment, mobile mining machines, and mobile forestry machines. The adoption and referencing of the ROPS/FOPS/OPS/TOPS series is both in the interests of international standards harmonization and for the purpose of increasing the scope of operator protection to include FOPS, OPS, and TOPS. The previous B352 series of ROPS standards was already harmonized with international requirements but the standards were not direct adoptions of the ISO standards.

The ROPS/FOPS/OPS/TOPS series details the design, testing, performance, and safety requirements for ROPS, FOPS, OPS, and TOPS for certain types of self-propelled machines for agricultural, construction, earthmoving, forestry, industrial, and mining operations, as follows:

- (a) The performance requirements, based on destructive testing, for ROPS and FOPS on wheeled or tracked agricultural tractors with a mass greater than 600 kg and with a rear wheel track width greater than 1150 mm are specified in
  - (i) CAN/CSA-M3463; and
  - (ii) CAN/CSA-M5700.

**Notes:**

  - (1)** CAN/CSA-M3463 should not be used for tractors with a mass greater than 6000 kg, whereas there is no upper mass restriction for CAN/CSA-M5700.
  - (2)** These Standards may also be used as an alternative method for testing ROPS on general purpose industrial tractors.
- (b) The performance requirements, based on destructive testing, for ROPS on narrow-track wheeled agricultural tractors with a mass from 600 kg to 3000 kg, with ground clearance less than 600 mm and with a wheel track width less than 1150 mm, are specified in
  - (i) CAN/CSA-M12003-1; and
  - (ii) CAN/CSA-M12003-2.
- (c) The performance requirements, based on destructive testing, for ROPS and FOPS on industrial tractors, motor graders, prime movers, tracked dozers, tracked loaders, wheeled dozers, wheeled loaders, backhoe loaders, rigid frame dumpers, compactors, and rollers with machine mass greater than 700 kg are specified in
  - (i) CAN/CSA-M3471; and

- (ii) ISO 3449.
- (d) The performance requirements, based on destructive testing, for ROPS, FOPS, and OPS on self-propelled, wheeled, and tracked forestry machines, including forwarders, skidders, feller-bunchers, processors, harvesters and loaders, are specified in
  - (i) CAN/CSA-M8082;
  - (ii) ISO 8083; and
  - (iii) ISO 8084.
- (e) The performance requirements, based on destructive testing, for TOPS on swing boom compact excavators with a mass from 1000 kg to 6000 kg and for specialized FOPS and OPS on these machines are specified in
  - (i) CAN/CSA-M12117; and
  - (ii) ISO 10262.

This Standard includes special material requirements and safety requirements related to Canadian operating conditions, which was previously developed by the CSA Technical Committee on Roll-over Protective Structures.

This Standard also includes requirements for the analytical design of ROPS and TOPS for one-of-a-kind machines. These requirements are based on criteria initially developed for ROPS and included in the 1980 edition of CSA B352. The new edition of this Standard now includes application of these special criteria to TOPS.

## 1 Scope

### 1.1

This Standard provides requirements for materials, reduced temperature performance testing, and labelling for roll-over protective structures (ROPS), falling object protective structures (FOPS), operator protective structures (OPS), and tip-over protective structures (TOPS). It also stipulates requirements for seat belts to be used in conjunction with these systems.

### 1.2

This Standard presents requirements for the analytical design of ROPS and TOPS for one-of-a-kind machines.

### 1.3

This Standard is intended to be used in conjunction with the ROPS/FOPS/OPS/TOPS series summarized in [Clause 0](#).

### 1.4

The test requirements for ROPS are intended to provide protection for an operator wearing a seat belt under at least the following conditions:

- (a) a 360° roll about the machine longitudinal axis on a hard clay surface of a 30° maximum slope, at forward speeds up to 16 km/h, without losing contact with the slope; and
- (b) a 180° rear or frontal overturn on a hard, dry surface, without losing contact with the surface.

**Note:** *The testing of ROPS aims at minimizing the likelihood of operator injury resulting from accidental overturning during normal operation, although ROPS meeting the requirements of the ROPS/FOPS/OPS/TOPS series might not provide crush protection under all circumstances of machine overturn.*

### 1.5

The test requirements for TOPS on compact excavators are intended to ensure that reasonable crush protection is provided to an operator wearing a seat belt during a 90° tip-over about the swing frame longitudinal axis on a flat, hard soil surface, without losing contact with the surface.