


Standard for wind turbine tower elevators



Legal Notice for Harmonized Standard Jointly Developed by ASME and CSA Group

Intellectual property rights and ownership

As between The American Society of Mechanical Engineers (“ASME”) and Canadian Standards Association (operating as “CSA Group”) (collectively “ASME and CSA Group”) and the users of this document (whether it be in printed or electronic form), ASME and CSA Group are the joint owners of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. The unauthorized use, modification, copying, or disclosure of this document may violate laws that protect the intellectual property of ASME and CSA Group and may give rise to a right in ASME and CSA Group to seek legal redress for such use, modification, copying, or disclosure. ASME and CSA Group reserve all intellectual property rights in this document.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. ASME and CSA Group do not warrant the accuracy, completeness, or currency of any of the information published in this document. ASME and CSA Group make no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL ASME AND CSA GROUP, THEIR RESPECTIVE VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF ASME OR CSA GROUP HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, ASME and CSA Group are not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and ASME and CSA Group accept no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

ASME and CSA Group have no power, nor do they undertake, to enforce compliance with the provisions of the standards or other documents they jointly publish.

Authorized use of this document

This document is being provided by ASME and CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by ASME and CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to:

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from ASME and CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

ASME A17.8-2016/CSA B44.8-16 November 2016

Title: *Standard for wind turbine tower elevators*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24246-2**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

ASME A17.8-2016/CSA B44.8-16
***Standard for wind turbine
tower elevators***



®A trademark of the Canadian Standards Association and CSA America Inc., operating as "CSA Group"

Commitment for Amendments

This Code is issued jointly by The American Society of Mechanical Engineers (ASME) and the Canadian Standards Association (operating as “CSA Group”). Amendments to This Code will be made only after processing according to the Standards writing procedures of both ASME and CSA Group.

The American Society of Mechanical Engineers
(ASME)
Two Park Avenue
New York, NY 10016-5990 USA
www.asme.org

ISBN 978-0-7918-7061-7

© Copyright 2016

This international code or standard was developed under the procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted. The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

Published in November 2016 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard
Toronto, Ontario, Canada M9W 1R3
www.csagroup.org

ISBN 978-1-4883-0431-6

© 2016 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

To purchase standards and related publications, visit our Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

Contents

ASME A17 Elevator and Escalator Standards Committee	5
CSA B44 Technical Committee on the Elevator Safety Code	7
ASME A17.8/CSA B44.8 Joint Committee on Wind Turbine Tower Elevators	12
ASME Preface	16
CSA Preface	18
1 Scope, definitions, and references	19
1.1 Scope	19
1.1.1 Effective date	19
1.2 Definitions	19
1.3 References	25
2 Wind turbine tower elevators	27
2.1 Construction of hoistways	27
2.1.1 Hoistway enclosure not required	27
2.1.2 Enclosures required at landings	27
2.1.3 Floor over travel path not required	27
2.2 Pits	27
2.3 Location and enclosing of counterweights	27
2.3.1 Counterweight runways	27
2.3.2 Access to enclosed counterweights and ropes	28
2.4 Vertical clearances for cars and counterweights	28
2.4.1 Top car clearance (maintenance/inspection access required)	28
2.4.2 Top car clearance (maintenance/inspection access not required)	28
2.4.3 Top counterweight clearance	29
2.5 Horizontal car and counterweight clearances	29
2.5.1 Between car and landing platforms	29
2.5.2 Between car and any stationary object	29
2.5.3 Between car and counterweight and counterweight guard	29
2.5.4 Measurement of clearances	29
2.6 Protection of spaces below the travel path	29
2.7 Machinery spaces, machine rooms, control spaces, and control rooms	29
2.7.1 Equipment location	29
2.8 Equipment in the travel path, machinery space, and control spaces	30
2.8.1 Electrical equipment and wiring	30
2.9 Overhead machinery and sheave beams, supports, and foundations	30
2.9.1 Securing of machinery beams and type of supports	30
2.9.2 Loads on overhead beams and supports	30
2.9.3 Factor of safety of overhead beams and supports	30
2.9.4 Allowable stresses and deflections for machinery and sheave beams, their supports, and any support members that transmit load to the turbine tower walls	31
2.10 Guarding of equipment and standard railing	31

2.10.1	Guarding of equipment	31
2.10.2	Standard railing	31
2.10.3	Landing platform protection	32
2.11	Protection of landing platform openings	32
2.11.1	Landing platform doors or gates	32
2.11.2	Door or gate closers	32
2.11.3	Horizontal platform inside enclosure	32
2.11.4	Platform lighting	32
2.11.5	Landing platform enclosures	32
2.12	Landing platform door locking devices and electric contacts	33
2.12.1	Landing platform door and gate locking devices	33
2.12.2	Where required (for automatic call operation)	33
2.12.3	General design requirements	33
2.13	Power operation of landing platform doors and car doors or gates	34
2.14	Car enclosures, car doors and gates, and car illumination	34
2.14.1	Car enclosure	34
2.14.2	Car height	34
2.14.3	Vision panels	34
2.14.4	Enclosure panels	35
2.14.5	Strength of car top	35
2.14.6	Top of car railing	35
2.14.7	Car illumination	35
2.14.8	Emergency lighting	35
2.14.9	Car emergency exit	36
2.14.10	Car doors and gates	36
2.14.11	Car door and gate electric contacts	36
2.14.12	Clear openings	37
2.14.13	Sectioning	37
2.14.14	Ventilation	37
2.15	Car frames and platforms	37
2.15.1	Car frames and platforms	37
2.15.2	Use of cast iron	37
2.15.3	Number of compartments	37
2.15.4	Guiding means	37
2.15.5	Strength of guiding means	37
2.15.6	Car frame	38
2.15.7	Guiding members	38
2.15.8	Kickboard	38
2.15.9	Obstruction detection devices	38
2.15.10	Warning devices	38
2.15.11	Ladder-guided platforms	39
2.16	Capacity and loading	39
2.16.1	Capacity and data plates	39
2.16.2	Information required on plates	39
2.16.3	Limitation of load, speed, and platform area	39
2.16.4	Overload detection means	39
2.16.5	Speed-limiting device	39
2.17	Car and counterweight safeties	39
2.17.1	Wire rope gripping safety	40

2.17.2	Rack-and-pinion safety	40
2.17.3	Safety marking plates	41
2.17.4	Opening of driving-machine motor and brake control circuits on safety application	41
2.17.5	Application of safety	41
2.18	Reserved for future use	41
2.19	Reserved for future use	41
2.20	Suspension means and their connections	41
2.20.1	Suspension means for counterweighted traction elevators	42
2.20.2	Suspension means for uncounterweighted traction elevators	42
2.20.3	Chains used for suspension	44
2.21	Counterweights	44
2.21.1	Counterweight guides	44
2.21.2	Types of counterweight construction	44
2.22	Buffers, bumpers, and retardations	45
2.22.1	Bumpers	45
2.22.2	Spring buffers	45
2.22.3	Retardations	45
2.23	Car and counterweight guidance systems, supports, and fastenings	45
2.23.1	Wire rope guidance system for uncounterweighted traction drive machines	45
2.23.2	Ladder guidance systems	46
2.24	Driving machines, sheaves, and brakes	47
2.24.1	Rack-and-pinion driving machines	47
2.24.2	Traction driving machines, sheave and brakes	48
2.24.3	Chain climbing machines	49
2.24.4	Material and grooving for sheaves	49
2.24.5	Factor of safety for driving machines and sheaves	50
2.24.6	Bolts transmitting torque and set screws	50
2.24.7	Friction-gearing or clutch mechanism	50
2.24.8	Use of cast iron in gears	50
2.24.9	Braking system of driving machines	50
2.24.10	Means for manual release of driving machine brake	51
2.25	Terminal stopping devices	51
2.25.1	Final terminal stopping	51
2.25.2	Normal terminal stopping	52
2.25.3	Slack rope detection	52
2.26	Operating devices and control equipment	53
2.26.1	Operation and operating devices	53
2.26.2	Electrical protective devices	53
2.26.3	Contactors and relays for use in critical operating circuits	54
2.26.4	Electrical equipment and wiring	54
2.26.5	Phase protection of motors	55
2.26.6	Installation of capacitors or other devices to make electrical protective devices ineffective	55
2.26.7	Control and operating circuits	55
2.26.8	Release and application of driving-machine brakes	56
2.27	Emergency operation and signaling devices	56
2.28	Layout drawings	57
2.29	Welding	57
2.29.1	Qualification of welders	57
2.29.2	Welding steel	57

2.29.3	Welding metals other than steel	57
2.30	Engineering tests, type tests, and certification requirements	57
2.30.1	Type tests of interlocks, combination mechanical locks, and electric contacts and door or gate electric contacts	57
2.31	Maintenance, repair, replacement, and testing	58
2.31.1	Required information	58
2.31.2	Location	58
2.31.3	Material and construction	58
2.32	Acceptance inspections and tests	58
2.33	Periodic inspections and witnessing of tests	58

Annex A (informative)	— Wind turbine tower elevator clearances	59
-----------------------	--	----

ASME A17 Elevator and Escalator Standards Committee

H.E. Peelle III, *Chair*

R.A. Gregory, *Vice-Chair*

C.W. Rogler, *Vice-Chair*

G.A. Burdeshaw, *Secretary*

E.V. Baker, IUEC

M.D. Morand, *Alternate*, Qualified Elevator Inspector Training Fund (QEITF)

T.D. Barkand, U.S. Department of Labor

R.E. Baxter, Baxter Residential Elevators, LLC

K.S. Lloyd Jr., *Alternate*, Abell Elevator International

L. Bialy, Louis Bialy & Associates, LLC

K.L. Brinkman, Kevin L. Brinkman & Associates

J. Brooks, Wagner Consulting Group

G.A. Burdeshaw, American Society of Mechanical Engineers (ASME)

J.W. Coaker, Coaker & Co., PC

J. Filippone, Port Authority of New York and New Jersey

K.P. Morse, *Alternate*, NAVFAC EXWC

G.W. Gibson, George W Gibson & Associates

R.D. Shepherd, *Alternate*, NAESA International

R.A. Gregory, Consultant, Vertex Corp.

P.S. Rosenberg, *Alternate*, Performance Elevator Consulting, LLC

P. Hampton, Thyssenkrupp Elevator

R.L. Walker, *Alternate*, ThyssenKrupp Elevator

J. Herrity, VTE

D.A. Kalgren, KONE Inc.

D.S. Boucher, *Alternate*, KONE Inc.

J. Koshak, Elevator Safety Solutions, LLC

H. Simpkins, *Alternate*, Thyssenkrupp Elevator

R. Kremer, Technical Standards & Safety Authority

D. McColl, Otis Canada Inc.

D. McLellan, Technical Standards & Safety Authority

J.L. Meyer, National Elevator Inspection Services, Bureau Veritas

H.E. Peelle III, The Peelle Company Ltd.

S.P. Reynolds, *Alternate*, The Peelle Company Ltd.

A. Rehman, Schindler Elevator Corp.

J.W. Blain, *Alternate*, Schindler Elevator Corp.

V.P. Robibero, Schindler Elevator Corp.

J. Carlson, *Alternate*, Schindler Elevator Corp.

C.W. Rogler, Consultant

R.S. Seymour, Robert L. Seymour & Associates, Inc.

D.M. Stanlaske, Consultant

J.R. Runyan, *Alternate*, Consultant

M.H. Tevyaw, MHT Codes & Consulting

D.L. Turner, Davis L Turner & Associates, LLC

R.S. Caporale, *Alternate*, RSC Consulting

D.A. Witham, G.A.L. Manufacturing Corp.

R.C. Burch, *Alternate*, G.A.L. Manufacturing Corp.

J. Xue, *Delegate*, Shanghai Institute of Special Equipment Inspection and Technical Research

CSA B44 Technical Committee on the Elevator Safety Code

D. McColl	Otis Canada, Inc., Mississauga, Ontario <i>Category: Producer Interest</i>	<i>Chair</i>
C.M. Ayling	Ayling Consulting Services Inc. (ACSI), Mississauga, Ontario <i>Category: User/General Interest</i>	
T. Baik	Toronto Transit Commission, Toronto, Ontario	<i>Associate</i>
L. Bialy	Otis Elevator Company, Farmington, Connecticut, USA	<i>Associate</i>
S. Bornstein	KONE Elevators, Mississauga, Ontario <i>Category: Producer Interest</i>	
M. Brierley	Coldwater, Ontario	<i>Associate</i>
K.L. Brinkman	National Elevator Industry, Inc., Eureka, Illinois, USA	<i>Associate</i>
D. Brockerville	Service NL, Newfoundland and Labrador, St. John's, Newfoundland and Labrador	<i>Associate</i>
D. Bruce	Alberta Municipal Affairs, Edmonton, Alberta <i>Category: Regulatory Authority</i>	
K.C. Cheong	AES Engineering, Vancouver, British Columbia <i>Category: User/General Interest</i>	
E.A. Donoghue	Edward A. Donoghue Associates Incorporated, Salem, New York, USA	<i>Associate</i>
K. Dunbar	Government of the Northwest Territories, Yellowknife, Northwest Territories <i>Category: Regulatory Authority</i>	

D. Eastman	Service NL, Newfoundland and Labrador, St. John's, Newfoundland and Labrador <i>Category: Regulatory Authority</i>	
M. Fournier	STM (Société de transport de Montréal), Montréal, Québec <i>Category: User/General Interest</i>	
A. Ghazanchaei	Otis Canada, Inc., Mississauga, Ontario	<i>Associate</i>
G.W. Gibson	George W. Gibson & Associates Inc., Sedona, Arizona, USA	<i>Associate</i>
J. Gill	British Columbia Safety Authority (BCSA), New Westminster, British Columbia <i>Category: Regulatory Authority</i>	
P. Girouard	Plafolift Inc., Warwick, Québec	<i>Associate</i>
A. Gower	Manitoba Office of the Fire Commissioner, Winnipeg, Manitoba <i>Category: Regulatory Authority</i>	
H. Hamze	British Columbia Safety Authority (BCSA), New Westminster, British Columbia	<i>Associate</i>
R.E. Haukeness	Technical Safety Authority of Saskatchewan, Regina, Saskatchewan <i>Category: Regulatory Authority</i>	
A.S. Hopkirk	Trident Elevator Company Limited, Scarborough, Ontario <i>Category: User/General Interest</i>	
R. Isabelle	KJA Consultants Inc., Toronto, Ontario <i>Category: User/General Interest</i>	
F. Kassem	ThyssenKrupp Elevator Canada, Montréal, Québec	<i>Associate</i>

R.M. Kennedy	Nova Scotia Department of Labour and Advanced Education, Dartmouth, Nova Scotia <i>Category: Regulatory Authority</i>	
J.W. Koshak	Elevator Safety Solutions, LLC, Collierville, Tennessee, USA	<i>Associate</i>
R. Kremer	Technical Standards & Safety Authority, Toronto, Ontario <i>Category: Regulatory Authority</i>	
D. Laguerre	Schindler Elevator Corporation, Toronto, Ontario <i>Category: Producer Interest</i>	
E. MacArthur	PEI Department of Communities, Cultural Affairs and Labour, Charlottetown, Prince Edward Island <i>Category: Regulatory Authority</i>	
S.E. MacArthur	PEI Department of Communities, Cultural Affairs and Labour, Charlottetown, Prince Edward Island	<i>Associate</i>
A. Marchant	Alimak Hek Inc., Shelton, Connecticut, USA <i>Category: Producer Interest</i>	
R. Marsiglio	H. H. Angus & Associates Ltd., Toronto, Ontario <i>Category: User/General Interest</i>	
K.L. McGettigan	International Union of Elevator Constructors (IUEC), Effingham, New Hampshire, USA	<i>Associate</i>
A. McGregor	Rooney, Irving & Associates Ltd., Ottawa, Ontario	<i>Associate</i>
B.F. McIntyre	IUEC Local No. 50, Ajax, Ontario <i>Category: User/General Interest</i>	
D. McLellan	Technical Standards & Safety Authority, Toronto, Ontario	<i>Associate</i>

S. Mercier	Régie du bâtiment du Québec, Montréal, Québec <i>Category: Regulatory Authority</i>	
M. Mihai	Technical Standards & Safety Authority, Toronto, Ontario	<i>Associate</i>
M. Pedram	ThyssenKrupp Northern Elevator Corp., Scarborough, Ontario <i>Category: Producer Interest</i>	
H. Peelle	The Peelle Company Limited, Brampton, Ontario <i>Category: Producer Interest</i>	
A. Rehman	Schindler Elevator Corporation, Morristown, New Jersey, USA	<i>Associate</i>
A. Reistetter	National Elevator & Escalator Association, Mississauga, Ontario	<i>Associate</i>
S. Reynolds	The Peelle Company Limited, Brampton, Ontario	<i>Associate</i>
J. Rooney	Priestman, Neilson & Associates Ltd., Kanata, Ontario <i>Category: User/General Interest</i>	
R. Scharfe	Public Works & Government Services Canada, Ottawa, Ontario <i>Category: User/General Interest</i>	
K. Steeves	New Brunswick Department of Public Safety, Moncton, New Brunswick	<i>Associate</i>
M. Tevyaw	MHT Codes & Consulting Specialist, Burlington, Ontario	<i>Associate</i>
B. Virk	Unitech Elevator Company, Pickering, Ontario <i>Category: Producer Interest</i>	
J. Virk	Unitech Elevator Company, Pickering, Ontario	<i>Associate</i>

L. Yang	CSA Group, Toronto, Ontario	<i>Associate</i>
M. Zingarelli	MAD Elevator Fixtures Inc., Etobicoke, Ontario	<i>Associate</i>
O. Simonetta	CSA Group, Toronto, Ontario	<i>Project Manager</i>

ASME A17.8/CSA B44.8 Joint Committee on Wind Turbine Tower Elevators

J. Koshak	Elevator Safety Solutions, LLC, Collierville, Tennessee, USA	<i>Chair</i>
C. Vanhoutte	Sky Man USA, LLC, Chambersburg, Pennsylvania, USA	<i>Vice-Chair</i>
M. Gerson	American Society of Mechanical Engineers (ASME), New York, New York, USA	<i>Secretary</i>
A. Altholtmann	Goracon Systemtechnik GmbH, Steinfurt, Germany	
C. Barrett	Elevator Industry Work Preservation Fund, Kent, Washington, USA	
J.L. Borwey	State of Iowa, Urbandale, Iowa, USA	
G. Brickell	Power Climber, Berwick, Victoria, Australia	
G. Burdeshaw	American Society of Mechanical Engineers (ASME), New York, New York, USA	
C.E. Cuenin	Cuenin Elevator Corporation, Grand Ridge, Florida, USA	<i>Alternate</i>
E.M. Elzinga	Genie Industries, Redmond, Washington, USA	<i>Alternate</i>
S.H. Franklin	Suspended Climbing Systems Inc., Tulsa, Oklahoma, USA	
A. Freixas	Goian NA, LLC, Ankeny, Iowa, USA	
K. Govaert	Sky Man International NV, Boom, Belgium	

P.S. Grewal	Hailo LLC, Elberton, Georgia, USA
R.J. Gromek	The OXBUILT Company, Amarillo, Texas, USA
J.J. Haigh	SafeWorks, LLC, Menomonee Falls, Wisconsin, USA
J.T. Herrity	VTE, Fleming Island, Florida, USA
R.S. Hultstrom	Elevator Industry Work Preservation Fund, Columbia, Maryland, USA
R.E. Kaspersma	Liftinstituut, Wieringerwerf, Netherlands
T. Look	BP Wind Energy, Idaho Falls, Idaho, USA
A.J. Marchant	Alimak Hek Inc., Shelton, Connecticut, USA
K. Matharu	Tractel, Scarborough, Ontario, Canada
L. Metzinger	Avanti Wind Systems Inc., New Berlin, Wisconsin, USA
J. Rearick	Rearick & Company Inc., Houston, Texas, USA
P.D. Smith	Tempest Group, Grand Ridge, Florida, USA
S. Swett	SwettCorp, Houston, Texas, USA
O. Virus-Tetzlaff	Goracon Systemtechnik GmbH, Steinfurt, Germany
S.W. Weaver	Amarillo, Texas, USA

R. Weinmuller	RW Innovations, Amity Harbor, New York, USA	
T. Westphal	WRD Management Support GmbH, Aurich, Germany	
H. Wu	Shanghai Institute of Special Equipment Inspection and Technical Research, Shanghai, China	
O. Simonetta	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

ASME Foreword

Equipment covered by this standard was originally codified and incorporated into ASME A17.1-2013/CSA B44-13, Section 5.11, in October 2013. The first edition of this Code was published in November 2016 and prepared by The American Society of Mechanical Engineers (ASME), Wind Turbine Tower Elevator Committee with the assistance of representatives of a number of interests including manufacturers, certifying organizations, regulatory bodies, and technical consultants from North America and Europe.

The work to develop this Code originated when the A17 Standards Committee was presented information on the numbers of these elevators already installed and the estimate of projected number of elevators to be constructed in North America.

The A17 Standards Committee voted that these elevators were under the Scope of ASME A17.1/CSA B44, Safety Code for Elevators and Escalators and in January 2009, assigned the project of developing language to the Special Purpose Personnel Elevator (SPPE) Committee. The SPPE Committee created a Project Team consisting of A17/B44 representatives, technical advisors from the American Wind Energy Association (AWEA), specialists in the design of these types of elevators, manufacturers from Denmark, Belgium, Spain, and Canada, and two members from Accredited Elevator/Escalator Certifying Organizations (AECOs) from the Netherlands and the United States.

The first Project Team meeting was held in March 2009. A number of meetings of the Team were held during the next three years, using the Special Purpose Personnel Elevator language, Section 5.7, as a basis for developing Wind Turbine Elevator Code language. The Team performed hazard assessment to establish equivalent levels of safety considering the very unique environment these elevators are installed where current A17.1/B44 codes do not address specific circumstances and structural requirements. In 2012, the Project Team was converted to a full Working Committee of A17, and the A17.1/B44, Section 5.11 was completed, approved by ANSI, and published as an American National Standard, ASME A17.1-2013/CSA B44-13. In 2013, the A17 Standards Committee approved the conversion of Section 5.11 into ASME A17.8/CSA B44.8 to provide a global code to international manufacturers in an effort to harmonize worldwide construction, installation, operation, testing, inspection, maintenance, alteration, and repair requirements.

ASME A17.8-2016 was approved as an American National Standard by the American National Standards Institute (ANSI) on January 8, 2016.

ASME Preface

General

This Code is one of numerous codes and standards developed and published by The American Society of Mechanical Engineers (ASME) under the general auspices of the American National Standards Institute (ANSI).

CORRESPONDENCE WITH THE A17 COMMITTEE

ASME codes and standards are developed and maintained with the intent to represent the consensus of concerned interests. As such, users of this and other ASME A17 codes and standards may interact with the committee by requesting interpretations, proposing revisions, and attending committee meetings. Correspondence should be addressed to:

Secretary, A17 Standards Committee
The American Society of Mechanical Engineers
Two Park Avenue
New York, NY 10016

All correspondence to the Committee must include the individual's name and post office address in case the Committee needs to request further information.

Proposing Revisions

Revisions are made periodically to the Code to incorporate changes that appear necessary or desirable, as demonstrated by the experience gained from the application of the procedures, and in order to conform to developments in the elevator art. Approved revisions will be published periodically.

The Committee welcomes proposals for revisions to this Code. Such proposals should be as specific as possible: citing the Section number(s), the proposed wording, and a detailed description of the reasons for the proposal including any pertinent documentation.

Requesting Interpretations

Upon request, the A17 Committee will render an interpretation of any requirement of the Code. Interpretations can only be rendered in response to a written request sent to the Secretary of the A17 Standards Committee at: <http://go.asme.org/Inquiry>.

The request for interpretation should be clear and unambiguous. It is further recommended that the inquirer submit his request utilizing the following format:

- Subject:** Cite the applicable Section number(s) and a concise description.
- Edition:** Cite the applicable edition and supplement of the Code for which the interpretation is being requested.
- Question:** Phrase the question as a request for an interpretation of a specific requirement suitable for general understanding and use, not as a request for an approval of a proprietary design or situation. The question shall be phrased, where possible, to permit a specific "yes" or "no" answer. The inquirer may also include any plans or drawings that are necessary to explain the question; however, they should not contain proprietary names or information.

Requests that are not in this format will be rewritten in this format by the Committee prior to being answered, which may inadvertently change the intent of the original request.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

Attending Committee Meetings

The A17 Standards Committee and the various Working Committees regularly hold meetings and/or telephone conferences all of which are open to the public. Persons wishing to attend any meeting and/or telephone conference should contact the Secretary of the Standards Committee. Future committee meeting dates and locations can be found on the committee page at <https://cstools.asme.org/>.

CSA Preface

This is the first edition of ASME A17.8/CSA B44.8, *Standard for wind turbine tower elevators*.

Originally, wind turbine tower elevators were covered in ASME A17.1-2013/CSA B44-13, Section 5.11, published in October 2013. This Code supersedes those requirements. This is a fully harmonized binational Standard.

This Code was prepared for use in Canada by the CSA Technical Committee on the Elevator Safety Code under the jurisdiction of the CSA Strategic Steering Committee on Mechanical Industrial Equipment Safety. It has been formally approved by the CSA Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Code is stated in its Scope, it is important to note that it remains the responsibility of the users of the Code to judge its suitability for their particular purpose.*
- 3) *This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.*
- 4) *To submit a request for interpretation of this Code, please send the following information to inquiries@csagroup.org and include "Request for interpretation" in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Code is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:*
 - a) *designation;*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*
- 6) *Attention is drawn to the possibility that some of the elements of this Code may be the subject of patent rights. CSA Group is not to be held responsible for identifying any or all such patent rights. Users of this Code are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.*

ASME A17.8-2016/CSA B44.8-16

Standard for wind turbine tower elevators

1 Scope, definitions, and references

1.1 Scope

ASME A17.8/CSA B44.8 applies to elevators permanently installed in a wind turbine tower to provide vertical transportation of authorized personnel and their tools and equipment only.

Such elevators are typically subjected to extreme temperatures, humidity variations, and substantial horizontal motions where, by reason of their limited use and the types of construction of the structures served, full compliance with ASME A17.1/CSA B44 Part 2 is not practicable or necessary.

1.1.1 Effective date

The requirements of this edition and subsequent addenda to the Code are effective as of the date noted on the copyright page of this document. The AHJ will establish the effective date for its local regulations.

1.2 Definitions

The following definitions shall apply in this Code:

Authorized personnel — persons who have been instructed in the operation of the equipment and designated by the owner to use the equipment.

Brake, driving machine, elevator, dumbwaiter, or material lift — an electromechanically or electrohydraulically released spring, or gravity applied device, that is part of the electric driving machine of the elevator, dumbwaiter, or material lift used to apply a controlled force at a braking surface to hold or retard the elevator, dumbwaiter, or material lift.

Electromechanically released — a means of brake release in which an electric current applied to an actuator (such as a solenoid) causes an electromagnetic force that overcomes a resisting force (such as a spring) as long as the electric current flows.

Buffer — a device designed to stop a descending car or counterweight beyond its normal limit of travel by storing or by absorbing and dissipating the kinetic energy of the car or counterweight.

Spring buffer — a buffer utilizing one or more springs to cushion the impact force of the descending car or counterweight.

Bumper — a device other than an oil or spring buffer designed to stop a descending car or counterweight beyond its normal limit of travel by absorbing the impact.

Cable, traveling — see **Traveling cable**.

Capacity — see **Rated load**.

Car, elevator — the load-carrying unit including its platform, car frame, enclosure, and car door or gate.