



CSA B64.10:23/CSA B64.10.1:23
National Standard of Canada



Selection and installation of backflow preventers/Maintenance and field testing of backflow preventers



scc  ccn

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA B64.10:23/CSA B64.10.1:23, Selection and installation of backflow preventers/Maintenance and field testing of backflow preventers

Errata — December 2023	Revision symbol (in margin)
CSA B64.10.1:23 Clauses A.2.2.3 and A.2.2.4 Figures A.11 and A.12	Δ

Currently in preview, click buy full version

Standards Update Service

CSA B64.10:23/CSA B64.10.1:23 July 2023

Title: *Selection and installation of backflow preventers/Maintenance and field testing of backflow preventers*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2400783**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA B64.10:23/CSA B64.10.1:23

***Selection and installation of
backflow preventers/Maintenance
and field testing of backflow
preventers***



®A trademark of the Canadian Standards Association,
operating as "CSA Group"



*Published in July 2023 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 23.060.99
ISBN 978-1-4883-4815-0*

*© 2023 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Backflow Preventers and Water Pressure Reducing Valves 6

Preface 10

CSA B64.10:23, *Selection and installation of backflow preventers*

1 Scope 13

- 1.1 Application 13
- 1.2 Exclusions 13
 - 1.2.1 Product exclusions 13
 - 1.2.2 Other exclusions 13
- 1.3 Terminology 13
- 1.4 Units of measurement 14

2 Reference publications 14

3 Definitions, abbreviations, and symbols 16

- 3.1 Definitions 16
- 3.2 Abbreviations 22
- 3.3 Symbols 23
 - 3.3.1 Backflow preventers 23
 - 3.3.2 Vacuum breakers 24
 - 3.3.3 Other symbols 25

4 Backflow prevention methods and devices 25

- 4.1 Air gap 25
 - 4.1.1 General 25
 - 4.1.2 Hazardous installations 25
 - 4.1.3 Use 25
- 4.2 Barometric loop 26
 - 4.2.1 General 26
 - 4.2.2 Use 27
 - 4.2.3 Limitations 27
- 4.3 Mechanical backflow preventers 28
 - 4.3.1 Available types 28
 - 4.3.2 Vacuum breaker backflow preventers — General 29
 - 4.3.3 AVB devices 29
 - 4.3.4 PVB devices 31
 - 4.3.5 S-PVB devices 32
 - 4.3.6 HCVB and HCDVB devices 34
 - 4.3.7 DCAP and DCAPC backflow preventers 36
 - 4.3.8 RP backflow preventer 39
 - 4.3.9 DCVA backflow preventers 41
 - 4.3.10 DuC and DuCF backflow preventers 43
 - 4.3.11 LFBV devices 44
 - 4.3.12 DuCV backflow preventers 46
 - 4.3.13 SCVAF backflow preventers 47

4.3.14 Backflow preventer, ASVB 47

5 Selection of backflow preventers 48

5.1 General 48

5.1.1 Method of protection 48

5.1.2 Buildings 49

5.1.3 Connections 49

5.1.4 Evaluation criteria 49

5.1.5 Selection criteria 49

5.2 Categories of hazards 49

5.3 Principal ways of providing protection 50

5.3.1 General 50

5.3.2 Individual protection 50

5.3.3 Area protection 51

5.3.4 Zone protection 51

5.3.5 Premises isolation 52

5.4 Selection guide 52

5.4.1 Type of backflow preventer 52

5.4.2 Buildings classified as MoHs 52

5.4.3 Single tenancy with multiple functions 52

5.4.4 Individual protection 52

5.5 Backflow from fire protection systems 53

5.5.1 General 53

5.5.2 Potable water connections to fire protection systems 53

5.5.3 Installation 55

5.6 Backflow from water fill stations 55

5.6.1 General 55

5.6.2 Water fill station piping 55

5.7 Backflow from temporary water services 55

5.8 Backflow from irrigation systems 55

5.8.1 Aboveground irrigation systems 55

5.8.2 In-ground irrigation systems 55

5.9 Backflow from hydronic heating systems 56

5.9.1 Hydronic heating systems 56

5.9.2 Other heating systems 56

5.10 Heat exchangers 56

5.10.1 General 56

5.10.2 Potable water or relatively harmless fluids 57

5.10.3 Other heat-transfer fluids 57

5.10.4 Potable make-up water 57

5.10.5 Make-up water connections 57

5.10.6 All other heat exchangers 57

5.11 Backflow from chemical dispensing systems 57

6 Installation requirements 57

6.1 General requirements 57

6.1.1 Accessibility 57

6.1.2 Clearances 57

6.1.3 Support and restraint 58

6.1.4	Bypasses	58
6.1.5	Field testing at installation	58
6.1.6	Installation of DCAPC backflow preventers	59
6.1.7	Flushing	59
6.1.8	Installation of an ASVB	59
6.2	Sizing	59
6.3	Working pressures and temperatures	59
6.4	Shut-off valves and test cocks	59
6.4.1	General	59
6.4.2	Seats	59
6.4.3	Test cocks	60
6.5	Strainers	60
6.6	Location	60
6.6.1	Air gaps, backflow preventers, or vacuum breakers with vents to atmosphere	60
6.6.2	RP's	60
6.6.3	DCVAs	60
6.6.4	DCVAs installed in a below-grade pit or vault	60
6.6.5	Other system safety devices	60
6.6.6	PVBs	60
6.7	Parallel service	60
6.8	Connections to drains	61
6.8.1	Relief ports	61
6.8.2	Connection to the relief port	61
6.9	Thermal expansion	61
6.10	Installation orientation	61
6.11	Protection from freezing	61
6.11.1	General	61
6.11.2	Insulation or any other protection	61
6.11.3	Insulation applied directly to a backflow preventer	61
6.12	Enclosures	61
6.12.1	Insulated enclosures	61
6.12.2	Confined space enclosure	62
7	Cross-connection control	63

Annexes

Annex A (informative)	How backflow can occur	64
Annex B (informative)	Guide to the assessment of hazards	68
Annex C (informative)	Water-hauling equipment and backflow devices	78
Annex D (informative)	Conversion tables	80
Annex E (informative)	Model backflow prevention bylaw	82
Annex F (informative)	Domestic hot water liquid to liquid heat-transfer systems	87
Annex G (informative)	Heat-transfer fluids	89

CSA B64.10.1:23, Maintenance and field testing of backflow preventers

1	Scope	92
1.1	General	92

1.2	Exclusions	92
1.3	Terminology	92
1.4	Units of measurement	92
2	Reference publications	92
3	Definitions, abbreviations, and symbols	92
4	Devices to be field tested, frequency, and reporting	93
4.1	Devices to be field tested	93
4.1.1	General	93
4.1.2	Inspection	93
4.2	Frequency of field testing	93
4.3	Reporting	93
4.3.1	Forms	93
4.3.2	Fire protection notification	93
5	Backflow prevention device testers	100
6	Maintenance	100
6.1	General	100
6.1.1	Water line used as the electrical ground	100
6.1.2	Confined spaces	100
6.1.3	In-line servicing and repair	100
6.1.4	Valve springs	100
6.1.5	Entrapped air	100
6.2	RP backflow preventers	100
6.2.1	General	100
6.2.2	Relief port leaks	100
6.2.3	Discharge from relief port	101
6.3	DCAPC backflow preventers	101
6.3.1	General	101
6.3.2	Water and carbon dioxide (CO ₂) leaks	101
7	Test gauges and kits	101
7.1	Accuracy	101
7.2	Verification and calibration	101
7.3	Units	101
8	Field test requirements and pass/fail criteria	101
8.1	PVB devices	101
8.1.1	General	101
8.1.2	As inlet valve	102
8.1.3	Check valve	102
8.1.4	Static line pressure	102
8.2	RP backflow preventers	102
8.2.1	General	102
8.2.2	Relief valve	103
8.2.3	Check valve 1	103
8.2.4	Check valve 2	104

8.2.5	Static line pressure	104
8.3	DCVA and SCVAF backflow preventers	104
8.3.1	General	104
8.3.2	Check valve 1	104
8.3.3	Check valve 2	105
8.3.4	Static line pressure	105
8.4	HCDVB devices — Manual field test of downstream check valve	106
8.4.1	Test requirement	106
8.4.2	Test set-up	106
8.4.3	Test procedure	106
8.5	SRPVB devices	107
8.5.1	General	107
8.5.2	Air inlet valve	107
8.5.3	Check valve	107
8.5.4	Static line pressure	107

Annexes

Annex A (informative) — Field testing procedures	109
Annex B (informative) — School accreditation and tester certification and licencing	184

Technical Committee on Backflow Preventers and Water Pressure Reducing Valves

R. Sochowski	Client Services Branch, Real Property Division, Ministry of Citizens' Services, Government of BC, Victoria, British Columbia, Canada <i>Category: User Interest</i>	<i>Chair</i>
C. Spagnuolo	Region of Peel, Mississauga, Ontario, Canada <i>Category: Regulatory Authority</i>	<i>Vice-Chair</i>
W. T. Ball	WCM Industries Inc., Colorado Springs, Colorado, USA <i>Category: Producer Interest</i>	
T. Burger	ASSE International, Cleveland, Ohio, USA	<i>Non-voting</i>
M. Campos	ICC Evaluation Service, LLC, Brea, California, USA	<i>Non-voting</i>
S. L. Cavanaugh	Cavanaugh Consulting, Santa Fe, New Mexico, USA <i>Category: General Interest</i>	
W. E. Chapin	Professional Code Consulting, LLC, Cullman, Alabama, USA <i>Category: General Interest</i>	
D. Christie	United Association — UA Local 67, Smithville, Ontario, Canada <i>Category: User Interest</i>	
C. Côté	CMMTQ (Corporation des maîtres mécaniciens en tuyauterie du Québec), Montréal, Québec, Canada	<i>Non-voting</i>
P. Despatis	Régie du bâtiment du Québec, Montréal, Québec, Canada <i>Category: Regulatory Authority</i>	

N. Dickey	Hansgrohe, Inc., Alpharetta, Georgia, USA <i>Category: Producer Interest</i>	
M. R. Gibeault	Kohler Co. Plumbing Division, Kohler, Wisconsin, USA <i>Category: Producer Interest</i>	
E. Ho	IAPMO Group, Markham, Ontario, Canada	<i>Non-voting</i>
E. Hood	H. H. Angus & Associates Limited Consulting Engineers, Toronto, Ontario, Canada <i>Category: User Interest</i>	
G. Istefan	Watts Water Technologies, Fontana, California, USA <i>Category: Producer Interest</i>	
V. Kacaba	Plumbers, Steam Fitters and Welders UA Local 46, Toronto, Ontario, Canada <i>Category: General Interest</i>	
A. King	Regional Municipality of Halton, Oakville, Ontario, Canada <i>Category: Regulatory Authority</i>	
M. P. Lesley	George Brown College, Toronto, Ontario, Canada <i>Category: General Interest</i>	
D. Liang	CSA Group, Toronto, Ontario, Canada	<i>Non-voting</i>
S. MacDonald	Halifax Water, Halifax, Nova Scotia, Canada <i>Category: Regulatory Authority</i>	
R. Mata	International Code Council, Washington, District of Columbia, USA	<i>Non-voting</i>
E. Milito	City of Ottawa, Ottawa, Ontario, Canada <i>Category: Regulatory Authority</i>	

D. Miller	Apollo Valves/Aalberts Integrated Piping Systems Americas, Inc., Pageland, South Carolina, USA <i>Category: Producer Interest</i>	
M. Mohammed	Reliance Worldwide Corp., Vaughan, Ontario, Canada <i>Category: Producer Interest</i>	
K. Moriel	City of Brampton, Brampton, Ontario, Canada	<i>Non-voting</i>
D. Pierce	Reliance Worldwide Corp, Atlanta, Georgia, USA	<i>Non-voting</i>
P. Pijawka	City of Richmond Hill, Thornhill, Ontario, Canada <i>Category: Regulatory Authority</i>	
B. Quan	City of Barrie, Barrie, Ontario, Canada	<i>Non-voting</i>
S. M. Rawalpindiwala	Kohler, Wisconsin, USA <i>Category: General Interest</i>	
S. A. Remedios	Remedios Consulting, London, Ontario, Canada <i>Category: User Interest</i>	
B. Shuck	Capital Region District — CRD, Victoria, British Columbia, Canada <i>Category: Regulatory Authority</i>	
S. Spagnolo	EOS Mechanical Inc., Maple, Ontario, Canada	<i>Non-voting</i>
K. Thompson	Plumbing Manufacturers International, McLean, Virginia, USA	<i>Non-voting</i>
K. Wong	Uponor, Mississauga, Ontario, Canada <i>Category: Producer Interest</i>	
C. Wright	Ontario Pipe Trades, Dundalk, Ontario, Canada <i>Category: User Interest</i>	

B. Young Water Bridge Environmental Solutions Inc.,
Hamilton, Ontario, Canada
Category: User Interest

S. Chung CSA Group, *Project Manager*
Toronto, Ontario, Canada

Preface

This volume contains the eighth edition of CSA B64.10, *Selection and installation of backflow preventers*, and the fifth edition of CSA B64.10.1, *Maintenance and field testing of backflow preventers*. CSA B64.10 supersedes the previous editions published in 2017, 2011, 2007, 2001, 1994, 1988 (as part of the CAN/CSA-B64 Series), and 1981. CSA B64.10.1 supersedes the previous editions published in 2017, 2011, 2007, and 2001.

This edition includes the following major changes:

- a) for CSA B64.10:
 - i) revision to the use of AVB, HCVB, DCAP, LFVB, DuCV, and ASVB devices;
 - ii) addition of Clause [5.3.3](#) for area protection and updates to Table [2](#);
 - iii) addition of Clause [5.4.2](#) for buildings classified as moderate hazards;
 - iv) addition of Clause [5.4.3](#) for single tenancy with multiple functions;
 - v) addition of Clause [5.4.4](#) for individual protection;
 - vi) updates to Clause [5.10](#) for heat exchangers;
 - vii) addition of Clause [5.11](#) for chemical dispensing systems;
 - viii) clarification of field testing at installation in Clause [6.1.5](#);
 - ix) updates to test cock requirements in Clause [6.4.3](#);
 - x) updates to the guides for degree of hazard for point of use cross-connections and premises in Tables [B.1](#) and [B.2](#);
 - xi) updates to the authorized functions list in Annex [E](#); and
 - xii) addition of a note on chemical breakdown to the Hodge and Sterner scale table in Annex [G](#);
and
- b) for CSA B64.10.1:
 - i) clarification on field testing requirements in Clause [4.1.1](#); and
 - ii) addition of pressure drop across check valve 2 procedure for RP devices.

These Standards are intended as a guide for designers of potable water supply and plumbing systems in the selection of the proper type of device, for installers and owners in the installation and maintenance of the devices, and for inspection authorities in the testing of the devices after they have been installed. The Standards provide information on other methods of preventing contamination of potable water by backflow from back siphonage or back pressure.

These Standards provide selection criteria, installation, and maintenance procedures, and techniques that represent the general state of the art, but should not be construed as all-inclusive, especially where procedures and techniques are altered to meet special conditions. Where there are problems with a specific installation, it is suggested that the manufacturer of the backflow preventer be consulted.

These Standards were prepared by the Technical Committee on Backflow Preventers and Water Pressure Reducing Valves, under the jurisdiction of the Strategic Steering Committee on Construction and Civil Infrastructure, and have been formally approved by the Technical Committee.

These Standards have been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. They have been published as National Standards of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*