



**CSA
Group**

C22.2 No. 184-12

Solid-state lighting controls

Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its content, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

C22.2 No. 184-12

December 2012

Title: *Solid-state lighting controls*

Pagination: **26 pages** (vii preliminary and 19 text), each dated **December 2012**

To register for e-mail notification about any updates to this publication

- go to **shop.csa.ca**
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2421934**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at csagroup.org/legal to find out how we protect your personal information.

Currently in preview, click buy full version

C22.2 No. 184-12
Solid-state lighting controls



**CSA
Group**

™A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in December 2012 by CSA Group
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at shop.csa.ca



CSA Group prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase standards and related publications, visit our Online Store at shop.csa.ca or call toll-free 1-800-461-6727 or 416-747-4044.

ISSN 1978-1-55491-971-0

© 2012 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Wiring Products v

Subcommittee on ICWD02 Controls vi

Preface vii

1 Scope 1

2 Reference publications 1

3 Definitions 2

4 General requirements 3

4.1 Rating 3

5 Construction 3

5.1 General 3

5.2 Disconnecting means 3

5.3 Lighting control circuits 4

5.4 Spacings 4

5.5 Supply connections 5

5.6 External sensing leads 5

6 Marking 5

7 Tests 7

7.1 General 7

7.2 Overload 8

7.3 Endurance 8

7.4 Temperature 9

7.5 Dielectric strength 9

7.6 Strain relief 10

7.7 Leakage current 10

7.8 Limited short-circuit 11

7.9 Printed circuit board coatings 11

7.9.1 General 11

7.9.2 Dielectric strength test on new specimen 11

7.9.3 Dielectric strength test after aging 12

7.9.4 Dielectric strength test after humidity conditioning 12

7.9.5 Adhesion 12

7.10 Moisture absorption resistance of insulating barriers, fibre liners, or similar materials 12

7.11 Lighting controls controlling ballasted loads 12

7.12 Mold stress 13

Annexes

A (informative) — Flow chart for testing of lighting controls (including the number of controls to be tested) 18

Tables

- 1** — Maximum allowable temperature (°C) on critical components in lighting controls controlling ballasted loads 13
 - 2** — Peak current requirements 14
 - 3** — Bulk energy capacitances 14
-

Figures

- 1** — Leakage current measurement circuit 15
- 2** — Typical test circuit diagram 16
- 3** — Waveform per synthetic measurement of pulse width and peak current 17

Technical Committee on Wiring Products

K.L. Rodel	Hubbell Canada LP, Pickering, Ontario <i>Representing Manufacturers</i>	<i>Chair</i>
L. Letea	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Representing Regulatory Authorities

R.J. Kelly	Government of Nunavut Community & Government Services, Iqaluit, Nunavut
G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
M. Shea	City of Vancouver, Vancouver, British Columbia

Representing Manufacturers

C. Davis	Electro Cables Incorporated, Trenton, Ontario
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
D. Drysdale	Nexans Canada Inc., Milton, Ontario
B.F. O'Connell	Tyco Thermal Controls (Canada) Ltd., Trenton, Ontario

Representing General Interests

S.W. Douglas	International Association of Electrical Inspectors, Toronto, Ontario
C. Samuels	ConocoPhillips Canada Ltd., Calgary, Alberta
T. Summons	British Columbia Institute of Technology, Burnaby, British Columbia
A.Z. Tsisserev	Stantec Consulting, Vancouver, British Columbia

Subcommittee on ICWD02 Controls

K.L. Rodel	Hubbell Canada LP, Pickering, Ontario	<i>Chair</i>
D.M. Berlin	Intermatic Incorporated, Spring Grove, Illinois, USA	
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec	
J.A. Gibson	TriVar Inc., Brampton, Ontario	
E. Hubben	Pass & Seymour Inc., Syracuse, New York, USA	
T. Hum	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec	
D.H. Kendall	Thomas & Betts Corporation, Memphis, Tennessee, USA	
J. Louie	General Electric Company, Cleveland, Ohio, USA	
E. Mendoza	Philips Lighting Electronics, N.A., Rosemont, Illinois, USA	
F.X. Morin	Lightolier-CFI Division of/de CANLYTE Inc., Lachine, Québec	
K.E. Vannice	Leviton Manufacturing Co., Inc., Tualatin, Oregon, USA	
R. Wagner	Lutron Electronics Company Inc., Coopersburg, Pennsylvania, USA	
L. Letea	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the third edition of C22.2 No. 184, *Solid-state lighting controls*, one of a series of Standards issued by the Canadian Standards Association under *Part II* of the *Canadian Electrical Code*. This edition supersedes the previous editions, published in 1988 and 1986.

For general information on Standards of the *Canadian Electrical Code, Part II*, see the Preface to CSA C22.2 No. 0, *General Requirements — Canadian Electrical Code, Part II*.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on ICWD02 Controls under the jurisdiction of the Standards Steering Committee on CE Code, Part II, and was formally approved by these Committees.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- (1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- (2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- (3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- (4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - (a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - (b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - (c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- (5) *This Standard is subject to periodic review, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - (a) *Standard designation (number);*
 - (b) *relevant clause, table, and/or figure number;*
 - (c) *wording of the proposed change; and*
 - (d) *rationale for the change.*

C22.2 No. 184-12

Solid-state lighting controls

1 Scope

1.1

This Standard applies to solid-state lighting controls rated at 600 V and less, with or without an integral switching (disconnecting) device, designed to be used in circuits

- (a) for the control of incandescent lamps; and
- (b) for the control of fluorescent, HID, ballasted, and similar lamps intended for installation in accordance with the Rules of the *Canadian Electrical Code, Part I*.

1.2

This Standard applies to controls intended for

- (a) use in installations as a flush-mounted device;
- (b) use in installations as a surface-mounted device;
- (c) use as a table-mounted unit to which portable luminaires can be temporarily connected;
- (d) use in installations or devices where controls form, or are part of, a whole system;
- (e) installation in a lamp holder;
- (f) permanent installation in the supply line of a lamp;
- (g) direct plug-in devices; or
- (h) other similar applications.

1.3

This Standard does not apply to variable resistor and variable transformer-type controls.

1.4

The values given in SI units are the units of record for the purposes of this Standard. The values given in parentheses are for information and comparison only.

1.5

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.