

Cords and cord sets for communication systems



Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS
ASSOCIATION

CSA Standards Update Service

C22.2 No. 233-09

June 2009

Title: *Cords and cord sets for communication systems*

Pagination: **18 pages** (ix preliminary and 9 text), each dated **June 2009**

Automatic notifications about any updates to this publication are available.

- To register for e-mail notifications, and/or to download any existing updates in PDF, enter the Online Store at **www.ShopCSA.ca** and click on **My Account** on the navigation bar.

The **List ID** for this document is **2419919**.

- To receive printed updates, please complete and return the attached card.



Name _____

Organization _____

Address _____

City _____

Province/State _____

Country _____ Postal/Zip Code _____

E-mail _____

I consent to CSA collecting and using the above information to send me updates relating to this publication.

Visit CSA's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

C22.2 No. 233-09

Currently in preview, click buy full version

**ASSOCIATION CANADIENNE DE
NORMALISATION**

BUREAU CENTRAL DE L'INFORMATION
5060, SPECTRUM WAY, BUREAU 100
MISSISSAUGA ON L4W 5N6
CANADA

**CANADIAN STANDARDS
ASSOCIATION**

CONSOLIDATED MAILING LIST
5060 SPECTRUM WAY, SUITE 100
MISSISSAUGA ON L4W 5N6
CANADA

Franchir suffisamment
Place Stamp Here

CSA Standard

C22.2 No. 233-09
***Cords and cord sets for
communication systems***



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in June 2009 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.ShopCSA.ca



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at www.ShopCSA.ca or call toll free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-55491-275-9

Technical Editor: Leonard Letea

© Canadian Standards Association — 2009

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Wiring Products v

Subcommittee on Control, Instrument, Communication, and Marine Cables vi

Preface ix

1 Scope 1

2 Reference publications 1

3 Definitions 2

4 General requirements 2

5 Construction of communication cords 3

- 5.1 General 3
- 5.2 Conductors 3
- 5.3 Insulation 3
- 5.4 Conductor identification 3
- 5.5 Assembly of conductors 3
- 5.6 Shields 3
- 5.7 Drain wire 3
- 5.8 Jacket 3

6 Tests on communication cords 3

- 6.1 Flammability 3
 - 6.1.1 FT1 flame test 3
 - 6.1.2 FT4 flame test 4
- 6.2 Electrical continuity of conductors 4
- 6.3 Dielectric strength 4
- 6.4 Thermal aging 4
 - 6.4.1 Jacket 4
 - 6.4.2 Insulation 4
- 6.5 Cold bend 4
- 6.6 Resistance of conductors 4
- 6.7 Fire hazard test 5
- 6.8 Abrasion resistance 5
- 6.9 Insulation shrinkage 5
- 6.10 Break strength of cord 5
- 6.11 Mechanical damage — Crushing 6
 - 6.11.1 General 6
 - 6.11.2 Requirement 6
 - 6.11.3 Apparatus 6
 - 6.11.4 Test procedure 6

7 Marking of communication cords 6

- 7.1 Marking on product 6
- 7.2 Marking on package 6

8 Construction of communication cord sets 7**9 Tests on communication cord sets** 7

- 9.1 Dielectric strength 7
- 9.2 Strain relief devices 7
- 9.3 Pull strength of wire terminations (spade tips, etc.) 7

10 Marking of communication cord sets 7

- 10.1 Marking on product 7
- 10.2 Marking on package 8

Annexes

- A** (informative) — Suggested colour code and assembly for communication cords 9
-

Tables

- 1** — Maximum dc resistance of solid or stranded conductors at 25 °C, Ω/km 8

Technical Committee on Wiring Products

K. Rodel	Hubbell Canada, Pickering, Ontario <i>Representing Manufacturers</i>	<i>Chair</i>
S. Paulsen	Department of Public Safety, Fredericton, New Brunswick <i>Representing Regulatory Authorities</i>	<i>Vice-Chair</i>
B. Haydon	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

Representing Regulatory Authorities

G. Montminy	Régie du bâtiment du Québec, Québec, Québec
T. Olechna	Electrical Safety Authority, Mississauga, Ontario
A. Tsisserev	City of Vancouver, Vancouver, British Columbia

Representing Manufacturers

C. Davis	Electro Cables Incorporated, Trenton, Ontario
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec
B.F. O'Connell	Tyco Thermal Controls (Canada) Ltd., Trenton, Ontario
D.S. Reith	Nelan Canada Inc., Markham, Ontario

Representing General Interests

B. Beland	Sherbrooke, Québec
D.H. Dunsire	Winnipeg, Manitoba
C. Simons	ConocoPhillips Canada Ltd., Calgary, Alberta
I. Simmons	British Columbia Institute of Technology, Burnaby, British Columbia

Subcommittee on Control, Instrument, Communication, and Marine Cables

D. Drysdale	Nexans Canada Inc., Fergus, Ontario	<i>Chair</i>
S. Hawkins	ShawCor Ltd., Toronto, Ontario	<i>Vice-Chair</i>
E. Aberbach	General Cable Industries, Inc., Willimantic, Connecticut, USA	
J. Baer	Superior Telecommunications Inc., Atlanta, Georgia, USA	
T.S. Bhat	Rockbestos-Surprenant Cable Corporation, East Granby, Connecticut, USA	
R. Blair	Draka Cableteq USA, North Dighton, Massachusetts, USA	
R. Bright	AmerCable, Inc., Houston, Texas, USA	
M. Cadorette	Produits Shell Canada Limite Montréal, Québec	
J.R. Cancelosi	The Okonite Company Ramsey, New Jersey, USA	
W.F. Constantine	Draka Cableteq USA, North Dighton, Massachusetts, USA	
T. Corder	Underwriters Laboratories Inc., Research Triangle Park, North Carolina, USA	
C. Davis	Electro Cables Incorporated, Trenton, Ontario	
G. Davis	Electro Cables Incorporated, Trenton, Ontario	
G.L. Dorn	Belden Wire & Cable Company Engineering Center, Richmond, Indiana, USA	
R. Duquet	Harbour Industries (Canada) Limited, Farnham, Québec	

J. Eby	Eby Energy Products, Inc., Missouri City, Texas, USA
T. Guida	Underwriters Laboratories Inc., Melville, New York, USA
B. Harmer	CSA International, Toronto, Ontario
J. Johnson	Electro Cables Incorporated, Trenton, Ontario
D.B. Kiddoo	AlphaGary Corporation, Leominster, Massachusetts, USA
J.F. Kirby	Transport Canada Marine Safety, Ottawa, Ontario
C. Lemay	Prysmian Power Cables and Systems Canada Ltd., Saint-Jean-sur-Richelieu, Québec
Y.C. Li	The Corporation of the Town of Markham, Markham, Ontario
J.A. Lynch	Transport Canada Marine Safety, Ottawa, Ontario
B. Milau	Underwriters Laboratories Inc., Melville, New York, USA
N. Moubed	Anixter Canada Inc., Mississauga, Ontario
B.F. O'Connell	Tyco Thermal Controls (Canada) Ltd., Trenton, Ontario
R. Pawluk	United Wire & Cable Incorporated, Richmond Hill, Ontario
D.E. Popoff	Marine Industrial Cable Corp., New Orleans, Louisiana, USA
D.S. Reith	Nexans Canada Inc., Markham, Ontario
A. Roland	General Cable Industries, Inc., Highland Heights, Kentucky, USA
V. Rowe	Westbank, British Columbia
T. Rudd	Belden (Canada) Inc., Cobourg, Ontario
J.A. Ruggieri	General Machine Corp., Fairfax Station, Virginia, USA

G. Shoshani	Rockbestos-Surprenant Cable Corporation, East Granby, Connecticut, USA	
A. Tsisserev	City of Vancouver, Vancouver, British Columbia	
J. Turner	Swansea Consulting, Toronto, Ontario	
D. Verhage	Domtech Inc., Trenton, Ontario	
J.H. Walling	Beaconsfield, Québec	
J. Willner	Bolton, Ontario	
L. Letea	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the second edition of CSA Standard C22.2 No. 233, *Cords and cord sets for communication systems*, issued by the Canadian Standards Association under Part II of the *Canadian Electrical Code*. It supersedes the previous edition published in 1989.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the preface of the latest issue of CSA C22.2 No. 0, *General Requirements — Canadian Electrical Code, Part II*.

This Standard is considered suitable for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Control, Instrument, Communication, and Marine Cables, under the jurisdiction of the Technical Committee on Wiring Products and the Strategic Steering Committee on Requirements for Electrical Safety, and was formally approved by the Technical Committee.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: "The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA's procedures for interpretation shall be followed to determine the intended safety principle."

June 2009

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation should
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific "yes" or "no" answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.

C22.2 No. 233-09

Cords and cord sets for communication systems

1 Scope

1.1

This Standard applies to cords and cord sets intended for indoor use to electrically connect communication systems that have a normal operating voltage-to-ground of less than 150 V rms, and that are installed or used in accordance with the Rules of the *Canadian Electrical Code, Part I*.

1.2

This Standard applies to single-, paired-, and multi-conductor cords, as well as cord sets, where no part of the cord is subjected to a temperature exceeding 60 °C.

1.3

This Standard does not apply to

- (a) cords and cord sets that contain conductors other than those used specifically for communications circuits, such as electric light, power, Class I, and Class II circuit conductors (as defined in the *Canadian Electrical Code, Part I*); or
- (b) cords or cord sets covered by CSA C22.2 No. 21.

1.4

In CSA Standards, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; “may” is used to express an option or that which is permissible within the limits of the standard; and “can” is used to express possibility or capability. Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material. Notes to tables and figures are considered part of the table or figure and may be written as requirements. Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

CSA (Canadian Standards Association)

C22.1-09

Canadian Electrical Code, Part I

CAN/CSA-C22.2 No. 0-M91 (R2006)

General Requirements — Canadian Electrical Code, Part II

C22.2 No. 0.3-01 (R2005)

Test methods for electrical wires and cables