

# Control and instrumentation cables



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

*CSA C22.2 No. 239:21*  
*January 2021*

**Title:** *Control and instrumentation cables*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24281-2**

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Cette Norme Nationale du Canada n’est disponible qu’en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*\*A trademark of the Canadian Standards Association, operating as “CSA Group”*

# *National Standard of Canada*

## *CSA C22.2 No. 239:21 Control and instrumentation cables*



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group."*



*Published in January 2021 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [www.csagroup.org/store/](http://www.csagroup.org/store/)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 29.060.20; 29.120.01; 29.050  
ISBN 978-1-4883-2935-7*

*© 2021 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Wiring Products	4
Integrated Committee on Control, Instrument, Communication, and Marine Cables	6
Preface	9
<b>1 Scope</b>	<b>11</b>
<b>2 Reference publications</b>	<b>12</b>
<b>3 Definitions</b>	<b>13</b>
<b>4 General requirements</b>	<b>14</b>
<b>5 Construction</b>	<b>14</b>
5.1 Conductors	14
5.1.1 Materials	14
5.1.2 Sizes	15
5.1.3 Stranding	15
5.1.4 Diameter and area	16
5.1.5 Joints	16
5.1.6 DC resistance	16
5.1.7 Thermocouples	16
5.2 Insulation	17
5.2.1 Materials	17
5.2.2 Thickness	18
5.3 Non-metallic insulation covering	18
5.3.1 General	18
5.3.2 Thermoplastic insulated conductors	18
5.3.3 EP insulated conductors	18
5.3.4 XLPE insulated conductors	18
5.3.5 Silicone rubber insulated conductors	18
5.4 Shields	19
5.4.1 Material	19
5.4.2 Alternative material	19
5.4.3 Drain wires	19
5.4.4 Shield insulation	19
5.5 Assembly and identification	19
5.5.1 Assembly	19
5.5.2 Identification of conductors	20
5.6 Non-metallic jackets	20
5.6.1 General	20
5.6.2 Inner jackets	20
5.6.3 Outer non-metallic coverings	20
5.6.4 Non-metallic jacket materials	20
5.6.5 Jacket for PCS sub-assembly	21
5.7 Metallic outer coverings	21

5.7.1	General	21
5.7.2	Aluminum or copper sheath	21
5.7.3	Interlocked armour	22
5.7.4	Galvanized steel wire armour (see Annex A)	22
5.8	Jackets over metallic sheath or armour	23
5.9	Optional components	23
5.10	Temperature rating of cable	24
<b>6</b>	<b>Tests</b>	<b>24</b>
6.1	Electrical	24
6.1.1	Spark	24
6.1.2	Insulation resistance	24
6.1.3	Circuit continuity of conductors	24
6.1.4	Dielectric voltage-withstand	25
6.2	Physical and flammability tests on complete cable	25
6.2.1	Cold impact test (optional)	25
6.2.2	Cold bend	25
6.2.3	Flammability	25
6.2.4	Weathering (optional)	26
6.2.5	Acid gas emission (optional)	26
6.3	Tests on interlocked armoured cable	26
6.3.1	Flexibility	26
6.3.2	Tension	27
6.3.3	Elongation	27
6.4	Flexibility tests on metal sheathed cables	27
6.5	Mechanical damage — Impact (for PCS constructions as per Clause 5.5.1.4 and corrugated sheath)	27
6.6	Mechanical damage — Crushing (for PCS constructions as per Clause 5.5.1.4 and corrugated sheath)	28
<b>7</b>	<b>Marking</b>	<b>29</b>
7.1	Marking on product	29
7.2	Marking on packages	29
<b>8</b>	<b>High-temperature control and instrumentation cable</b>	<b>30</b>
8.1	General	30
8.2	Construction	30
8.2.1	Conductors	30
8.2.2	Insulation	31
8.2.3	Cable jacket	31
8.2.4	Jacket	32
8.2.5	Metal sheath and interlocked armour	32
8.2.6	Covering over armour	32
8.2.7	Temperature rating of the cable	32
8.3	Tests	32
8.4	Marking	32
8.4.1	Marking on product	32
8.4.2	Marking on packages	33

**9 Halogen-free limited-smoke control and instrumentation cables 34**

- 9.1 General 34
  - 9.2 Properties of materials 34
    - 9.2.1 General 34
    - 9.2.2 Insulation 34
    - 9.2.3 Jacket 34
  - 9.3 Tests on completed cable 34
  - 9.4 Marking 34
- 

Annex A (informative) — Steel wire armour used in control and instrumentation cable 58

Annex B (informative) — Rating of cable jacket in high ambient temperature 59

Annex C (informative) — Metric sizes 60

Annex D (informative) — Low-temperature handling 68

# Preface

This is the fifth edition of CSA C22.2 No. 239, *Control and instrumentation cables*, one of a series of Standards issued under the *Canadian Electrical Code, Part II*. It supersedes the previous editions, published in 2017, 2009, 1997, and 1991.

The main changes in this edition include

- a) addition of PCS cable construction and corresponding markings;
- b) addition of Clause [6.2.5](#) for the acid gas emission test and corresponding marking;
- c) removal of option to perform smoothing and die cutting after accelerated aging for physical properties testing;
- d) revision of criteria for retention of tensile strength and elongation after accelerated aging in Tables [8](#), [30](#), and [31](#); and
- e) addition of Table [33](#) for colour coding of insulated PCS power conductors.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Integrated Committee on Control, Instrument, Communication, and Marine Cables, under the jurisdiction of the Technical Committee on Wiring Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

**Interpretations:** The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA procedures for interpretation shall be followed to determine the intended safety principle”.

**Notes:**

- 1) *Use of the singular does not include the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csa-group.org](mailto:inquiries@csa-group.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line:*
- a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

# CSA C22.2 No. 239:21

## ***Control and instrumentation cables***

### **1 Scope**

#### **1.1**

This Standard applies to multiple-conductor control and instrumentation cables (including thermocouple cables and thermocouple extension cables) having a voltage rating not exceeding 1000 V and intended for installation in accordance with CSA C22.1, *Canadian Electrical Code, Part I*.

**Note:** *The designations for such cables are “CIC” for unarmoured cables and “ACIC” for armoured cables.*

#### **1.2**

This Standard applies to cables rated 1000 V, 600 V, 300 V, and 150 V, and to temperature ratings up to 105 °C. This Standard also includes specific requirements for high-temperature control and instrumentation cables rated 125 to 250 °C.

#### **1.3**

This Standard applies to multiple-conductor thermoplastic or thermoset-insulated assemblies, shielded or unshielded, twisted or cabled, paired, two conductors parallel or grouped into units, jacketed or unjacketed, sheathed or unsheathed, armoured or unarmoured, and any combinations thereof.

#### **1.4**

This Standard includes specific requirements for halogen-free limited-smoke control and instrumentation cables.

#### **1.5**

This Standard permits the inclusion of additional components, such as optical fiber members and communications wire used for installation purposes only. No requirements for such components are specified.

#### **1.6**

This Standard does not apply to cables intended for internal wiring of electrical equipment, e.g., switchboard and equipment wire, or to cables that undergo repeated flexing.

#### **1.7**

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.