



# Luminaires



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***CSA C22.2 No. 250.0:21***  
***March 2021***

**Title:** *Luminaires*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24281-01**

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Cette Norme Nationale du Canada n'est disponible qu'en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*\*A trademark of the Canadian Standards Association, operating as “CSA Group”*

# *National Standard of Canada*

## *CSA C22.2 No. 250.0:21 Luminaires*



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group"*



ICS 29.140.40

Standard for Safety for Luminaires

Fifth Edition, Dated March 26, 2021

### **Summary of Topics**

***This new edition includes the following changes in requirements:***

- Addition of testing and safety requirements for permanently-mounted, interconnected luminaires not using standard plug connection to branch-circuit voltage***
- Dielectric Voltage Withstand Test***
- Amend Air-handling luminaires to add UL 2043 as alternate test method for nonmetallic materials located in the air path or plenum and add subsection for Other Spaces Used for Environmental Air (Plenums).***
- Accessible Edges***
- Add requirements for Luminaires having a light-emitting plasma light source***
- Use of detachable cord sets in luminaires***
- Alignment of risk of fire definition with UL 8750***
- OEM website inclusion for wiring instructions and other L5 designated markings***
- Addressed LED luminaires with Edison screw lampholders***
- Alternate Method for Providing Installation Instructions***
- Recessed Housings for Non-Fire-Rated Installations***
- Unenclosed Class 2 Wiring in Luminaires***
- Supplementary Requirements for LED Luminaires using Class P LED Drivers***
- SPT-3 flexible cords***
- Weather-resistant (WR) receptacles used in damp or wet location luminaires***
- Harmonize letter height in Markings Tables***
- Luminaires suitable for use in clothes closet storage spaces***
- Bonding conductor test for PWB traces***
- Risk of Electric Shock during Relamping – HID Luminaires with Double-ended Lamps***
- Type IC recessed luminaires intended for installation in contact with low density and medium density polyurethane foam thermal insulation***

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated April 10, 2020 and October 16, 2020.

Currently in preview, click buy full versi



Association of Standardization and Certification  
NMX-J-307/1-ANCE  
Fourth Edition



CSA Group  
CSA C22.2 No. 250.0:21  
Fifth Edition



Underwriters Laboratories Inc.  
UL 1598  
Fifth Edition

## Luminaires

March 26, 2021



ANSI/UL 1598-2021



## Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

---

## Copyright © 2021 ANCE

Rights reserved in favor of ANCE.

---

## 978-1-4883-2946-3 © 2021 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at [inquiries@csagroup.org](mailto:inquiries@csagroup.org) or call toll-free 1-800-463-6727 or 16-747-4044.

---

## Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fifth Edition. The most recent designation of ANSI/UL 1598 as an American National Standard (ANSI) occurred on March 26, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at [http://www.shopulstandards.com/How\\_Order.aspx](http://www.shopulstandards.com/How_Order.aspx) or call toll-free 1-888-853-3503.

---

## CONTENTS

<b>Preface</b> .....	<b>11</b>
1 Scope .....	13
2 Reference publications .....	14
3 Definitions .....	18
4 General requirements .....	24
4.1 Components .....	24
4.2 Application of requirements .....	25
4.3 Units of measurement .....	25
5 Mechanical construction .....	36
5.1 General .....	36
5.2 Assembly and packaging .....	36
5.3 Enclosures .....	37
5.4 Barriers .....	37
5.5 Metal thickness for enclosures .....	37
5.6 Corrosion protection .....	39
5.7 Polymeric materials .....	39
5.8 Baffles .....	42
5.9 Conduit knockouts and twistouts .....	42
5.10 Mechanical joints and fastenings .....	42
5.11 Means of mounting .....	43
5.12 Movable joints .....	43
5.13 Raceway tubing .....	44
5.14 Conductor protection .....	44
5.15 Strain relief .....	44
5.16 Glass .....	45
5.17 Glass support .....	46
5.18 Thermal insulation .....	46
5.19 Continuous row mounting .....	47
5.20 Raceways .....	47
6 Electrical construction .....	47
6.1 General .....	47
6.2 Wiring devices .....	47
6.3 Lampholders .....	48
6.4 Switches .....	48
6.5 Receptacles .....	49
6.6 Fuses and fuseholders .....	50
6.7 Ballasts and transformers .....	50
6.8 Capacitors .....	54
6.9 Conductors and cords .....	55
6.10 Unenclosed conductors in Class 2 circuits .....	61
6.11 Identification and polarity .....	62
6.12 Electrical spacings .....	62
6.13 Electrical insulation .....	64
6.14 Accessibility of live parts .....	64
6.15 Grounding and bonding .....	66
6.16 Supply connections .....	70
6.17 Wiring compartment and junction box volume for branch circuit conductors .....	72
6.18 Separation of circuits .....	74
6.19 (MEX) Wire splices and connections .....	74
6.20 Interconnected units .....	74
7 Incandescent luminaires – supplementary requirements .....	75
7.1 General .....	75

	7.2 Temperature test-exempt luminaires .....	76
	7.3 Tungsten-halogen luminaires .....	86
8	Fluorescent luminaires – supplementary requirements .....	91
	8.1 General .....	91
	8.2 Ballasts .....	91
	8.3 Supply cords and conductors .....	91
	8.4 Lampholders .....	92
	8.5 Temperature-test-exempt luminaires .....	92
	8.6 Marking .....	93
	8.7 Factory installed emergency devices .....	94
	8.8 Luminaires incorporating instant-start electronic ballasts and bi-pin lampholders .....	94
	8.9 (CAN) Branch circuit disconnects .....	94
	8.10 (CAN) Branch circuit disconnects – Conversion kits .....	95
9	HID luminaires – supplementary requirements .....	96
	9.1 General .....	96
	9.2 Lampholders .....	96
	9.3 Lamp containment barriers for metal halide lamps .....	96
	9.4 Ultra-violet (UV) attenuation barriers for metal halide lamps without integral UV blocking outer glass envelopes .....	97
	9.5 Accessibility of double-ended lamp terminals .....	98
	9.6 Class P LED drivers .....	99
	9.7 Marking .....	99
10	LED luminaires – supplementary requirements .....	100
	10.1 General .....	100
	10.2 Lampholders .....	100
	10.3 Printed wiring boards .....	100
	10.4 Factory installed emergency devices .....	100
	10.5 Class P LED Drivers .....	101
	10.6 Markings .....	101
	10.7 (CAN) Branch circuit disconnects .....	102
11	Surface-mounted luminaires – supplementary requirements .....	102
	11.1 General .....	102
	11.2 Mounting means .....	102
	11.3 Poles .....	104
	11.4 Open holes and openings .....	106
	11.5 Accessibility of supply connections .....	110
	11.6 Electrical construction .....	110
	11.7 Tests .....	112
	11.8 Markings .....	113
12	Recessed luminaires – supplementary requirements .....	113
	12.1 General .....	113
	12.2 Enclosures .....	114
	12.3 Junction boxes .....	114
	12.4 Recessed housing .....	115
	12.5 Thermal protectors .....	116
	12.6 Electrical construction .....	118
	12.7 Tests .....	120
	12.8 Markings .....	123
13	Miscellaneous luminaires – supplementary requirements .....	126
	13.1 General .....	126
	13.2 Air-handling luminaires .....	126
	13.3 Luminaires for use above cooking equipment .....	129
	13.4 Elevated ambient temperature luminaires .....	131
	13.5 Luminaire fittings .....	132
	13.6 Luminaires suitable for use in clothes closet storage spaces .....	132
	13.7 (CAN) Clothes closet luminaires .....	133

14	Environmental location luminaires – supplementary requirements.....	137
14.1	General.....	137
14.2	Damp and wet location luminaires.....	137
14.3	Damp location luminaires.....	138
14.4	Wet location luminaires.....	138
15	Normal temperature tests.....	144
15.1	General.....	144
15.2	Surface ceiling luminaires.....	146
15.3	Surface wall luminaires.....	147
15.4	Under-cabinet luminaires.....	147
15.5	Type Non-IC recessed luminaires (not intended for thermal insulation contact).....	148
15.6	Type Non-IC marked spacings luminaires (not intended for thermal insulation contact).....	148
15.7	Type IC recessed luminaires (intended for thermal insulation contact).....	149
15.8	Type IC and LED Type Non-IC inherently protected recessed luminaires.....	149
15.9	Recessed luminaires for use in poured concrete.....	149
15.10	Through-wiring junction box temperature.....	150
15.11	Raceway temperature.....	150
15.12	(MEX) Temperature rise.....	151
16	Abnormal temperature tests.....	152
16.1	General.....	152
16.2	Type Non-IC recessed luminaires (not intended for thermal insulation contact).....	153
16.3	Type Non-IC marked spacings incandescent and HID recessed luminaires (not intended for thermal insulation contact).....	154
16.4	Type IC incandescent recessed luminaires (intended for thermal insulation contact) ...	155
16.5	Abnormal overlamping operation test for incandescent luminaires with polymeric housings or enclosures.....	159
17	Mechanical tests.....	159
17.1	Barrier strength.....	159
17.2	Metal thickness equivalency.....	159
17.3	Five-inch flame.....	162
17.4	Mold stress relief.....	163
17.5	Wet locations.....	163
17.6	Hot-wire ignition (HWI).....	169
17.7	Glow-wire end product.....	170
17.8	High-current arc ignition (HAI).....	171
17.9	End-product arc resistance.....	171
17.10	Polymeric support.....	172
17.11	Metallized polymeric parts coating adhesion.....	172
17.12	Flaming oil.....	172
17.13	Conduit knockout and twistout.....	172
17.14	Self-threading screw torque.....	173
17.15	Loading.....	173
17.16	Snap-in or tab-mounted parts pull test without conduit opening.....	174
17.17	Snap-in or tab-mounted parts pull test with conduit opening.....	174
17.18	Suspended-ceiling luminaires – security of clips.....	174
17.19	Movable joint rotation.....	174
17.20	Movable joint torsion and pull.....	175
17.21	Strain relief.....	175
17.22	Tempered glass impact.....	175
17.23	Glass support adhesive.....	175
17.24	Glass supported by friction or adhesive.....	176
17.25	Horizontal burning flame.....	176
17.26	Vertical burning flame.....	177
17.27	Needle flame.....	179
17.28	Lamp containment barrier thermal shock.....	180

17.29	Polymeric lamp containment barrier melt-through .....	181
17.30	Polymeric connector loading .....	181
17.31	Junction box rigidity .....	181
17.32	Splice inspection.....	182
17.33	Lampholder mounting torque .....	182
17.34	Lampholder pull .....	182
17.35	Lampholder mounting bracket stop test .....	182
17.36	(MEX) Thermal shock.....	183
17.37	(MEX) Vibration .....	183
17.38	Lampholder lead pull.....	183
17.39	Ground-screw assembly strength.....	183
17.40	Cable pull test.....	184
17.41	Polymeric impact .....	185
17.42	Metal strength tests for reduced spacings .....	185
18	Electrical tests.....	186
18.1	Dielectric voltage-withstand .....	186
18.2	Bonding circuit impedance.....	186
18.3	Interlock switch endurance .....	187
18.4	Articulate probe .....	187
18.5	(MEX) Insulation resistance.....	187
18.6	Risk of electric shock during relamping .....	187
18.7	Bonding conductor test.....	190
19	Test procedures and apparatus .....	191
19.1	Installation and support .....	191
19.2	Temperature test stabilization .....	191
19.3	Voltage .....	191
19.4	Frequency.....	193
19.5	Ambient temperature .....	193
19.6	Rise-of-resistance temperature method.....	193
19.6	(MEX) Temperature rise .....	194
19.7	Thermocouples .....	195
19.8	Test lamps.....	195
19.9	Branch circuit conductor temperature probe.....	200
19.10	Surface ceiling temperature test apparatus .....	201
19.11	Surface wall temperature test apparatus .....	203
19.12	Surface-mounted under-cabinet luminaire test alcove.....	204
19.13	Temperature test boxes for Type Non-IC recessed luminaires (not intended for thermal insulation contact) .....	206
19.14	Temperature test box for Type Non-IC, marked spacings, recessed ceiling-mounted luminaires (not intended for thermal insulation contact).....	211
19.15	Temperature test box for Type IC recessed luminaires (intended for thermal insulation contact) .....	218
19.16	Thermal insulation used for recessed temperature tests.....	221
19.17	Rain test apparatus.....	221
19.18	Sprinkler test apparatus.....	224
19.19	Bond impedance and ground continuity test apparatus .....	225
19.20	Dielectric voltage-withstand test apparatus .....	225
19.21	Impact test apparatus.....	225
19.22	Articulate probe .....	227
19.23	Conduit knockout and twistout test apparatus.....	229
19.24	Five-inch flame test apparatus .....	229
19.25	UV exposure test apparatus.....	231
19.26	Gasket compression test apparatus .....	231
19.27	Lampholder mounting torque test apparatus .....	231
19.28	Glow-wire test apparatus.....	232
19.29	Horizontal burning flame test apparatus.....	235

19.30	Vertical burning flame test apparatus .....	235
19.31	Needle flame test apparatus .....	237
19.32	Plywood test box material .....	237
19.33	(MEX) Insulation resistance test apparatus .....	237
19.34	(MEX) Vibration test apparatus .....	237
20	Marking .....	238
20.1	General.....	238
20.2	Identification and ratings .....	239
20.3	Durability of stamped ink marking test .....	240
20.4	Luminaire mounting and orientation .....	240
20.5	Wiring, installation and assembly instructions .....	240
20.6	(MEX) Marking requirements in Mexico .....	240

## **ANNEX A (normative) Components**

A.1	Component standards .....	251
-----	---------------------------	-----

## **Annex B (CAN) (Normative) Markings**

## **Annex C (MEX) (Normative) Markings**

## **Annex D (Normative) Pictograms**

## **Annex E (Informative) Metric conversion**

## **Annex F (CAN) (Normative) Printed circuit boards**

F.1	Special terminology .....	281
F.2	General .....	281
F.3	Printed circuit board coatings.....	282
F.3.1	Dielectric strength .....	282
F.3.2	Adhesion.....	282
F.3.3	Insulation resistance test voltage.....	283
F.3.4	Printed circuit boards.....	284

## **Annex G (Normative) Luminaires for use with self-ballasted compact fluorescent (CFL) or self-ballasted light emitting diode (LED) lamps**

G.1	Special terminology .....	285
G.2	General.....	285
G.3	Construction, test and marking requirements .....	285
G.3.1	Incandescent luminaires with conventional lampholders.....	285
G.3.2	Fluorescent luminaires with GU24 lampholders .....	285
G.3.3	LED luminaires with Edison lampholders .....	286

## **Annex H (CAN) (normative) Revisions**

H.1	Scope .....	290
H.2.101	Reference publications .....	290
H.3.101	Definitions.....	291

H.4	General requirements .....	291
	H.4.2 Application of requirements .....	291
H.5	Mechanical construction .....	292
	H.5.3 Enclosures .....	292
	H.5.5 Metal thickness for enclosures .....	292
	H.5.7 Polymeric materials .....	292
	H.5.11 Means of mounting .....	293
	H.5.12 Movable joints .....	293
	H.5.13 Raceway tubing .....	293
	H.5.15 Strain relief .....	294
	H.5.18 Thermal insulation .....	294
	H.5.19 Continuous row mounting .....	294
	H.5.20 Raceways .....	294
	H.5.21.101 Shade, diffuser, lens, or decorative part .....	294
	H.5.22.101 Mounting of components and parts .....	294
H.6	Electrical construction .....	295
	H.6.2 Wiring devices .....	295
	H.6.3 Lampholders .....	295
	H.6.4 Switches .....	296
	H.6.5 Receptacles .....	296
	H.6.6 Fuses and fuseholders .....	296
	H.6.7 Ballasts and transformers .....	296
	H.6.8 Capacitors .....	298
	H.6.9 Conductors and cords .....	298
	H.6.10 Identification and polarity .....	299
	H.6.11 Electrical spacings .....	299
	H.6.12 Electrical insulation .....	299
	H.6.13 Accessibility of live parts .....	301
	H.6.14 Grounding and bonding .....	302
	H.6.15 Supply connections .....	302
	H.6.16 Wiring compartment and junction box volume for branch circuit conductors .....	302
H.7	Incandescent luminaires – supplementary requirements .....	302
H.8	Fluorescent luminaires – supplementary requirements .....	303
H.10	HID luminaires – supplementary requirements .....	303
H.11	Surface-mounted luminaires – Supplementary requirements .....	304
H.12	Recessed luminaires – Supplementary requirements .....	304
H.13	Miscellaneous luminaires – Supplementary requirements .....	304
H.15	Normal temperature tests .....	304
H.16	Abnormal temperature tests .....	307
	H.16.1 Abnormal temperature tests for incandescent luminaires .....	307
	H.16.2 Abnormal operation tests for LED luminaires .....	307
H.17	Mechanical tests .....	308
	H.17.4 Mould stress relief .....	308
	H.17.4 .....	308
	H.17.5 Wet locations .....	308
	H.17.15 Loading .....	308
	H.17.19 Movable joint rotation .....	308
	H.17.20 Movable joint torsion and pull .....	308
	H.17.24 Glass supported by friction or adhesive .....	308
	H.17.28 Lamp containment barrier thermal shock .....	308
	H.17.29 Polymeric lamp containment barrier melt-through .....	308
	H.17.38 Lampholder lead pull .....	308
H.18	Electrical tests .....	308
	H.18.1 Dielectric voltage-withstand .....	308
	H.18.101 Current input test .....	309
	H.18.102 Fault conditions .....	309

H.18.103 Insulation equivalence .....	310
H.19 Test procedures and apparatus .....	310
H.19.101 Ball-pressure test apparatus .....	310
H.20 Marking .....	311
H.20.101 RV luminaire markings .....	311
H.I.101 Factory production tests (informative) .....	311
H.I.1 Dielectric voltage-withstand .....	312

#### **Annex I (informative) Factory production tests**

I.1 Dielectric voltage-withstand .....	313
I.2 Grounding continuity .....	313
I.2.1 General .....	313
I.2.2 Grounding continuity test for unassembled luminaires .....	314
I.3 Glass support .....	314
I.4 Strain relief .....	314
I.5 Polarity .....	314
I.6 Ground screw torque .....	315
I.7 Accessible edges .....	315
I.8 Test records .....	315

#### **Annex J (Normative) Light-emitting Plasma (LEP) Luminaires**

J.1 Scope .....	316
J.2 Definitions .....	316
J.3 General requirements .....	316
J.4 Mechanical construction .....	316
J.5 Electrical construction .....	316
J.5.1 Lamps .....	316
J.5.2 Power supplies and transformers .....	316
J.5.3 Factory-installed wiring and separation of circuits .....	317
J.5.4 Secondary circuits .....	317
J.5.5 Electrical spacings .....	317
J.6 Performance .....	317
J.6.1 Radiation emissions test .....	317
J.7 Markings .....	318
J.8 Instruction manual .....	318

#### **Annex K (Normative) Luminaires intended for contact with expandable foam thermal building insulation**

K.1 Scope .....	319
K.2 Reference publications .....	319
K.3 General requirements .....	319
K.4 Tests .....	320
K.5 Markings .....	320

No Text on This Page

## Preface

This is the harmonized ANCE, CSA Group, and UL standard for Luminaires. It is the fourth edition of NMX-J-307/1-ANCE, the fifth edition of CSA C22.2 No. 250.0, and the fifth edition of UL 1598. This edition of CSA C22.2 No. 250.0 supersedes the previous editions published in 2018, 2008, 2004 and 2000. This edition of UL 1598 supersedes the previous edition(s) published in 2018.

This harmonized standard was prepared by the Association of Standardization and Certification (ANCE), CSA Group, and Underwriters Laboratories Inc. (UL).

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

The present Mexican standard was developed by the CT 34 – Illumination from the Comité de Normalización de la Asociación de Normalización y Certificación, A.C., CONANCE, with the collaboration of the Luminaires manufacturers and users.

This Standard was reviewed by the CSA Integrated Committee on Lighting Products, under the jurisdiction of the CSA Technical Committee on Consumer and Commercial Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee. This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is to be considered a minimum quantity.

Note: Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

## Level of Harmonization

This standard is published as an equivalent standard for ANCE, CSA Group, and UL.

An equivalent standard is a standard that is substantially the same in technical content, except as follows: Technical national differences are allowed for codes and governmental regulations as well as those recognized as being in accordance with NAFTA Article 905, for example, because of fundamental climatic, geographical, technological, or infrastructural factors, scientific justification, or the level of protection that the country considers appropriate. Presentation is word for word except for editorial changes.

## Interpretations

The interpretation by the standards development organization of an identical or equivalent standard is based on the literal text to determine compliance with the standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

No Text on This Page

## 1 Scope

1.1 This Standard applies to luminaires for use in non-hazardous locations and that are intended for installation on branch circuits of 600 V nominal or less between conductors in accordance with the Canadian Electrical Code, Part I (CEC), CSA C22.1, with the U. S. National Electrical Code (NEC), ANSI/NFPA 70, and with the Mexican National Electrical Code, NOM-001-SEDE.

1.2 This Standard does not apply to luminaires covered by other standards. The luminaries not covered by this Standard include:

Amateur Movie Lights;

Aquarium Lights;

Cabinet Lights;

Decorative Lighting Strings;

Combination Fan/IR Lamps Used for Heating;

Electric Signs;

Exit Signs;

Junction Boxes for Swimming Pool Fixtures;

Lamp Adapters;

Low-Level Path Marking and Lighting Systems in the United States;

Low-Voltage Landscape Lighting as follows:

For products intended for installation in Canada, landscape lighting systems that are 30 V nominal or less; and

For products intended for installation in Mexico, low-voltage landscape lighting devices that are 24 V nominal or less.

For products intended for installation in the United States, low-voltage landscape lighting devices that are of 15 V nominal or less;

Low Voltage Lighting Fixtures for Use in Recreational Vehicles;

Low Voltage Marine Lighting;

Luminaires for Hazardous Locations;

Luminaires for Recreational Vehicles in the United States;

Marine Navigational Lights;

Marine-Type Fixtures;

Portable Electric Displays;

Portable Hand Lamps;

Portable Luminaires;