

# Light emitting diode (LED) equipment for lighting applications



# Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS  
ASSOCIATION

# ***CSA Standards Update Service***

***CAN/CSA-C22.2 No. 250.13-12***

***January 2012***

**Title:** *Light emitting diode (LED) equipment for lighting applications*

**Pagination:** **78 pages** (x preliminary and 68 text), each dated **January 2012**

To register for e-mail notification about any updates to this publication

- go on-line to **shop.csa.ca**
- click on **E-mail Services** under **MY ACCOUNT**
- click on **CSA Standards Update Service**

The **List ID** that you will need to register for updates to this publication is **2421625**.

If you require assistance, please e-mail [techsupport@csa.ca](mailto:techsupport@csa.ca) or call 416-747-2233.

Visit CSA's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

Currently in preview, click buy full version

**The Canadian Standards Association (CSA)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA's standards development by volunteering their time and skills to CSA Committee work and supporting the Association's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA's standards development activities.

The Association offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, the Association regularly and continually audits and inspects products that bear the CSA Mark.

In addition to its head office and laboratory complex in Toronto, CSA has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1971, the Association has developed the necessary expertise to meet its corporate mission: CSA is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA services, write to Canadian Standards Association  
5060 Spectrum Way, Suite 100  
Mississauga, Ontario, L4W 5N6  
Canada



Cette Norme nationale du Canada est offerte en anglais et en français.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

®Registered trade-mark of Canadian Standards Association

**The Standards Council of Canada (SCC)** is the coordinating body of the National Standards System, a coalition of independent, autonomous organizations working towards the further development and improvement of voluntary standardization in the national interest.

The principal objects of the SCC are to foster and promote voluntary standardization as a means of advancing the national economy, benefiting the health, safety, and welfare of the public, assisting and protecting the consumer, facilitating domestic and international trade, and furthering international cooperation in the field of standards.

A National Standard of Canada (NSC) is a standard prepared or reviewed by an accredited Standards Development Organization (SDO) and approved by the SCC according to the requirements of CAN-P-2. Approval does not refer to the technical content of the standard; this remains the continuing responsibility of the SDO. An NSC reflects a consensus of a number of capable individuals whose collective interests provide, to the greatest practicable extent, a balance of representation of general interests, producers, regulators, users (including consumers), and others with relevant interests, as may be appropriate to the subject in hand. It normally is a standard which is capable of making a significant and timely contribution to the national interest.

Those who have a need to apply standards are encouraged to use NSCs. These standards are subject to periodic review. Users of NSCs are cautioned to obtain the latest edition from the SDO which publishes the standard.

The responsibility for approving standards as National Standards of Canada rests with the Standards Council of Canada  
270 Albert Street, Suite 200  
Ottawa, Ontario, K1P 6N7  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Currently in preview, click buy full version

*National Standard of Canada*

**CAN/CSA-C22.2 No. 250.13-12**  
**Light emitting diode (LED) equipment**  
**for lighting applications**

*Prepared by*



**CANADIAN STANDARDS  
ASSOCIATION**

® Registered trade-mark of Canadian Standards Association

*Approved by*  
*Standards Council of Canada*



*Published in January 2012 by Canadian Standards Association*  
*A not-for-profit private sector organization*  
*5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6*  
*1-800-463-6727 • 416-747-4044*

**Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)**



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-463-6727 or 416-747-4044.

ISSN 1978-1-55491-724-2

© Canadian Standards Association — 2012

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

Technical Committee on Consumer and Commercial Products vi

Integrated Committee on Lighting Products vii

Preface x

## 1 Scope 1

## 2 Reference publications 2

## 3 Definitions 4

## 4 General requirements 6

4.1 General 6

4.2 Components 6

4.3 Units of measurement 6

## 5 Software safety function 7

## 6 Environmental locations 7

## 7 Mechanical construction 7

7.1 General 7

7.2 Metal thickness 8

7.3 Polymeric material for enclosures and electrical insulation 8

7.4 Enclosure openings 10

7.5 Conductor protection 10

7.6 Strain relief 10

7.7 Potting compound 11

## 8 Electrical construction 11

8.1 General 11

8.2 Accessibility 11

8.3 Internal wiring 12

8.4 Supply and load connections 14

8.4.1 General 14

8.4.2 Permanently-connected units 15

8.4.3 Cord-connected and direct plug-in units 19

8.4.4 Leads, terminals, and connectors for other than branch circuit connections 21

8.5 Separation of circuits 22

8.6 Insulating materials 23

8.7 Printed wiring boards 23

8.8 Electrical spacings 25

8.9 Circuit components 27

8.10 Protective devices 27

8.11 Coil insulation 28

8.11.1 General 28

8.11.2 Insulation for transformers 28

8.12 Output circuits 30

**9 Tests, procedures, and apparatus 30**

- 9.1 General 30
- 9.2 Input test 31
  - 9.2.3 LED controllers — Input test 31
- 9.3 Temperature test 32
- 9.4 Dielectric voltage withstand test 35
- 9.5 Abnormal tests 36
  - 9.5.1 General 36
  - 9.5.2 Component failure test 37
  - 9.5.3 Output loading test 37
  - 9.5.4 Output loading — Alternate method 38
- 9.6 50 W point power measurement test 38
- 9.7 Leakage current measurement test 40
- 9.8 Cord strain and push-back relief test 42
- 9.9 Security of output terminals 42
- 9.10 Insulation-piercing connection thermal cycling test 43
- 9.11 Adhesive support test 43
- 9.12 Environmental tests 44
  - 9.12.1 Humidity exposure 44
  - 9.12.2 Water exposure 44
- 9.13 Mechanical strength tests for metal enclosures 48

**10 Markings 48**

- 10.1 General 48
- 10.2 Identification and ratings 49
- 10.3 Construction-related markings 49

**Annexes**

- A** (normative) — LED controlgear 51
- B** (informative) — Manufacturing and production tests 53
- C** (normative) — Printed circuit boards (PCB) 59
- D** (informative) — Standards for components that are used in products covered by this Standard 63
- E** (informative) — Principles of electrical safety 66

**Tables**

- 1** — Polymeric enclosure requirements 9
- 2** — Dimensions of unthreaded openings for conduits and diameter of the area surrounding the opening 16
- 3** — Throat diameters for conduit openings 17
- 4** — Determination of minimum wiring compartment volume 18
- 5** — Spacing on printed wiring boards and for board mounted components 24
- 6** — Spacings at field-wiring branch circuit supply terminals 25
- 7** — Spacings other than field-wiring branch circuit supply terminals 26
- 8** — Maximum acceptable temperatures 32
- 9** — Ambient temperature test condition 33
- 10** — Dielectric voltage withstand potential 36
- 11** — Tightening torque for wire-binding screws 43
- 12** — Adhesive support oven temperature and time 44

**Figures**

- 1** — Articulate probe with web stop 13
- 2** — Connection to attachment plug 20
- 3** — Connection of wattmeter 39

- 4** — Typical leakage-current measurement circuits 41
- 5** — Measurement instrument for reaction (leakage) current 41
- 6** — Spray head piping 46
- 7** — Spray head assembly 47