




**CSA
Group**

C22.2 No. 269.4-14

Surge protective devices — Type 4 — Component assemblies



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

*C22.2 No. 269.4-14
November 2014*

Title: *Surge protective devices — Type 4 — Component assemblies*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24332-5**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at csagroup.org/legal to find out how we protect your personal information.

C22.2 No. 269.4-14
Surge protective devices — Type 4
— Component assemblies



TMA trade-mark of the Canadian Standards Association, operating as "CSA Group"

Published in November 2014 by CSA Group
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6

To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-77139-638-7

© 2014 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Industrial Products	3
Subcommittee on Surge Protective Devices	5
Preface	6
1 Scope	7
2 Reference publications	7
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	13
4 Construction	13
4.1 General	13
4.2 Enclosures	14
4.3 Overcurrent protection	14
4.4 Supplementary protectors	14
4.5 Spacings	15
4.6 Printed circuit board coatings	16
4.7 Wiring	16
4.8 Bonding	17
5 Documentation, ratings, and markings	18
6 Tests	19
6.1 General test requirements	19
6.1.4 Sample Preparation	20
6.2 Combination wave test	20
6.3 Nominal discharge current (I_n) test	21
6.4 Operating duty cycle test	22
6.5 Temperature test (two port devices or one port/multi terminal)	23
6.6 Dielectric withstand test	24
6.7 Mechanical test	25
6.8 Short circuit withstand test — For Type 4-1 and Type 4-2 two port devices	25
6.9 Overload behaviour test — For two-port devices	26
6.10 Overvoltage testing	27
6.10.1 General	27
6.10.2 Abnormal overvoltage — Short circuit current behavior test for Type 4-1 and Type 4-2 component assemblies	28
6.10.3 Abnormal overvoltage — Intermediate current behavior test	29
6.10.4 Abnormal overvoltage — Limited current behavior test	30
6.11 Accessibility test for openings in enclosures	31
6.12 Terminal voltage decay test	31
6.13 Capacitor endurance test	31
6.14 Bonding impedance test	31

6.15	Insulating material tests	32
6.16	Dielectric voltage withstand test in lieu of measuring spacings	32
6.17	Printed circuit board coating test	32
6.18	Leakage current test	33

Currently in preview, click buy full version

Technical Committee on Industrial Products

R.M. Bartholomew	Electric Power Equipment Ltd, Vancouver, British Columbia <i>Category: Producer Interest</i>	<i>Chair</i>
R.P. de Lhorbe	Schneider Electric Canada, Inc., Richmond, British Columbia <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
D.P. Badry	Government of Yukon, Whitehorse, Yukon <i>Category: Government and/or Regulatory Authority</i>	
B.M. Baldwin	Startco Engineering ULC, Saskatoon, Saskatchewan <i>Category: Producer Interest</i>	
V.V. Gagachev	Eaton, Burlington, Ontario <i>Category: Producer Interest</i>	
D.R.A. MacLeod	Department of Labour and Advanced Education, Halifax, Nova Scotia <i>Category: Government and/or Regulatory Authority</i>	
N. Mancini	Mississauga, Ontario <i>Category: General Interest</i>	
D. Mascarenhas	Brampton, Ontario <i>Category: General Interest</i>	
D.G. Morlidre	Fluor Canada Ltd., Calgary, Alberta <i>Category: General Interest</i>	
T. Olechna	Electrical Safety Authority, Mississauga, Ontario <i>Category: Government and/or Regulatory Authority</i>	
R. Pack	SaskPower, Saskatoon, Saskatchewan <i>Category: Government and/or Regulatory Authority</i>	

M. Smith	Rockwell Automation Canada Inc., Cambridge, Ontario <i>Category: Producer Interest</i>	
A.Z. Tsisserev	Applied Engineering Solutions Ltd., Vancouver, British Columbia <i>Category: General Interest</i>	
D. Stefancic	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Subcommittee on Surge Protective Devices

T.C. Hartman	ATCO Electric, Edmonton, Alberta	<i>Chair</i>
A. Haa	Quality Plus-Consulting, Brooksville, Florida, USA	<i>Vice-Chair</i>
R.P. de Lhorbe	Schneider Electric Canada, Richmond, British Columbia	
V.V. Gagachev	Eaton, Burlington, Ontario	
E. Ko	CSA Group, Toronto, Ontario	
B. McCran	Woodbridge, Ontario	
J. Moellmann	Schneider Electric USA, Salt Lake City, Utah, USA	
B.E. Rock	Hubbell Incorporated, Shelton, Connecticut, USA	
K.L. Rodel	Hubbell Canada, Pickering, Ontario	
R.J. Roeleveld	REI Limited, Cobourg, Ontario	
C. Thwaites	Mersen Canada, Mississauga, Ontario	
D. Stefanic	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the first edition of CSA C22.2 No. 269.4, *Surge protective devices — Type 4 — Component assemblies*. This Standard is one in a series of standards dealing with surge protective devices. Upon publication of the entire series, the requirements in these Standards will supersede CSA TIL I-11B on surge protection. This Standard is issued by CSA Group under Part II of the *Canadian Electrical Code*.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the Preface of CAN/CSA-C22.2 No. 0.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Surge Protection, under the jurisdiction of the Technical Committee on Industrial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction. “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa), when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of the circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

C22.2 No. 269.4-14

Surge protective devices — Type 4 — Component assemblies

1 Scope

1.1

This Standard covers component assembly surge protective devices (SPDs) consisting of two or more Type 5 components, intended for use in Type 1, 2, or 3 SPD applications.

1.2

Type 4 component assemblies are designed for repeated limiting of transient voltage surges as specified in this Standard on 50 or 60 Hz power circuits over 42 V and not exceeding 750 V.

1.3

The surge protective component used in a Type 4 component assembly may include but not be limited to metal oxide varistors (MOVs), silicon avalanche diodes (SADs), spark gaps, and gas discharge tubes (GDT).

1.4

This Standard does not apply to EMI filters which may have surge suppression characteristics as covered in CSA C22.2 No. 8.

1.5

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.

2 Reference publications

Where reference is made to a Standard, such reference shall be considered to refer to the latest available edition and any revision thereto. This Standard refers to the following such Standards and the year dates shown indicate the latest editions available at the time of printing: