



Electrical Rigid Metal Conduit — Aluminum, Red Brass, and Stainless Steel



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

**A trademark of the Canadian Standards Association, operating as “CSA Group”*

National Standard of Canada

CSA C22.2 No. 45.2:08

***Electrical Rigid Metal Conduit —
Aluminum, Red Brass, and Stainless
Steel***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group."*



ICS 29.120.10

Revision History

CSA C22.2 No. 45.2:08, Electrical Rigid Metal Conduit — Aluminum, Red Brass, and Stainless Steel — originally published October 2008

Note: For information about the **CSA Standards Update Service**, go to www.csagroup.org/store/ or e-mail techsupport@csagroup.org.

Errata — March 2021	Revision symbol (in margin)
Cover, copyright page, Preface, and Clause 5.5.2 Note: Only the revised pages have been provided.	
Update No. 2 — September 2019	Revision symbol (in margin)
Cover, copyright page, Preface, Clauses 5.6.3, 5.7.2, 6.1.1, A.1.1, and B.3, Table 5.6, Figure 2, and Annexes A and B Note: Only the revised pages have been provided.	
National Standard of Canada — December 2018	
Outside front cover, National Standard of Canada text, title page, and preface. This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.	

The following is a list of revisions, additions and deletions to CSA C22.2 No. 45.2:08:

Errata — March 2021

Currently in preview, click buy full version

Preface

This is the harmonized ANCE, CSA Group, and UL standard for electrical rigid metal conduit – aluminum, red brass, and stainless steel. It is the second edition of NMX-J-576-ANCE, the first edition of CSA C22.2 No. 45.2, and the second edition of UL 6A. This harmonized standard has been jointly revised on March 5, 2021. For this purpose, CSA Group and UL are issuing revision pages dated March 5, 2021, and ANCE is issuing a new edition dated March 5, 2021.

This harmonized standard was prepared by the Association of Standardization and Certification (ANCE), CSA Group, and Underwriters Laboratories Inc. (UL). The efforts and support of the conduit manufacturing industry and the Technical Harmonization Subcommittee for Conduit and Tubing of the Council on the Harmonization of Electrotechnical Standards of the Nations of the Americas (CANENA) are gratefully acknowledged.

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

The present Mexican standard was developed by CT Technical Committee 23 Electrical Accessories from the Comité de Normalización de la Asociación de Normalización y Certificación, A.C., CONANCE, with the collaboration of the metal conduit and tubing manufacturers and users.

This standard was reviewed by the CSA Subcommittee on Metal Conduit and Tubing, under the jurisdiction of the CSA Technical Committee on Wiring Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the CSA Technical Committee.

Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is to be considered a minimum quantity.

Note: Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

Level of harmonization

This standard uses the IEC format but is not based on, nor is it to be considered equivalent to, an IEC standard. This standard is published as an equivalent standard for ANCE, CSA Group, and UL. An equivalent standard is a standard that is substantially the same in technical content, except as follows: Technical national differences are allowed for codes and governmental regulations as well as those recognized as being in accordance with NAFTA Article 905, for example, because of fundamental climatic, geographical, technological, or infrastructural factors, scientific justification, or the level of protection that the country considers appropriate. Presentation is word for word except for editorial changes.

Reasons for differences from IEC

The Technical Harmonization Subcommittee identified several IEC standards that address electrical conduit and tubing included in the scope of this standard. The IEC standards for electrical conduit and tubing are recognized as being generally system-specific, containing the requirements for the relevant conduits and cables and associated fittings in several discrete IEC standards.

The THSC determined the safe use of electrical conduit and tubing is dependent on the design and performance of the conduit and tubing systems with which they are intended to be installed. Significant investigation is required to assess safety and system compatibility issues that may lead to harmonization

of traditional North American electrical conduit and tubing and associated fittings with those presently addressed in the known IEC standards. The THSC agreed such future investigation might be facilitated by the completion of harmonization of the North American standards for electrical conduit and tubing and their fittings.

Interpretations

The interpretation by the standards development organization of an identical or equivalent standard is based on the literal text to determine compliance with the standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.

CONTENTS

Preface	4
1 Scope	6
2 Normative references	6
3 Definitions	6
4 Units of measurement	7
5 Construction	7
5.1 Tube	7
5.2 Finished conduit	8
5.3 Protective coatings	10
5.4 Threading and chamfering	10
5.5 Nipples	11
5.6 Elbows	14
5.7 Threaded couplings	14
6 Test requirements	15
6.1 Tube	15
6.2 Protective coatings	16
7 Markings	16
.....	17
Annex A (normative)	
A1 Normative references	19
Annex B (informative)	
B1 Dimensions of conduit	20A
Annex C (informative)	
C1 Examination of finished product by manufacturer	21
Annex D (normative)	
D1 Alternative National Markings	22

Electrical Rigid Metal Conduit – Aluminum, Red Brass, and Stainless Steel

1 Scope

1.1 These requirements cover aluminum (ERMC-A) and stainless steel (ERMC-SS) electrical rigid metal conduit, nipples, elbows, and couplings in 12 – 155 (3/8 – 6) trade sizes for use as metal raceway for the installation of wires and cables in accordance with CSA C22.1, Canadian Electrical Code, Part 1, NOM-001-SEDE, Standard for Electrical Installations, and NFPA 70, National Electrical Code (see Reference Item No. 1, Annex A). It is the user's responsibility to determine the appropriate product for the application.

1.2 These requirements also cover red brass (ERMC-RB) electrical rigid metal conduit, nipples, elbows, and couplings in 16 (1/2) trade size for use as metal raceway for the installation of wires and cables in direct burial and swimming pool applications in accordance with the applicable national electrical installation codes.

1.3 Steel conduit is covered by the standards listed in Reference Item No. 2, Annex A.

2 Normative references

2.1 Products covered by this standard shall comply with the referenced installation codes and standards appropriate for the country where the product is to be used. When the product is intended for use in more than one country, the product shall comply with the installation codes and standards for all countries where it is intended to be used. A "Reference Item No." is provided at the point of use for each reference in this standard. See Annex A for a list of reference publications and the correlating list of reference item numbers to applicable country publications.

2.2 Undated references to standards shall be considered to refer to the latest edition and all revisions to that edition up to the time when this standard was approved. Dated references to standards shall be considered to refer to the dated edition and all revisions published to that edition up to the time the standard was approved.

3 Definitions

3.1 The following definitions apply in this standard.

3.2 Elbow — A manufactured curved section of conduit threaded on each end.

3.3 Electrical rigid metal conduit – aluminum (ERMC-A) — A threadable aluminum raceway of circular cross-section designed for the physical protection and routing of wire conductors and use as an equipment grounding conductor when installed utilizing appropriate fittings.

3.4 Electrical rigid metal conduit – red brass (ERMC-RB) — A threadable red brass raceway of circular cross-section designed for the physical protection and routing of wire conductors and use as an equipment grounding conductor when installed utilizing appropriate fittings.

3.5 Electrical rigid metal conduit – stainless steel (ERMC-SS) — A threadable stainless steel raceway of circular cross-section designed for the physical protection and routing of wire conductors and use as an equipment grounding conductor when installed utilizing appropriate fittings.