



**CSA
Group**

C22.2 No. 52-17

Underground secondary and service- entrance cables

Currently in preview, click buy full versi

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

***C22.2 No. 52-17
December 2017***

Title: *Underground secondary and service-entrance cables*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24250-1**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

C22.2 No. 52-17
***Underground secondary and
service-entrance cables***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in December 2017 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0707-2

© 2017 CSA Group

*All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Wiring Products	3
Subcommittee on Fixed Installation Wires and Cables	5
Preface	8
1 Scope	10
2 Reference publications	11
3 Definitions	12
4 General requirements	13
5 Construction	13
5.1 Conductors	13
5.1.1 Material	13
5.1.2 Sizes	14
5.1.3 Stranding	14
5.1.4 Joints	15
5.1.5 Separator between conductor and insulation	15
5.2 Insulation	16
5.2.1 General	16
5.2.2 Repairs	16
5.2.3 Thickness	16
5.2.4 Jacket over insulation of USEI 75 and USE 90 cable	16
5.3 Conductor colour coding	16
5.4 Insulated conductor assembly — USEI 75, USEI 90, and USEB 90 cable	17
5.5 Binder tape — USEB 90 cable	17
5.6 Jacket over uninsulated neutral conductors of USEB 90 cable	17
5.7 Covering for optional control supply conductors	17
6 Tests	17
6.1 General	17
6.2 Properties of conductors	17
6.2.1 Conductor resistance	17
6.3 Physical tests on insulation	17
6.4 Physical tests on jackets	18
6.5 Hot-creep elongation and hot-creep set	18
6.6 Cold bend test	18
6.7 Low-temperature impact test	18
6.8 Dielectric strength test	18
6.9 Spark test	19
6.10 Insulation resistance test at 75 °C and 90 °C	19
6.11 Deformation	19
6.11.1 XLPE insulation	19

6.11.2	PVC jacket on the individual conductors of USEI 75 and USEI 90 cable and over the uninsulated conductor of USEB 90 cable	20
6.12	Test for lead content of jackets of USEI 75 and USEI 90 cables	20
6.13	Flame test	20
6.13.1	Vertical flame test — FT1 (mandatory)	20
6.13.2	Vertical flame test for cables in cable tray — FT4 (optional)	20
6.14	Jacket cut-through test (USEI 75 and USEI 90 cable)	20
6.15	Weather (sunlight) resistance test	21
7	Marking	21
7.1	Marking on product	21
7.2	Marking on package	22
7.3	Month and year of manufacture	22

Technical Committee on Wiring Products

K.L. Rodel	Hubbell Canada LP, Pickering, Ontario <i>Category: Producer Interest</i>	<i>Chair</i>
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
W.J. Burr	Burr and Associates, Campbell River, British Columbia <i>Category: General Interest</i>	
C. Davis	Electro Cables Incorporated, Trenton, Ontario <i>Category: Producer Interest</i>	
S.W. Douglas	International Association of Electrical Inspectors (IAEI), Toronto, Ontario <i>Category: General Interest</i>	
D. Drysdale	Nexans Canada Inc., Milton, Ontario <i>Category: Producer Interest</i>	
R.W. Horner	Atkore International (Allied Tube & Conduit Corporation), Harvey, Illinois, USA <i>Category: Producer Interest</i>	
R.J. Kelly	Government of Nunavut-Dept of Community & Government Services, Iqaluit, Nunavut <i>Category: Regulatory Authority</i>	
G. Montrigny	Régie du bâtiment du Québec, Québec, Québec <i>Category: Regulatory Authority</i>	
T. Ciechna	Electrical Safety Authority, Mississauga, Ontario <i>Category: Regulatory Authority</i>	

T. Simmons British Columbia Institute of Technology,
Burnaby, British Columbia
Category: General Interest

A.Z. Tsisserev AES Engineering,
Vancouver, British Columbia
Category: General Interest

L. Letea CSA Group, *Project Manager*
Toronto, Ontario

Currently in preview, click buy full version

Subcommittee on Fixed Installation Wires and Cables

M. Hartley	Toronto, Ontario	<i>Chair</i>
C.K. Hunter	Cerro Wire LLC, Las Vegas, Nevada, USA	<i>Vice-Chair</i>
E. Aberbach	General Cable Industries, Inc., Willimantic, Connecticut, USA	
H. Aitken	Nexans Canada Inc., Fergus, Ontario	
D. Armstrong	Northern Cables Inc., Brockville, Ontario	
D.M. Campbell	AFC Cable Systems, Inc., New Bedford, Massachusetts, USA	
E. Cometa	CSA Group, Toronto, Ontario	
W.F. Constantine	Draka Cabletel USA North Dighton, Massachusetts, USA	
J. Crossman	Domtec Inc., Trumbull, Ontario	
A. Dabulla	RSCC Wire & Cable LLC, East Granby, Connecticut, USA	
D. Drysdale	Nexans Canada Inc., Milton, Ontario	
J. Ferguson	Shawflex A Division of ShawCor Ltd., Toronto, Ontario	
D. Harris	Northern Cables Inc., Brockville, Ontario	

S.P. Hawkins	Deca Cables Inc., Trenton, Ontario
E.M. Jaimes	Nexans Colombia, Bucaramanga, , Colombia
D. Jenne	SACO AEI Polymers, Inc, Sheboygan, Wisconsin, USA
J. Johnson	Electro Cables Incorporated, Trenton, Ontario
T.A. Jones	Nexans Canada Inc., Markham, Ontario
R. Kummer	Southwire Company, Carrollton, Georgia, USA
P.M. Leblanc	General Cable Industries, Inc., Highland Heights, Kentucky, USA
M. Lem	General Cable Canada Ltd., Brampton, Ontario
C. Lemay	Prysmian Power Cables and Systems Canada Ltd., St-Jean-Sur-Richelieu, Québec
S.J. Luck	PCL Industrial Management Inc., Edmonton, Alberta
K.M. Nuckles	Southwire Company, Carrollton, Georgia, USA
G. Passler	Shawflex A Division of ShawCor Ltd., Toronto, Ontario
J. Prema	Brampton, Ontario
W. Prema	Cables PTI Cables Inc., Pointe Claire, Québec
V. Rowe	Marex Canada Limited, Nanaimo, British Columbia

T. Rudd	Shawflex A Division of ShawCor Ltd., Toronto, Ontario	
C. Rueck	Southwire Canada, Burnaby, British Columbia	
S. Sahota	Prysmian Power Cables and Systems Canada Ltd., Johnstown, Ontario	
J. Singh	Domtech Inc., Trenton, Ontario	
M. Sparano	Gendon Polymer Services Inc., Bolton, Ontario	
S.L. Stene	UL LLC, San Jose, California, USA	
G.A. Straniero	AFC Cable Systems, Inc., Freehold, New Jersey, USA	
A.Z. Tsisserev	AES Engineering, Vancouver, British Columbia	
D. Verhage	Domtech Inc., Trenton, Ontario	
J. Weitzel	General Cable Corp, Highland Heights, Kentucky, USA	
C.D. White	Southwire Co., Carrollton, Georgia, USA	
E.H. Wiebe	Innovative Solutions Engineering Inc., Winnipeg, Manitoba	
A. Popa	CSA Group, Toronto, Ontario	<i>Project Manager</i>

Preface

This is the eighth edition of CSA C22.2 No. 52, *Underground secondary and service-entrance cables*, one of a series of Standards issued by CSA Group under the *Canadian Electrical Code, Part II*. It supersedes the previous editions, published in 2015 under the same title, and in 2009, 1996, 1989, 1970, 1955, and 1941 under the title *Underground service-entrance cables*.

This new edition of the Standard includes

- a) changes in the colour coding clause;
- b) changes to testing procedures from CSA C22.2 No 0.3 to CSA C22.2 No 2556;
- c) updates to the “jacket cut-through test”;
- d) changes to improve clarity in Table 12; and
- e) adding a missing value for 6 AWG cable in Table 15.

This Standard specifies requirements for 600-volt-class copper and aluminum conductor underground secondary and service-entrance cables.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the Preface of CAN/CSA-C22.2 No. 0.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA’s procedures for interpretation shall be followed to determine the intended safety principle”.

This Standard was prepared by the Subcommittee on Fixed Installation Wires and Cables, under the jurisdiction of the Technical Committee on Wiring Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:*
- a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

C22.2 No. 52-17

Underground secondary and service-entrance cables

1 Scope

1.1

This Standard specifies requirements for copper and aluminum conductor secondary and service-entrance cables intended for use on systems having a nominal voltage of 600 V or less in underground installation

- a) by direct burial; or
- b) in duct systems.

This Standard also applies to multiple-conductor cable assemblies.

The products specified in this Standard are designed to be installed in accordance with the rules of the *Canadian Electrical Code, Part I*.

Note: *Portions of the cable covered by this Standard will be exposed to sunlight on terminal poles and during storage.*

1.2

This Standard applies to cable with

- a) a maximum allowable conductor temperature of
 - i) 75 °C; or
 - ii) 90 °C; and
- b) cold impact and cold bend ratings of –40 °C.

1.3

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.