



**CSA  
Group**

**C22.2 No. 56-13**

# **Flexible metal conduit and liquid-tight flexible metal conduit**

Currently in preview, click buy full versi

# Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by license or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***C22.2 No. 56-13  
December 2013***

**Title:** *Flexible metal conduit and liquid-tight flexible metal conduit*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **242275**

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [csagroup.org/legal](http://csagroup.org/legal) to find out how we protect your personal information.

*C22.2 No. 56-13*  
***Flexible metal conduit and liquid-tight flexible metal conduit***



*™A trade-mark of the Canadian Standards Association, operating as "CSA Group"*

*Published in December 2013 by CSA Group  
A not-for-profit private sector organization  
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6*

*To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-77139-348-5*

*© 2013 CSA Group*

*All rights reserved. No part of this publication may be reproduced to any form whatsoever without the prior permission of the publisher.*

# Contents

Technical Committee on Wiring Products	3
Subcommittee on Metal Conduit and Tubing	5
Preface	6
<b>1 Scope</b>	<b>7</b>
<b>2 Reference publications</b>	<b>7</b>
<b>3 Definitions</b>	<b>8</b>
<b>4 General requirements</b>	<b>8</b>
<b>5 Construction</b>	<b>8</b>
5.1 Strip	8
5.1.1 Material	8
5.1.2 Thickness	9
5.1.3 Splices	9
5.2 Conduit	9
5.2.1 Interior surface	9
5.2.2 Internal diameter	9
5.2.3 External diameter	9
5.3 Thermoplastic jacket on liquid-tight flexible metal conduit	9
5.3.1 Material	9
5.3.2 Thickness	9
5.3.3 Diameter over jacket	9
<b>6 Marking</b>	<b>10</b>
6.1 Marking on conduits	10
6.1.1 Manufacturer's identification	10
6.1.2 Aluminum conduit	11
6.1.3 Letters and symbols	10
6.1.4 Type designation	10
6.1.5 Temperature rating	10
6.1.6 Low temperature rating	10
6.1.7 Flame test marking	10
6.1.8 Oil immersion test marking	10
6.1.9 Marking method and interval	11
6.1.10 Direct burial stiffness test marking	11
6.2 Marking on coils, reels, or cartons	11
<b>7 Tests</b>	<b>11</b>
7.1 Thermoplastic jacket on liquid-tight flexible metal conduit	11
7.1.1 Physical properties	11
7.1.2 Deformation test	11
7.2 Finished conduit	12

---

7.2.1	Tension	12
7.2.2	Protective coating on steel conduit	13
7.2.3	Flexibility — Flexible metal conduit	13
7.2.4	Flexibility — Liquid-tight flexible metal conduit	13
7.2.5	Flame tests	13
7.2.6	Cold impact test — Liquid-tight flexible metal conduit	14
7.2.7	Pinhole test — Liquid-tight flexible metal conduit	15
7.2.8	Compatibility with connectors	15
7.2.9	Direct burial stiffness — Liquid-tight flexible metal conduit	15

---

# Technical Committee on Wiring Products

<b>K.L. Rodel</b>	Hubbell Canada LP, Pickering, Ontario <i>Representing Producer Interest</i>	<i>Chair</i>
<b>P. Desilets</b>	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec <i>Representing Producer Interest</i>	<i>Vice-Chair</i>
<b>W.J. Bryans</b>	Electro-Federation Canada, Toronto, Ontario	<i>Associate</i>
<b>W.J. Burr</b>	Burr and Associates, Campbell River, British Columbia	<i>Associate</i>
<b>C. Davis</b>	Electro Cables Incorporated, Trenton, Ontario <i>Representing Producer Interest</i>	
<b>S.W. Douglas</b>	International Association of Electrical Inspectors, Toronto, Ontario <i>Representing General Interest</i>	
<b>D. Drysdale</b>	Nexans Canada Inc. Milton, Ontario <i>Representing Producer Interest</i>	
<b>S.P. Hawkins</b>	Shawflex Division of ShawCor Ltd., Toronto, Ontario	<i>Associate</i>
<b>R.J. Kelly</b>	Government of Nunavut-Dept of Community & Government Services, Iqaluit, Nunavut <i>Representing Government and/or Regulatory Authority</i>	
<b>A. Milne</b>	21st Olympiad Sales, Burlington, Ontario	<i>Associate</i>
<b>G. Montminy</b>	Régie du bâtiment du Québec, Québec, Québec <i>Representing Government and/or Regulatory Authority</i>	

<b>B.F. O'Connell</b>	Pentair Thermal Management Canada Ltd, Trenton, Ontario <i>Representing Producer Interest</i>	
<b>T. Olechna</b>	Electrical Safety Authority, Mississauga, Ontario <i>Representing Government and/or Regulatory Authority</i>	
<b>C. Samuels</b>	ConocoPhillips Canada, Calgary, Alberta <i>Representing General Interest</i>	
<b>M.K. Shea</b>	City of Victoria, Victoria, British Columbia <i>Representing Government and/or Regulatory Authority</i>	
<b>T. Simmons</b>	British Columbia Institute of Technology, Burnaby, British Columbia <i>Representing General Interest</i>	
<b>J.T. Smith</b>	IlSCO of Canada Limited, Mississauga, Ontario	<i>Associate</i>
<b>E. Thompson</b>	Atkore International (Allied Tube & Conduit Corporation), Harvey, Illinois, USA	<i>Associate</i>
<b>A.Z. Tsisserev</b>	Stantec Consulting Ltd, Vancouver, British Columbia <i>Representing General Interest</i>	
<b>J. Turner</b>	Wansea Consulting, Toronto, Ontario	<i>Associate</i>
<b>L. Letea</b>	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

## Subcommittee on Metal Conduit and Tubing

<b>E. Thompson</b>	Atkore International (Allied Tube & Conduit Corporation), Harvey, Illinois, USA	<i>Chair</i>
<b>J. Austin</b>	Cable Management Products Ltd. A Thomas & Betts Company, Coleshill, , United Kingdom	
<b>C.W. Beile</b>	Allied Tube and Conduit Corporation, Wheaton, Illinois, USA	
<b>C. Doan</b>	Columbia-MBF, Mississauga, Ontario	
<b>J.J. Dodds</b>	Robroy Industries, Inc., Verona, Pennsylvania, USA	
<b>J.C. Einarson</b>	Whitehorse, Yukon	
<b>D.A. Gerstetter</b>	Underwriters Laboratories Inc., Northbrook, Illinois, USA	
<b>K. Kapadia</b>	Conduit Pipe Products Co., West Jefferson, Ohio, USA	
<b>R. Kummer</b>	Southwire Company, Carrollton, Georgia, USA	
<b>P.E. Léger</b>	Amamet Canada Inc., Frankford, Ontario	
<b>G.A. Straniero</b>	AFC Cable Systems, Inc., Freehold, New Jersey, USA	
<b>D. Tenos</b>	Columbex Inc., Longueuil, Québec	
<b>L. Letea</b>	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

# Preface

This is the sixth edition of CSA C22.2 No. 56, *Flexible metal conduit and association liquid-tight flexible metal conduit*, one of a series of Standards issued by CSA Group under the *Canadian Electrical Code, Part II*. It supersedes the previous editions published in 2004, 1977, 1961, 1954, and 1938.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Integrated Committee on Cable Management (ICCM02), under the jurisdiction of the Technical Committee on Wiring Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

**Interpretations:** The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA's procedures for interpretation shall be followed to determine the intended safety principle.”

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement.” Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

- 5) *This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at [www.csa.ca](http://www.csa.ca).*

# C22.2 No. 56-13

## ***Flexible metal conduit and liquid-tight flexible metal conduit***

### **1 Scope**

#### **1.1**

This Standard applies to flexible metal conduit and liquid-tight flexible metal conduit, trade sizes 12 (3/8) to 103 (4), excluding 14 (7/16), intended for use as a metal raceway for the installation of conductors in accordance with the *Canadian Electrical Code, Part I*. In addition, this Standard applies to special purpose flexible metal conduit, trade sizes 10 (5/16) and 14 (7/16), intended for other applications requiring the conductors to be enclosed in a flexible metal raceway.

#### **1.2**

Liquid-tight flexible metal conduit covered by this Standard is provided with an overall thermoplastic jacket that is recognized for use at a maximum temperature of 60 °C, 75 °C, or 105 °C.

**Note:** For conduit sizes in this Standard, the metric trade designator is given first, with the trade size in inches following in parentheses.

#### **1.3**

The values given in SI (metric) units are the standard. The values given in parentheses are for information only.

#### **1.4**

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.

### **2 Reference publications**

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.