



**CSA
Group**

C282-15

Emergency electrical power supply for buildings

Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

C282-15

March 2015

Title: *Emergency electrical power supply for buildings*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24235-5**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

C282-15
***Emergency electrical power supply
for buildings***



TMA trade-mark of the Canadian Standards Association, operating as "CSA Group"

*Published in March 2015 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-77139-856-5

© 2015 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Emergency Electrical Power Supply for Buildings	4
Preface	8
1 Scope	10
2 Reference publications	11
3 Definitions	12
4 General requirements	15
5 Emergency electrical power supply system	15
6 Emergency electrical power supply plant	16
6.1 General	16
6.1.1 Engine generator set	16
6.1.2 Cooling systems	17
6.2 Location	17
6.3 Voltage	18
6.4 Power supply performance	18
6.5 Layout and working space	19
6.5.1 Clearances	19
6.5.2 Multiple generator sets	20
6.5.3 Security	20
6.6 Vibration	20
6.7 Ventilation	20
6.8 Temperature	20
6.9 More than one emergency electrical power supply	21
6.9.1 General	21
6.9.2 Multiple buildings	21
6.10 Acceptance of the emergency electrical power supply installation	21
6.11 Emergency lighting	22
6.12 Control sequence	22
6.13 Noise control	23
6.14 Pre-transfer elevator control sequence	23
6.15 Load testing provisions	23
7 Generator set	24
7.1 Output power and frequency	24
7.1.1 Brake horsepower	24
7.1.2 Standard reference conditions	24
7.1.3 Derating	24
7.1.4 Generator set power rating	25
7.2 Exhaust	25
7.3 Fuel supply	26
7.3.1 Minimum quantity	26

7.3.2	Health care facilities	26
7.3.3	Off-site fuel supply	26
7.3.4	Combined on-site and off-site fuel supply	26
7.3.5	Fuel quality	26
7.3.6	Fuel temperature	26
7.3.7	Off-site natural gas	26
7.3.8	On-site fuel storage	27
7.3.9	Fire protection of fuel supply components	28
7.3.10	Exclusive use of fuel	28
7.3.11	Protection of fuel supply lines	28
7.4	Control panel	28
7.5	Cranking cycle	29
7.6	Power for starting	30
7.6.1	Storage batteries	30
7.6.2	Compressed air	30
8	Generators, exciters, and voltage regulators	31
8.1	General	31
8.2	Generator performance	31
8.3	Generator construction	31
8.4	Exciters	31
8.5	Automatic voltage regulators	31
8.6	Voltage buildup	31
8.7	Overcurrent devices	31
8.8	Generator controls	32
9	Transfer switches	33
9.1	General	33
9.2	Phase rotation	33
9.3	Electrical characteristics	33
9.4	Automatic transfer requirement	34
9.5	Manual bypass switch	34
10	Initial installation performance tests	35
10.1	General	35
10.2	Operational test	35
10.3	Maximum site design load test	36
10.3.1	Load test	36
10.3.2	Load type and power factor	36
10.3.3	Test initiation	36
10.3.4	Test records	36
10.3.5	Health care facilities	36
10.4	Cycle crank test	37
10.5	Safety shutdown and alarms	37
10.6	Ventilation	37
10.7	Operator training	37
10.8	Oil analysis	37
11	Operation and maintenance program	38

11.1	General	38
11.1.1	Operation and maintenance	38
11.1.2	Inspection, testing, and maintenance log	38
11.2	Instructions, tools, and spare parts	38
11.2.1	Manual of operating and maintenance instructions	38
11.2.2	Tools	38
11.3	Annual test	39
11.4	Periodic operational tests	39
11.5	Maintenance	39
11.5.1	General	39
11.5.2	Frequency of procedures	39
11.5.3	Records	39
11.5.4	Safety	39
11.5.5	Visual inspection of fuel (clear and bright test)	40

Annex A (informative)	— Recommendations on emergency electrical power for life-support equipment	47
Annex B (informative)	— Commentary	48
Annex C (informative)	— High-speed transfer of loads	58
Annex D (informative)	— Use of emergency electrical power supply equipment for purposes beyond emergency situations	59
Annex E (informative)	— Use of standby electrical power supply equipment for powering non-life safety loads	61
Annex F (informative)	— Guidelines for selection of generator set battery charger	62

Technical Committee on Emergency Electrical Power Supply for Buildings

R.B. Buckler	ASCO Power Technologies Canada, Brantford, Ontario <i>Category: Producer Interest</i>	<i>Chair</i>
K.W. Blazey	Total Power Limited, Mississauga, Ontario <i>Category: User Interest</i>	<i>Vice-Chair</i>
R. Mons	H. H. Angus & Associates Ltd, Toronto, Ontario <i>Category: General Interest</i>	<i>Vice-Chair</i>
N. Antonios	Toromont — Caterpillar A Division of Toromont Industries Ltd., Brampton, Ontario <i>Category: Producer Interest</i>	
S. Aspinwall	Smith + Andersen, Toronto, Ontario <i>Category: General Interest</i>	
M. Baker	The City of Calgary, Calgary, Alberta <i>Category: Regulatory Authority</i>	
W. Balshe	Cummins Power Generation, Minneapolis, Minnesota, USA	<i>Associate</i>
F. Carou	City of Toronto, Toronto, Ontario	<i>Associate</i>
N.J. Carter	H. H. Angus & Associates Ltd, Toronto, Ontario	<i>Associate</i>
S. Clarke	Ministry of Agriculture, Food and Rural Affairs, Kemptville, Ontario	<i>Associate</i>
D. Cote	Public Works & Government Services Canada, Ottawa, Ontario <i>Category: User Interest</i>	

R. Faguy	Le Groupe Roger Faguy Inc., Terrebonne, Québec	<i>Associate</i>
B.W. Ferris	Bell Real Estate Services, Mississauga, Ontario <i>Category: User Interest</i>	
R. Florio	Pentair Thermal Management, Woodbridge, Ontario <i>Category: User Interest</i>	
C. Gagne	Genrep Ltd/Ltée, Laval, Québec	<i>Associate</i>
K. Gogna	City of Toronto, Toronto, Ontario <i>Category: Regulatory Authority</i>	
D.R. Gougeon	Genrep Ltd/Ltée, Laval, Québec <i>Category: Producer Interest</i>	
G. Hughes	University of New Brunswick Department of Health, Fredericton, New Brunswick <i>Category: Regulatory Authority</i>	
G. Ianiro	Cummins Eastern Canada LP, Mississauga, Ontario <i>Category: Producer Interest</i>	
R.J. Kelly	Government of Nunavut — Department of Community & Government Services, Inuvialuit, Nunavut <i>Category: Regulatory Authority</i>	
G. Lavoie	Generatrice Drummond/Wajax Systèmes de Puissance, St-Germain de Grantham, Québec <i>Category: Producer Interest</i>	
G.V. Logan	Emergency Energy Products Ltd, Brampton, Ontario	<i>Associate</i>
K.W. MacMillan	Toronto Fire Services, Toronto, Ontario	

D.A. Mitchell	Stanex Inc, Ville St-Laurent, Québec	<i>Associate</i>
J. Roop	Thomson Power Systems, Langley, British Columbia <i>Category: General Interest</i>	
M. Rosen	Health Sciences Centre, Winnipeg, Manitoba <i>Category: User Interest</i>	
K. Roskam	Mississauga Fire and Emergency Services, Mississauga, Ontario <i>Category: Regulatory Authority</i>	
T. Short	Enbridge Gas Distribution Inc, Toronto, Ontario	<i>Associate</i>
G. Snyder	JTL Engineering Corp, Stony Plain, Alberta	<i>Associate</i>
B. Steeves	Vancouver Coastal Health Vancouver Acute, Vancouver, British Columbia <i>Category: General Interest</i>	
B. Sudic	CIMA, Vaughan, Ontario	<i>Associate</i>
J.A. Sutherland	JA Sutherland Consulting Services, Orleans, Ontario	<i>Associate</i>
A.Z. Tsisserev	Applied Engineering Solutions Ltd., Vancouver, British Columbia <i>Category: General Interest</i>	
M. Wahban	Caterpillar Canada, Oakville, Ontario	<i>Associate</i>
D. Walkent	FuelPure Canada Ltd, New Dundee, Ontario	<i>Associate</i>
C.J. Workman	Eaton Industries (Canada) Company, Burlington, Ontario	<i>Associate</i>

T. Joseph	CSA Group, Mississauga, Ontario	<i>Project Manager</i>
J. Vulovic	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the sixth edition of CSA C282, *Emergency electrical power supply for buildings*. It supersedes the previous editions published in 2009, 2005, 2000, 1989, and 1977.

The main changes from the previous edition are as follows:

- a) addition of a note to Clause 1.1 to provide clarification for electrical power supply systems designed and installed to operate for purposes other than those specified in the Scope of this Standard.
- b) definitions have been added and revised (see Clause 3);
- c) rating requirements have been revised (see Clause 5.2);
- d) the minimum engine generator set full-load rating has been revised for Class A or Class B HCF and Class C HCF and non HCF buildings (see Clause 6.1.1.2);
- e) cooling system requirements have been revised (see Clause 6.1.2);
- f) the location of the emergency electrical supply has been clarified (see Clause 6.2.1);
- g) generator layout and working space have been clarified (see Clause 6.5);
- h) provisions for load testing have been added (see Clause 6.15);
- i) the LTP term for maximum power rating of generator set has been replaced (see Clause 7);
- j) pollution compliance requirements for exhaust gases of generator sets have been clarified (see Clause 7.2.1);
- k) fuel supply and storage requirements have been clarified (see Clause 7.3);
- l) the power for starting and storage batteries capacity has been clarified (see Clause 7.6);
- m) requirements for overcurrent devices have been clarified (see Clause 8.7);
- n) requirements for automatic transfer of supply power have been clarified (see Clause 9.4);
- o) requirements for manual bypass switch have been clarified (see Clause 9.5)
- p) annual testing requirements have been clarified (see Clause 11.3);
- q) inspection requirements for different battery types clarified (see Table 2);
- r) inspection requirements for all electrical components and battery charger current output have been added (see Table 3);
- s) inspection requirements for overcurrent protective devices have been revised (see Table 5);
- t) requirements for infrared thermal imaging assessment have been clarified (see Table 6);
- u) guidelines for appropriate minimum full load rating and sizing of generator sets have been clarified (see Clause B.3);
- v) additional guidelines for location of generator sets in areas that might be susceptible to flooding have been revised (see Clause B.5);
- w) guidelines for location of electrical connections within the emergency power distribution system for fuel transfer pumps and other auxiliary equipment essential for reliable operation of the emergency power system have been revised (see Clause B.16);
- x) guidelines for the use of electrical power supply equipment for powering non-life safety loads have been added (see Annex E); and
- y) guidelines for selection of generator set battery charger have been added (see Annex F).

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Technical Committee on Emergency Electrical Power Supply for

Buildings, under the jurisdiction of the Strategic Steering Committee on Fuel-Burning Equipment, and has been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

C282-15

Emergency electrical power supply for buildings

1 Scope

1.1

This Standard applies to the design, installation, operation, maintenance, and testing of emergency generators and associated equipment for providing an emergency electrical power supply to electrical loads

- a) in buildings and facilities when the normal power supply fails and an emergency electrical power supply is required by the *National Building Code of Canada (NBCC)*; and
- b) of essential electrical systems, where emergency generators are intended for use in health care facilities (HCFs) in accordance with Clause 6 of CSA Z32.

Notes:

- 1) *For guidelines on emergency electrical power supply for life-support equipment, see Annex A.*
- 2) *In this Standard, the term “building” also includes facilities.*
- 3) *Normative provisions of this Standard are not limited to the installations where an emergency generator is used as the NBCC required emergency power supply source to the “life safety equipment”.*
- 4) *For guidelines on the use of emergency electrical power supply equipment for purposes beyond the provisions of Clause 1.1, see Annex D.*
- 5) *It is intended by the scope of this Standard that equipment other than “life safety equipment” could be connected to the emergency generator (see Clause 6.4.1).*
- 6) *For electrical power supply systems designed and installed to operate for purposes other than those specified in Clauses 1.1, the electrical power supply system should meet the requirements of this Standard, where practical, and in conjunction with the guidelines of Annex E of this Standard.*

1.2

This Standard does not cover

- a) any emergency electrical power supply provided from storage batteries or other sources of uninterrupted power supply (UPS); and
- b) design and construction of unit equipment for emergency lighting that complies with CSA C22.2 No. 141.

1.3

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.