

Composite suspension insulators for overhead lines > 75 kV



Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's and/or others' intellectual property and may give rise to a right in CSA and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS
ASSOCIATION

CSA Standards Update Service

C411.4-10

August 2010

Title: *Composite suspension insulators for overhead lines > 75 kV*

Pagination: **51 pages** (viii preliminary and 43 text), each dated **August 2010**

To register for e-mail notification about any updates to this publication

- go to **www.ShopCSA.ca**
- click on **E-mail Services** under **MY ACCOUNT**
- click on **CSA Standards Update Service**

The **List ID** that you will need to register for updates to this publication is **2420737**.

If you require assistance, please e-mail techsupport@csa.ca or call 416-747-2233.

Visit CSA's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Currently in preview, click buy full version

CSA Standard

C411.4-10

***Composite suspension insulators for
overhead lines > 75 kV***



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in August 2010 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.ShopCSA.ca



The Canadian Standards Association (CSA) prints its publications on Rolland Enviro100, which contains 100% recycled post-consumer fibre, is EcoLogo and Processed Chlorine Free certified, and was manufactured using biogas energy.

To purchase CSA Standards and related publications, visit CSA's Online Store at www.ShopCSA.ca or call toll free 1-800-463-6727 or 416-747-4044.

ISSN 1978-1-55491-496-8

Technical Editor: John O'Neill

© Canadian Standards Association — 2010

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Insulators *vi*

Preface *viii*

1 Scope 1

2 Reference publications 1

3 Definitions 3

4 General requirements 4

- 4.1 Design 4
- 4.2 Standardized coding of characteristics 4
- 4.3 Electrical and mechanical characteristics 5
- 4.4 Dimensions of end fittings 5
- 4.5 Marking 5
- 4.6 Service conditions 5
- 4.7 Dimensional variations 5
- 4.8 Quality management system 5

5 Design tests 5

- 5.1 General 5
- 5.2 Tests of core material 5
 - 5.2.1 General 5
 - 5.2.2 Dye penetration test 6
 - 5.2.3 Water diffusion test 6
- 5.3 Water penetration test 7
 - 5.3.1 Test specimens 7
 - 5.3.2 Test procedure 7
 - 5.3.3 Test evaluation 7
- 5.4 Accelerated weathering test 8
 - 5.4.1 Test specimens 8
 - 5.4.2 Test procedure 8
 - 5.4.3 Test evaluation 8
- 5.5 Tracking and erosion test 8
 - 5.5.1 Test specimens 8
 - 5.5.2 Test transformer 8
 - 5.5.3 Test procedure 8
 - 5.5.4 Test evaluation 8
- 5.6 Tensile load test 9
 - 5.6.1 Test specimens 9
 - 5.6.2 Test procedure 9
 - 5.6.3 Test evaluation 9
- 5.7 Thermal-mechanical test 9
 - 5.7.1 Test specimens 9
 - 5.7.2 Test procedure 9
 - 5.7.3 Test evaluation 10
- 5.8 Assembled core load-time test 10
 - 5.8.1 Test specimens 10
 - 5.8.2 Mechanical load test 10
- 5.9 Mechanical load-time test 11

- 5.9.1 Test specimen 11
- 5.9.2 Test procedure 11
- 5.9.3 Test evaluation 12
- 5.10 Flammability test 12
- 5.10.1 General 12
- 5.10.2 Acceptance criteria 12

6 Type tests 12

- 6.1 General 12
- 6.2 Critical impulse flashover test 12
- 6.3 Wet power frequency voltage flashover test 12
- 6.4 Corona test 13
- 6.4.1 General 13
- 6.4.2 Test arrangement 13
- 6.4.3 Corona test procedure 13
- 6.4.4 Corona test 14
- 6.4.5 Acceptance criteria 15

7 Sample tests 15

- 7.1 General 15
- 7.2 Lot and sample size 15
- 7.3 Socket cotter key operation 15
- 7.4 Visual inspection and verification of dimensions 15
- 7.5 SML verification 15
- 7.6 Galvanizing test 15
- 7.7 Dye penetration test 16
- 7.8 Retesting procedure 16

8 Routine tests 16

- 8.1 General 16
- 8.2 Visual examination 16
- 8.3 Mechanical routine test 16

9 Packaging 16

Annexes

- A** (normative) — Tracking wheel no. 1 25
- B** (normative) — Tracking wheel no. 2 26
- C** (informative) — Corona testing of insulators 28
- D** (informative) — Example design test report format: Composite suspension composite insulator 30
- E** (informative) — Example of type test report: Composite suspension insulator 37
- F** (informative) — Example sample/routine test report: Composite suspension insulator 40

Tables

- 1** — Schedule for retesting of insulators with design changes 17
 - 2** — Suspension composite insulator code 18
 - 3** — Electrical characteristics 19
 - 4** — Mechanical characteristics 20
-

Figures

- 1** — Dimensions of end fittings for composite insulators 21
- 2** — Example of boiling container for water diffusion test 22
- 3** — Electrodes for the voltage test 23

- 4** — Thermal test cycle 23
- 5** — Corona test 24

Currently in preview, click buy full version

Technical Committee on Insulators

G. Watt	Hydro One Networks Inc., Toronto, Ontario	<i>Chair</i>
R.A. Bernstorff	Hubbell/The Ohio Brass Company, Wadsworth, Ohio, USA	
S. Canuel	Hydro-Québec Distribution, Montréal, Québec	
T. Carreira	K-Line Insulators Limited, Toronto, Ontario	
E. Del Bello	Seves Canada Inc., Saint-Laurent, Québec	
K. Dostie	BC Hydro, Burnaby, British Columbia	<i>Associate</i>
J. Duxbury	Surrey, British Columbia	
E.P. Gnandt	T&D High Voltage Consulting Ltd., White Rock, British Columbia	
R. Hill	MacLean Power Systems, Bitely, Michigan, USA	
K. Jansa	Canadian Electricity Association, Ottawa, Ontario	<i>Associate</i>
H. Khalil	British Columbia Transmission Corporation, Vancouver, British Columbia	
J. Kuffel	Kinectrics Inc., Toronto, Ontario	
Z. Lodi	Seves Canada Inc., San Francisco, California, USA	<i>Associate</i>
S. Marra	K-Line Insulators Limited, Toronto, Ontario	<i>Associate</i>
R. Martin	Brossard, Québec	
H. Navis	FortisAlberta, Airdrie, Alberta	
C. Ng	Manitoba Hydro, Winnipeg, Manitoba	
P. Pelkey	NB Power Transmission Corporation, Fredericton, New Brunswick	

A.E. Schwalm	Victor Insulators Inc., Victor, New York, USA	
R. Tanii	NGK Insulators of Canada Limited, Mississauga, Ontario	
V.L. Vo Van	Hydro-Québec TransÉnergie, Montréal, Québec	
E.H. Wiebe	Manitoba Hydro, Winnipeg, Manitoba	
J.K. O'Neill	Canadian Standards Association, Mississauga, Ontario	<i>Project Manager</i>

In addition to the members of the Technical Committee on Insulators, the following people made a valuable contribution to the development of this Standard:

J. Burnham	NGK-Locke, Inc., Virginia Beach, Virginia, USA	
T. Murase	NGK-Locke, Inc., Virginia Beach, Virginia, USA	
J. Okawa	NGK-Locke Polymer Insulators Inc., Virginia Beach, Virginia, USA	
N. Taruya	NGK Insulators of Canada Limited, Mississauga, Ontario	

Preface

This is the second edition of CSA C411.4, *Composite suspension insulators for overhead lines > 75 kV*. It supersedes the previous edition, published in 1998 under the title *Composite Suspension Insulators for Transmission Applications*.

Significant changes in this edition include

- (a) the addition of a flammability test;
- (b) revisions to the critical impulse flashover test;
- (c) revisions to the wet power frequency voltage flashover test; and
- (d) an updated mechanical load-time test.

This Standard has also been updated to reflect current industry practice and to make reference to international standards where applicable.

This Standard is one of the CSA C411 series of Standards covering insulators. The other Standards in the series are

- (a) CSA C411.1-10, *AC suspension insulators*;
- (b) CSA C411.5-10, *Dead-end/suspension composite insulators for overhead lines ≤ 75 kV*;
- (c) CSA C411.6, *Line post composite insulators for overhead distribution lines* (under development); and
- (d) CSA C411.7, *Composite insulators for guy wires* (under development).

This Standard is based on the requirements of IEC 61109:2008, *Insulators for overhead lines — Composite suspension and tension insulators for a.c. systems with a nominal voltage greater than 1 000 V — Definitions, test methods and acceptance criteria*.

In addition, this Standard includes physical, electrical, and mechanical characteristics, and end fitting types and dimensions according to the insulator types in CSA C411.1, in order to provide a complete insulator specification.

This Standard was prepared by the Technical Committee on Insulators, under the jurisdiction of the Strategic Steering Committee on Power Engineering and Electromagnetic Compatibility, and has been formally approved by the Technical Committee. This Standard will be submitted to the Standards Council of Canada for approval as a National Standard of Canada.

August 2010

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation should
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA’s periodical Info Update, which is available on the CSA Web site at www.csa.ca.

C411.4-10

Composite suspension insulators for overhead lines > 75 kV

1 Scope

1.1

This Standard applies to suspension and dead-end composite insulators used on ac overhead transmission lines with a nominal voltage greater than 75 kV and a frequency not greater than 100 Hz.

1.2

The objectives of this Standard are to

- (a) specify insulator characteristics (mechanical, electrical, and dimensional) and prescribe the conditions under which these characteristics are to be verified;
- (b) specify test methods; and
- (c) specify acceptance criteria.

1.3

In CSA standards, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

CSA (Canadian Standards Association)

C411.1-10

AC suspension insulators

CAN/CSA-G164-M92 (withdrawn)

Hot dip galvanizing of irregularly shaped articles

CAN/CSA-ISO 9001-08

Quality management systems — Requirements

ASTM International (American Society for Testing and Materials)

Annual Book of ASTM Standards, Volume 11.01 — Water