

# Ideal state benchmarking and application of benchmark energy factor for data centres



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***CSA C510:21***

***June 2021***

**Title:** *Ideal state benchmarking and application of benchmark energy factor for data centres*

To register for e-mail notification about any updates to this publication

- go to [www.csagroup.org/store/](http://www.csagroup.org/store/)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24289-01**

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as “CSA Group”)**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



La norme nationale du Canada n'est disponible qu'en anglais.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*\*A trademark of the Canadian Standards Association, operating as “CSA Group”*

*National Standard of Canada*

*CSA C510:21*

***Ideal state benchmarking and  
application of benchmark energy  
factor for data centres***



*®A trademark of the Canadian Standards Association,  
operating as "CSA Group."*



*Published in June 2021 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [www.csagroup.org/store/](http://www.csagroup.org/store/)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 35.110  
ISBN 978-1-4883-3528-0*

*© 2021 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Heating, Ventilation, Air Conditioning, and Refrigeration 3

Subcommittee on Benchmark Energy Factor-Data Centres 5

Preface 6

**0 Introduction 7**

0.1 General 7

0.2 Overview 8

0.3 Users 8

**1 Scope 8**

**2 Reference publications 9**

**3 Definitions and abbreviations 10**

3.1 Definitions 10

3.2 Abbreviations 12

**4 Overview of essential energy benchmarking 12**

4.1 General 12

4.2 Features of essential energy benchmarking 14

4.3 Considerations for the essential energy model 14

4.3.1 General 14

4.3.2 Features of the model 15

4.3.3 Objectives and conditions of the model 15

**5 General description of data centres 15**

5.1 General 15

5.2 Classification of data centres 15

5.3 Data centre architecture 16

5.4 Overall energy performance of a data centre 16

**6 Essential energy benchmarking of data centres 17**

6.1 General 17

6.1.1 General approach 17

6.2 Defining the system boundary 17

6.2.1 General 17

6.2.2 Subsystems included within the data centre system boundary 18

6.2.3 Consideration of local energy generation, storage, and output 19

6.3 Consideration of levels of assessment 20

6.4 Define the key independent parameters 20

6.5 Essential performance factors and models 20

6.5.1 General overview of essential performance factors for data centre 20

6.5.2 Considerations 21

6.5.3 EE model — IT servers 21

6.5.4 EE model — Storage 23

6.5.5	EE model — Networking	24
6.5.6	EE model — Mechanical/cooling subsystem	26
6.5.7	EE model — Power subsystem	27
6.5.8	EE model — Lighting	29
6.5.9	Consideration of partial BEF calculation	29
6.6	Determination of essential load	29
6.7	Determination of essential energy	30
6.7.1	General	30
6.7.2	Essential energy of subsystems	30
6.7.3	Determine actual energy consumption of data centre	32
6.7.4	Direct measurement	32
6.7.5	Indirect measurement	33
6.8	Computing the BEF	33
6.8.1	General	33
6.8.2	BEF calculation with mechanical/cooling (full BEF)	33
6.8.3	BEF calculation without mechanical/cooling (partial BEF)	33

**7 Analysis of BEF for energy savings 33**

7.1	General	33
7.2	Estimating the technical potential of energy savings using BEF	33
7.3	Estimating the energy savings using BEF	34
7.3.1	General	34
7.3.2	Estimating savings using difference in BEF	34
7.3.3	Estimating savings using difference in energy consumption	35
7.3.4	Estimating savings using difference in E@R	35
7.3.5	Illustrative examples of the full BEF and partial BEF	36
7.4	Setting of energy savings targets using BEF	36
7.5	BEF range	36
7.5.1	General	36
7.5.2	Establishing the BEF range	36

**8 Reporting the BEF 37**

8.1	General	37
8.2	BEF data centre type	37
8.3	BEF reporting	37

**9 Additional benefits of BEF 38**

9.1	General	38
9.2	Benefits to standardization	38
9.3	Benefits to the end user	38
9.4	Benefits to program administrators and utilities	38
9.5	Benefits to governments and regulators	39
9.6	Benefits to academia and technology innovators	39

---

Annex A (normative)	— Essential energy performance indicators for data centre models	40
---------------------	--	----

Annex B (informative)	— Generic example of benchmarking data centres using the BEF concept	53
-----------------------	--	----

Annex C (informative)	— Bibliography	54
-----------------------	----------------	----

# Technical Committee on Heating, Ventilation, Air Conditioning, and Refrigeration

<b>R. Lord</b>	Carrier Corporation, Murfreesboro, Tennessee, USA <i>Category: Producer Interest</i>	<i>Chair</i>
<b>A. Carrier</b>	Hydro-Québec, Montréal, Quebec, Canada <i>Category: User Interest/Regulatory Authority</i>	<i>Vice Chair</i>
<b>M. Chowdhury</b>	CSA Group Testing & Certification Inc, Toronto, Ontario, Canada <i>Category: User Interest/Regulatory Authority</i>	
<b>J. Choy</b>	Ontario Ministry of Energy, Toronto, Ontario, Canada	<i>Non-voting</i>
<b>D. Chu</b>	Independent Electricity System Operator (IESO), Toronto, Ontario, Canada	<i>Non-voting</i>
<b>G. E. Cooke</b>	Air Solutions Incorporated, Cambridge, Ontario, Canada <i>Category: Producer Interest</i>	
<b>P. F. Edwards</b>	Peter Edwards Co., Mississauga, Ontario, Canada <i>Category: General Interest</i>	
<b>P. Grinbergs</b>	Airia Brands Inc., London, Ontario, Canada <i>Category: Producer Interest</i>	
<b>E. Guest</b>	Efficiency Manitoba, Winnipeg, Manitoba, Canada	<i>Non-voting</i>
<b>G. R. Hamer</b>	BC Hydro, Burnaby, British Columbia, Canada	<i>Non-voting</i>

<b>G. D. Henriques</b>	Henriques Consulting, Richmond, British Columbia, Canada <i>Category: General Interest</i>	
<b>C. Kahramanoglu</b>	Ontario Ministry of Municipal Affairs and Housing, Toronto, Ontario, Canada <i>Category: General Interest</i>	
<b>S. Krsikapa</b>	Ontario Ministry of Energy, Toronto, Ontario, Canada <i>Category: User Interest/Regulatory Authority</i>	
<b>T. K. Lau</b>	BC Hydro, Vancouver, British Columbia, Canada <i>Category: User Interest/Regulatory Authority</i>	
<b>C. Li</b>	Hydro One Networks Inc., Toronto, Ontario, Canada	<i>Non-voting</i>
<b>S. Ma</b>	BC Hydro, Vancouver, British Columbia, Canada	<i>Non-voting</i>
<b>M. Mathies</b>	FortisBC, Kelowna, British Columbia, Canada	<i>Non-voting</i>
<b>S.-H. Sammoun</b>	Hydro Quebec, Montréal, Quebec, Canada	<i>Non-voting</i>
<b>M. Suami</b>	Natural Resources Canada, Ottawa, Ontario, Canada <i>Category: User Interest/Regulatory Authority</i>	
<b>R. Tmej</b>	Ontario Ministry of Energy, Toronto, Ontario, Canada	<i>Non-voting</i>
<b>R. Urban</b>	Caneta Research Inc. / Caneta Energy, Ottawa, Ontario, Canada <i>Category: General Interest</i>	
<b>T. Wong</b>	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

# ***Subcommittee on Benchmark Energy Factor-Data Centres***

<b>V. Gretka</b>	Morrison Hershfield Ltd., Victoria, British Columbia, Canada	<i>Chair</i>
<b>A. El-Nady</b>	Trane Canada, Toronto, Ontario, Canada	<i>Vice-Chair</i>
<b>A. Carvalho</b>	Ryerson University, Toronto, Ontario, Canada	<i>Non-voting</i>
<b>J. Deschênes</b>	TELUS, Scarborough, Ontario, Canada	
<b>D. Dupuis</b>	TELUS, Montréal, Quebec, Canada	
<b>W. Jager</b>	ECD Technology Ltd., Stittsville, Ontario, Canada	
<b>D. Krauel</b>	Natural Resources Canada, Ottawa, Ontario, Canada	
<b>A. Murphy</b>	Strategic Clean Technology Inc. (SCTi), Auriprior, Ontario, Canada	
<b>C. D. Pitis</b>	ELITE MECH. Consulting Inc., Vancouver, British Columbia, Canada	
<b>D. Rogers</b>	BC Hydro, Vancouver, British Columbia, Canada	
<b>J. Taylor</b>	Schneider Electric Government & Industry Alliances, Georgetown, Texas, USA	
<b>P. Tsai</b>	Ontario Ministry of Energy, Toronto, Ontario, Canada	<i>Non-voting</i>
<b>T. Wong</b>	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

# Preface

This is the first edition of CSA C510, *Ideal state benchmarking and application of benchmark energy factor for data centres*.

This Standard applies to the use of electrical energy for data centres.

CSA acknowledges that the development of this Standard was made possible, in part, by the financial support of BC Hydro, Efficiency Manitoba, Hydro Quebec, Canadian Electricity Association, Independent Electricity System Operator (IESO), Nova Scotia Department of Energy and Mines, EfficiencyOne, and NEEA.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Benchmark Energy Factor-Data Centres, under the jurisdiction of the Technical Committee on Heating, Ventilation, Air Conditioning, and Refrigeration and the Strategic Steering Committee on Performance, Energy Efficiency, and Renewables, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Proposal for change” in the subject line:*
  - a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

# CSA C510:21

## *Ideal state benchmarking and application of benchmark energy factor for data centres*

### 0 Introduction

#### 0.1 General

The CSA benchmark energy factor (BEF) standard is the first data centre energy efficiency standard in the world that deals with the efficiency for data centre information technology (IT) electrical loads. Other data centre energy efficiency standards, such as the power utilization effectiveness (PUE), treat data centre IT loads as always being 100% efficient; however, IT data centre loads can often be far from 100% efficient.

In an example of two data centres given in Annex B, it is clear that failure to consider the actual efficiency of the IT load causes significant disparities in true data centre energy performance. To note the key point here in this example is that both data centres have the same PUE indexes, whereas the BEF indexes are quite different.

The benchmark energy factor (BEF) can be defined as the ratio between the total energy ( $E_{used}$ ) (prior to any efficiency improvements being implemented) and the essential energy ( $E_{ess}$ ). The essential energy is the minimum energy used to provide all necessary useful work at the required performance levels.

This Standard breaks out the BEF's essential energy for data centres' entire electrical loads including IT, mechanical, power delivery, and lighting.

In today's economic environment, business sustainability requires highly efficient technological processes that will increase the business's competitiveness. Businesses require the utilization of energy to run processes using the most cost-effective way, whereby waste energy is minimized and energy productivity maximized.

The main drivers of energy efficiency are

- a) energy availability;
- b) energy reliability;
- c) energy productivity;
- d) energy cost-effectiveness; and
- e) energy sustainability.

One of the barriers to energy efficiency improvement is the lack of an accurate, repeatable, and comparable benchmarking methodology. This is particularly true for data centres. Traditional benchmarking methodologies used for data centres are typically based on energy efficiency relative to the IT subsystem. But these methods do not take into account the efficiency of the IT subsystem itself.

Over the past decade, there have been significant advances in the energy efficiency of IT compute, storage, and networking equipment, and in application efficiency through virtualization, operating