



**CSA  
Group**

# **Communication and power line hardware**

Currently in preview, click buy full versi

# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# ***Standards Update Service***

***C83-17***

***December 2017***

**Title:** *Communication and power line hardware*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24253.1**

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

*C83-17*  
***Communication and power line  
hardware***



*®A trademark of the Canadian Standards Association, operating as "CSA Group"*

*Published in December 2017 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [shop.csa.ca](http://shop.csa.ca)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-4883-0837-6*

*© 2017 CSA Group*

*All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Communication and Power Line Hardware 6

Preface 9

**1 Scope 11**

**2 Reference publications 12**

**3 Definitions 16**

**4 General 17**

**5 Item standards 17**

**6 Marking 17**

**7 Material 18**

7.1 General 18

7.2 Steel 18

7.3 Stainless steel 19

7.4 Cast steel 19

7.5 Cast iron 19

7.6 Aluminum-base alloys 19

7.7 Copper-base alloys 20

**8 Galvanizing 20**

**9 Construction 20**

9.1 General 20

9.2 Holes 20

9.3 Threaded components 21

9.4 Assembly 21

**10 Test method 21**

10.1 General 21

10.2 Test classification 22

10.2.1 Type tests 22

10.2.2 Samp. tests 22

10.2.3 Routine tests 22

10.3 Strength 22

10.4 Ductility test 23

10.5 Permanent set/yield load 23

10.6 Embrittlement 23

10.7 Surface defects 24

10.8 Energy absorption/toughness 24

10.9 Aluminum castings 24

10.9.1 Chemical analysis 24

|           |  |           |
|-----------|--|-----------|
| 10.9.2    | Radiographic inspection of aluminum castings | 24        |
| 10.9.3    | Strength of castings                         | 24        |
| 10.9.4    | Elongation                                   | 25        |
| 10.10     | Corona test                                  | 25        |
| <b>11</b> | <b>Quality control</b>                       | <b>25</b> |
| 11.1      | Acceptable quality levels (AQL)              | 25        |
| 11.2      | Quality assurance                            | 25        |
| <b>12</b> | <b>Drafting conventions</b>                  | <b>26</b> |
| <b>13</b> | <b>Packaging</b>                             | <b>26</b> |

---

|                         |   |     |
|-------------------------|---|-----|
| Item Standard C83.12-17 | — Compression deadend terminal dimensions | 40  |
| Item Standard C83.13-17 | — Insulator cotter key gauge              | 42  |
| Item Standard C83.14-17 | — Self-locking cotter pin gauge           | 44  |
| Item Standard C83.15-17 | — Galvanized nuts and bolt heads          | 46  |
| Item Standard C83.16-17 | — Cable rack and hook gauge               | 47  |
| Item Standard C83.17-17 | — Spool insulator stud gauge              | 49  |
| Item Standard C83.18-17 | — Clevis tongue insulator gauge           | 51  |
| Item Standard C83.19-17 | — Insulator pin thread gauge              | 53  |
| Item Standard C83.20-17 | — Crossarm brace                          | 55  |
| Item Standard C83.21-17 | — Flat crossarm brace                     | 57  |
| Item Standard C83.22-17 | — Double arming bolt                      | 59  |
| Item Standard C83.23-17 | — Bolt                                    | 62  |
| Item Standard C83.24-17 | — Rock anchor                             | 65  |
| Item Standard C83.25-17 | — Spool stud                              | 67  |
| Item Standard C83.26-17 | — Bolt head clevis                        | 70  |
| Item Standard C83.27-17 | — House bracket                           | 72  |
| Item Standard C83.28-17 | — Corner bracket                          | 74  |
| Item Standard C83.29-17 | — Diagonal brace                          | 76  |
| Item Standard C83.30-17 | — Square washer                           | 78  |
| Item Standard C83.31-17 | — Curved square washer                    | 80  |
| Item Standard C83.32-17 | — Round washer                            | 82  |
| Item Standard C83.33-17 | — Spur washer                             | 84  |
| Item Standard C83.34-17 | — Helical spring lock washer              | 86  |
| Item Standard C83.35-17 | — Half-cone point                         | 88  |
| Item Standard C83.36-17 | — Stand-off insulator bracket             | 90  |
| Item Standard C83.37-17 | — Line U-bolt                             | 93  |
| Item Standard C83.38-17 | — Ball clevis fitting                     | 96  |
| Item Standard C83.39-17 | — Ball-eye                                | 99  |
| Item Standard C83.40-17 | — Double ball                             | 102 |
| Item Standard C83.41-17 | — Ground rod                              | 104 |
| Item Standard C83.42-17 | — Self-locking cotter pin                 | 107 |
| Item Standard C83.43-17 | — Manhole frame and cover                 | 109 |
| Item Standard C83.44-17 | — Sidewalk guy fixture                    | 113 |
| Item Standard C83.45-17 | — Pole top extension fixture              | 117 |
| Item Standard C83.46-17 | — Cable rack                              | 119 |
| Item Standard C83.47-17 | — Cable rack hook                         | 122 |

|                         |                                    |     |
|-------------------------|------------------------------------|-----|
| Item Standard C83.48-17 | — Pulling-in iron                  | 124 |
| Item Standard C83.49-17 | — Strain link                      | 126 |
| Item Standard C83.50-17 | — Cable clamp                      | 129 |
| Item Standard C83.51-17 | — Messenger suspension clamp       | 131 |
| Item Standard C83.52-17 | — Guy clamp                        | 134 |
| Item Standard C83.53-17 | — U-cable guard (plain)            | 136 |
| Item Standard C83.54-17 | — U-cable guard (flared)           | 138 |
| Item Standard C83.55-17 | — U-cable guard strap              | 140 |
| Item Standard C83.56-17 | — Pole band                        | 142 |
| Item Standard C83.57-17 | — Guy hook                         | 144 |
| Item Standard C83.58-17 | — Screw anchor coupling            | 146 |
| Item Standard C83.59-17 | — Thimble eye                      | 148 |
| Item Standard C83.60-17 | — Power-installed screw anchor     | 151 |
| Item Standard C83.61-17 | — Screw anchor rod                 | 154 |
| Item Standard C83.62-17 | — Post insulator stud              | 156 |
| Item Standard C83.63-17 | — Straight thimble eye bolt        | 159 |
| Item Standard C83.64-17 | — Bent thimble eye bolt            | 162 |
| Item Standard C83.65-17 | — Oval eye bolt                    | 165 |
| Item Standard C83.66-17 | — Round head square neck bolt      | 168 |
| Item Standard C83.67-17 | — Shoulder eye bolt                | 170 |
| Item Standard C83.68-17 | — Ball link eye bolt               | 172 |
| Item Standard C83.69-17 | — Guy guard                        | 174 |
| Item Standard C83.70-17 | — Secondary clevis                 | 177 |
| Item Standard C83.71-17 | — Straight deadend clamp           | 180 |
| Item Standard C83.72-17 | — Plate earth anchor               | 184 |
| Item Standard C83.73-17 | — Expanding earth anchor           | 187 |
| Item Standard C83.74-17 | — Bolt eye                         | 190 |
| Item Standard C83.75-17 | — Thimble guy rod                  | 192 |
| Item Standard C83.77-17 | — Lashing wire clamp               | 195 |
| Item Standard C83.79-17 | — Pole guard                       | 197 |
| Item Standard C83.80-17 | — Drive hook                       | 199 |
| Item Standard C83.81-17 | — Pole tag insulator               | 201 |
| Item Standard C83.82-17 | — Extension link                   | 203 |
| Item Standard C83.84-17 | — Eye nut                          | 205 |
| Item Standard C83.85-17 | — Clevis nut                       | 207 |
| Item Standard C83.86-17 | — Prevailing torque locknut        | 209 |
| Item Standard C83.87-17 | — Guy strain plate                 | 210 |
| Item Standard C83.88-17 | — Straight crossarm insulator pin  | 212 |
| Item Standard C83.89-17 | — Angle pole top insulator pin     | 215 |
| Item Standard C83.90-17 | — Straight pole top insulator pin  | 218 |
| Item Standard C83.91-17 | — Angle crossarm insulator pin     | 220 |
| Item Standard C83.92-17 | — Lead thread                      | 223 |
| Item Standard C83.93-17 | — Detachable pole step             | 225 |
| Item Standard C83.94-17 | — Support for detachable pole step | 227 |
| Item Standard C83.95-17 | — Transformer cluster mount        | 229 |
| Item Standard C83.96-17 | — Drive ring                       | 232 |
| Item Standard C83.97-17 | — Bridle ring                      | 235 |
| Item Standard C83.98-17 | — Thimble eye nut                  | 237 |
| Item Standard C83.99-17 | — Secondary spool rack             | 239 |

|                          |   |     |
|--------------------------|---|-----|
| Item Standard C83.100-17 | — Guy attachment                          | 242 |
| Item Standard C83.101-17 | — Fetter drive screw                      | 245 |
| Item Standard C83.102-17 | — Drop lead insulator pin                 | 247 |
| Item Standard C83.103-17 | — Pole step                               | 249 |
| Item Standard C83.104-17 | — Conical-disc spring (Belleville) washer | 251 |
| Item Standard C83.105-17 | — Neutral conductor bracket               | 253 |
| Item Standard C83.106-17 | — Reinforcing strap                       | 255 |
| Item Standard C83.107-17 | — Wall strap                              | 257 |
| Item Standard C83.108-17 | — U-wall strap                            | 259 |
| Item Standard C83.109-17 | — Clevis pin                              | 261 |
| Item Standard C83.110-17 | — Cable strap                             | 263 |
| Item Standard C83.111-17 | — Wedge grip                              | 265 |
| Item Standard C83.112-17 | — Screw earth anchor                      | 268 |
| Item Standard C83.113-17 | — Chain link                              | 271 |
| Item Standard C83.114-17 | — Rock anchor extension rod               | 274 |
| Item Standard C83.115-17 | — Shackle                                 | 276 |
| Item Standard C83.116-17 | — Angle pole top bracket                  | 279 |
| Item Standard C83.117-17 | — Three-phase equipment bracket           | 281 |
| Item Standard C83.118-17 | — Single-phase equipment bracket          | 284 |
| Item Standard C83.119-17 | — Socket ball fitting                     | 287 |
| Item Standard C83.120-17 | — Socket eye fitting                      | 290 |
| Item Standard C83.121-17 | — Socket clevis fitting                   | 293 |
| Item Standard C83.122-17 | — Plate clevis                            | 296 |
| Item Standard C83.123-17 | — Straight pole top bracket               | 299 |
| Item Standard C83.124-17 | — Insulator cotter key                    | 301 |
| Item Standard C83.125-17 | — Thimble clevis                          | 303 |
| Item Standard C83.126-17 | — Triangular yoke plate                   | 306 |
| Item Standard C83.127-17 | — Bevelled washer                         | 308 |
| Item Standard C83.128-17 | — Turnbuckle                              | 310 |
| Item Standard C83.129-17 | — Steel strand grip                       | 313 |
| Item Standard C83.131-17 | — Swivel clevis                           | 316 |
| Item Standard C83.132-17 | — In-span bracket                         | 319 |
| Item Standard C83.133-17 | — Oval-eye ball fitting                   | 321 |
| Item Standard C83.134-17 | — Heavy clevis fitting                    | 324 |
| Item Standard C83.135-17 | — Heavy duty pole band                    | 327 |
| Item Standard C83.136-17 | — Angle crossarm insulator bracket        | 329 |
| Item Standard C83.137-17 | — Bearing plate for composite poles       | 332 |
| Item Standard C83.138-17 | — Corner construction bracket             | 334 |
| Item Standard C83.139-17 | — Deadend tee                             | 336 |
| Item Standard C83.140-17 | — Adjustable thrust fitting               | 338 |
| Item Standard C83.141-17 | — Sag adjuster assembly                   | 340 |
| Item Standard C83.142-17 | — Centre phase assembly                   | 342 |
| Item Standard C83.143-17 | — Guy tee                                 | 345 |
| Item Standard C83.144-17 | — Steel crossarm                          | 347 |
| Item Standard C83.145-17 | — Auxiliary eye                           | 350 |
| Item Standard C83.146-17 | — Non-metallic cable rack                 | 352 |
| Item Standard C83.147-17 | — Non-metallic cable rack hook            | 354 |
| Item Standard C83.148-17 | — Triple guy assembly                     | 356 |
| Annex A (informative)    | — Sampling procedures                     | 359 |

|   |     |
|---|-----|
| Annex B (informative) — Sampling inspection by variables  | 373 |
| Annex C (informative) — Cross reference of standards and property classes for metric and imperial fasteners | 376 |
| Annex D (informative) — Corona testing of fittings  | 377 |
| Annex E (informative) — Voltage gradient calibrator   | 382 |
| Annex F (informative) — Design rationale for transmission line fittings                                     | 384 |
| Annex G (informative) — Threaded items in tension   | 387 |
| Annex H (Informative) — Hardness measurements for process control   | 388 |

# Technical Committee on Communication and Power Line Hardware

|                      |  |                  |
|----------------------|--|------------------|
| <b>S.E. Dinsmore</b> | SLACAN Industries, Inc.,<br>Brantford, Ontario<br><i>Category: Producer Interest</i>       | <i>Chair</i>     |
| <b>E.S. Alfonso</b>  | TELUS,<br>Burnaby, British Columbia<br><i>Category: Carriers</i>                           |                  |
| <b>A. Balasoiu</b>   | Hydro-Québec, Distribution,<br>Montréal, Québec  | <i>Associate</i> |
| <b>J. Bettinelli</b> | Polefab Incorporated,<br>Sharon, Ontario<br><i>Category: Producer Interest</i>             |                  |
| <b>T. Boyachek</b>   | Manitoba Hydro,<br>Winnipeg, Manitoba  | <i>Associate</i> |
| <b>S. Cumming</b>    | Sonideft Inc.,<br>Middle Sackville, Nova Scotia<br><i>Category: Carriers</i>               |                  |
| <b>S. Faubert</b>    | Bell Canada,<br>Newmarket, Ontario   | <i>Associate</i> |
| <b>G. Fecht</b>      | RS Technologies,<br>Gilmour, Ontario   | <i>Associate</i> |
| <b>E.P. Gnanndt</b>  | R&D High Voltage Consulting Ltd,<br>White Rock, British Columbia                           | <i>Associate</i> |
| <b>A.P. Goel</b>     | AG Engineering Innovations,<br>Richmond Hill, Ontario<br><i>Category: General Interest</i> |                  |
| <b>N. Millon</b>     | Cicame-énergie Inc.,<br>St-Hubert, Québec<br><i>Category: Producer Interest</i>            |                  |

|                        |  |                  |
|------------------------|--|------------------|
| <b>R. Hine</b>         | British Columbia Hydro,<br>Burnaby, British Columbia<br><i>Category: Electricity Transmission Interest</i> |                  |
| <b>D. Ladin</b>        | Kinectrics Inc.,<br>Toronto, Ontario<br><i>Category: General Interest</i>                                  |                  |
| <b>J.A. McFadgen</b>   | Nova Scotia Power Inc.,<br>Halifax, Nova Scotia<br><i>Category: Electricity Distribution Interest</i>      |                  |
| <b>R. McKeown</b>      | Toronto Hydro-Electric System Ltd,<br>Toronto, Ontario   | <i>Associate</i> |
| <b>D. Mercier</b>      | Bell Canada,<br>Varenes, Québec<br><i>Category: Carriers</i>   |                  |
| <b>G. Migirditsian</b> | Hydro-Québec-Distribution,<br>Montréal, Québec<br><i>Category: Electricity Distribution Interest</i>       |                  |
| <b>M.R. Murphy</b>     | Newfoundland Power Inc.,<br>St. John's,<br><i>Category: Electricity Transmission Interest</i>              |                  |
| <b>K. Noble</b>        | FortisAlberta,<br>Airdrie, Alberta<br><i>Category: Electricity Distribution Interest</i>                   |                  |
| <b>D.R. Orr</b>        | Manitoba Hydro,<br>Winnipeg, Manitoba<br><i>Category: Electricity Distribution Interest</i>                |                  |
| <b>J.P. Paradis</b>    | Helix Uniformed Ltd,<br>Lachine, Québec<br><i>Category: Producer Interest</i>                              |                  |
| <b>C. Patterson</b>    | AltaLink Management Ltd.,<br>Calgary, Alberta<br><i>Category: Electricity Transmission Interest</i>        |                  |
| <b>I. Pollock</b>      | Preformed Line Products (Canada) Limited,<br>Cambridge, Ontario  | <i>Associate</i> |

---

|                        |   |                        |
|------------------------|---|------------------------|
| <b>R. Radons</b>       | Manitoba Hydro,<br>Winnipeg, Manitoba<br><i>Category: Electricity Transmission Interest</i>       |                        |
| <b>K. Seymour</b>      | Hydro One Networks Inc.,<br>Barrie, Ontario<br><i>Category: Electricity Distribution Interest</i> |                        |
| <b>W. van Halderen</b> | Canadian Electricity Association (CEA),<br>Ottawa, Ontario  | <i>Associate</i>       |
| <b>E.H. Wiebe</b>      | Innovative Solutions Engineering Inc.,<br>Winnipeg, Manitoba<br><i>Category: General Interest</i> |                        |
| <b>J.M. Wilson</b>     | Hubbell Power Systems, Inc.,<br>Centralia, Missouri, USA  | <i>Associate</i>       |
| <b>T. Donovska</b>     | CSA Group,<br>Toronto, Ontario  | <i>Project Manager</i> |

# Preface

This is the fourth edition of CSA C83, *Communication and power line hardware*. It supersedes previous editions published in 1996, 1987, 1980, 1970, 1964, 1954, 1950, and 1942.

Changes to this edition include the following:

- a) General requirements for hardware used in the construction of communication and power lines have been updated.
- b) Approximately 50 Item Standards have been updated including several incorporating imperial dimensions for those instances where metric products are typically not utilized.
- c) Fourteen new Item Standards have been included as follows:
  - i) C83.116, Angle pole top bracket;
  - ii) C83.135, Heavy duty pole band
  - iii) C83.136, Angle crossarm insulator bracket;
  - iv) C83.137, Bearing plate for composite poles;
  - v) C83.138, Corner construction bracket;
  - vi) C83.139, Deadend tee;
  - vii) C83.140, Adjustable thrust fitting;
  - viii) C83.141, Sag adjuster assembler;
  - ix) C83.142, Centre phase assembly;
  - x) C83.143, Single guying tee;
  - xi) C83.144, Steel crossarm;
  - xii) C83.145, Auxiliary eye;
  - xiii) C83.146, Cable rack;
  - xiv) C83.147, Non-metallic cable rack hook; and
  - xv) C83.148, Triple guy assembly.

This Standard was prepared by the Technical Committee on Communication and Power Line Hardware, under the jurisdiction of the Strategic Steering Committee on Power Engineering and Electromagnetic Compatibility (SCOPE), and has been formally approved by the Technical Committee.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include “Request for interpretation” in the subject line:*
  - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
  - b) *provide an explanation of circumstances surrounding the actual field condition; and*
  - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

*Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).*

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line:*
- a) *Standard designation (number);*
  - b) *relevant clause, table, and/or figure number;*
  - c) *wording of the proposed change; and*
  - d) *rationale for the change.*

# C83-17

## Communication and power line hardware

### 1 Scope

#### 1.1

This Standard covers the general requirements for hardware used in the construction of communication lines and power lines including distribution and transmission lines.

#### 1.2

Detailed requirements for individual items of hardware as numerically listed in Table 5 are covered in separate Item Standards, e.g., C83.46 for cable rack; C83.49 for strain link; C83.75 for thimble guy rod.

##### Notes:

- 1) *Table 5 provides a numerical listing of the Item Standards and Table 6 provides a listing of Item Standards by subject.*
- 2) *Annexes A and B provide information on sampling and inspection of line hardware. Annexes A and B are included to assist those unfamiliar with statistical sampling or in need of ready reference for sampling plans acceptable to industry in general. The presence of the sampling tables in the appendices should not be thought to preclude the use of any other sampling plans that will satisfy the AQL requirements specified in the Standard for inspection purposes.*
- 3) *Annex C provides a cross reference of comparable Standards and property classes for metric and imperial fasteners. It is intended to be referred to and accepted by the manufacturer and purchaser until such time as metric fasteners become readily available.*
- 4) *Annexes D and E provide information for the corona testing of transmission line hardware fittings.*
- 5) *Annex F provides design rationale for the transmission line fittings.*
- 6) *Annex G provides recommendations for the everyday load limits for threaded items in tension.*
- 7) *Annex H provides information on hardness measurements for process control of steel items.*
- 8) *For information on grades of construction and strength requirements for overhead lines, see CSA C22.3 No. 1.*

#### 1.3

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.