

**General requirements
for rolled or welded
structural quality steel/
Structural quality steel**

Currently in preview, click buy full version

Legal Notice for Standards

Canadian Standards Association (CSA) standards are developed through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA is a private not-for-profit company that publishes voluntary standards and related documents. CSA has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA and the users of this document (whether it be in printed or electronic form), CSA is the owner of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. The unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA's intellectual property and may give rise to a right in CSA to seek legal redress for such use, modification, copying, or disclosure. CSA reserves all intellectual property rights in this document.

Authorized use of this document

This document is being provided by CSA for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



CANADIAN STANDARDS
ASSOCIATION

CSA Standards Update Service

G40.20-04/G40.21-04

February 2004

Title: *General requirements for rolled or welded structural quality steel/Structural quality steel*

Pagination: **101 pages** (viii preliminary and 93 text), each dated **February 2004**

Automatic notifications about any updates to this publication are available

- To register for e-mail notifications, and/or to download any existing updates in PDF, enter the Online Store at **www.csa.ca** and click on **My Account** on the navigation bar.

The **List ID** for this document is **2015235**.

- To receive printed updates, please complete and return the attached card.



Name _____

Organization _____

Address _____

City _____

Province/State _____

Country _____ Postal/Zip Code _____

E-mail _____

I consent to CSA collecting and using the above information to send me updates relating to this publication.

Visit CSA's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

G40.20-04/G40.21-04

Currently in preview, click buy full version

**ASSOCIATION CANADIENNE DE
NORMALISATION**

BUREAU CENTRAL DE L'INFORMATION
5060, SPECTRUM WAY, BUREAU 100
MISSISSAUGA ON L4W 5N6
CANADA

**CANADIAN STANDARDS
ASSOCIATION**

CONSOLIDATED MAILING LIST
5060 SPECTRUM WAY, SUITE 100
MISSISSAUGA ON L4W 5N6
CANADA

Affranchir
suffisamment

Place
Stamp Here

CSA Standards

G40.20-04/G40.21-04
**General requirements
for rolled or welded
structural quality steel/
Structural quality steel**



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in February 2004 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.csa.ca

ISBN 1-55197-230-9

Technical Editor: Ted Koza

© Canadian Standards Association — 2004

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Technical Committee on Structural Steel vii

Preface viii

G40.20-04 General requirements for rolled or welded structural quality steel

1 Scope 3

2 Reference publications 3

3 Definitions 5

3.1 Product definitions 5

3.2 General definitions 6

4 Chemical composition 8

4.1 Heat analysis 8

4.2 Product analysis 8

5 Permissible variations in dimensions or mass 8

5.1 Density 8

5.2 Plate 9

5.3 Structural-size shapes 9

5.4 Sheet piling 9

5.5 Sheet 9

5.6 Bars and bar-size shapes 9

5.7 Welded shapes 9

5.8 Hollow sections 9

5.9 Super light beams 9

5.10 Cold-formed channels and Z sections 9

6 Testing — General 9

7 Test specimens 10

7.1 Test specimen location 10

7.1.1 General 10

7.1.2 Tensile and hardness test specimens 10

7.1.3 Impact test specimens 11

7.2 Test specimen preparation 12

7.2.1 Tension tests 12

7.2.2 Impact tests 13

8 Method of testing 13

8.1 Mechanical testing 13

8.2 Grouping of specimen 13

8.3 Adjustment of ductility requirements for material thickness 14

8.3.1 Plate shapes, welded shapes, sheet, bars, and hollow sections 14

8.3.2 Sheet 15

8.4 Austenitic grain size test 15

9 Frequency of testing 15

9.1 Mechanical tests of as-rolled and normalized steel 15

9.1.1 Tensile test samples 15

9.1.2 Impact test samples 15

9.1.3	Size groups	15
9.1.4	Additional tensile tests	15
9.1.5	Additional impact tests	16
9.2	Mechanical tests of quenched and tempered steel	17
9.3	Per piece testing	17
9.3.1	Sections with a mass of more than 5000 kg (5 tons) each and plates	17
9.3.2	Sections with a mass of less than 5000 kg (5 tons) each, hollow sections, sheet piling, and bars	17
9.4	Testing of samples	17
9.5	Grouped heat testing	17
9.6	Grain size test	17
10	Heat treatment	18
10.1	Normalizing	18
10.2	Quenching and tempering	18
11	Quality	18
12	Repair of defects by welding	20
13	Marking	21
13.1	Plates	21
13.2	Sheet	21
13.3	Structural-size shapes	22
13.4	Bars	22
13.5	Hollow sections	22
13.6	Cold-formed channels and Z sections	23
13.7	Per piece identification	23
13.8	Stamps	23
13.9	Colour marking	23
13.10	Bar coding	23
14	Retests	23
14.1	Tensile tests	23
14.2	Impact tests	24
14.2.1	General	24
14.2.2	Plate-lot testing	24
14.2.3	Sections, hollow structural sections, bars, and sheet piling	24
14.3	Defective tests	25
14.4	Resubmission	25
15	Welded shape requirements	25
15.1	General	25
15.1.1	Material	25
15.1.2	Fabrication	25
15.2	Welding	25
15.3	Weld quality	26
15.4	Weld quality control tests	26
15.5	Repair of welds	26
15.6	Marking	26
16	Certification	27
17	Inspection	27
18	Rejection	28
	Index to tables and referenced publications	29

Tables

1	— Structural shape size groupings for tensile property classification	31
2	— Minimum average impact energy for subsize specimens	31
3	— Full-section test angles	31
4	— Permissible variations from flatness for carbon, HSLA, and alloy steel plates, as-rolled or heat-treated, ordered to restrictive flatness	32
5	— Permissible variations in sectional dimensions for super light beams and channels	34
6	— Permissible variations in straightness for super light beams and steel sheet piling	35
7	— Permissible variations in web thickness of super light beams	35
8	— Permissible variations in sectional dimensions for welded structural shapes	36
9	— Permissible variations in straightness for welded structural shapes	37
10	— Permissible variation in mass of welded or seamless hollow sections	37
11	— Permissible variation in wall thickness of welded or seamless hollow sections	37
12	— Permissible variations in cross-sectional dimensions of welded or seamless hollow sections	38
13	— Maximum outside corner radii for rectangular sections of welded or seamless hollow sections	39
14	— Corner squareness of welded or seamless hollow sections	39
15	— Permissible variation in straightness of welded or seamless hollow sections	40
16	— Permissible twist of welded or seamless hollow sections	40
17	— Permissible variations in ordered lengths of welded or seamless hollow sections	40
18	— Permissible variation in thickness of cold-formed channels and Z sections	41
19	— Permissible variations in ordered lengths of cold-formed channels and Z sections	41
20	— Permissible variation in straightness of cold-formed channels and Z sections	41
21	— Corner squareness of cold-formed channels and Z sections	41
22	— Inside corner radii of cold-formed channels and Z sections	41
23	— Permissible variations in sectional dimensions of cold-formed channels and Z sections	42
24	— Thickness overtolerance of sheet	43

Figures

1	— Position of test pieces for tensile tests	44
2	— Position of test pieces for impact tests	45
3	— Specimen for welded-tee tension test	46
4	— Fixture for welded-tee tension test	47

G40.21-04 Structural quality steel

1	Scope	51
2	Reference publication	52
3	Definitions	52
4	General requirements	52
5	Manufacturing	54
6	Supply condition	55
7	Chemical composition	56
7.1	Heat analysis	56
7.2	Product analysis	56
7.3	Heat analysis reporting	56
7.4	Grouped heat lots	57
7.5	Alternative compositions	57
7.6	Atmospheric corrosion-resistance	57

8 Mechanical properties 57

8.1 Tensile properties 57

8.2 Impact properties 57

9 Marking 58**Tables****1** — Grades, types, and strength levels 59**2** — Schedule of tests 60**3** — Chemical composition by heat analysis of plates, floor plates, bars, shapes, sheet, and sheet piling 61**4** — Chemical composition by heat analysis of API plates 63**5** — Chemical composition by heat analysis of hollow sections 64**6** — Mechanical properties of plates, floor plates, bars, sheet, and welded shapes 65**7** — Mechanical properties of rolled shapes and sheet piling 67**8** — Mechanical properties of hollow sections 69**9** — Standard Charpy impact specimens 71**10** — Colour codes 72**11(a)(i)** — Welded wide-flange shapes 73**11(a)(ii)** — Welded reduced-flange shapes 78**11(b)** — Super light beams 79**11(c)** — Hollow structural sections — Rounds 80**11(d)** — Hollow structural sections — Squares 83**11(e)** — Hollow structural sections — Rectangles 85**11(f)** — Cold-formed channels — Coated 87**11(g)** — Cold-formed channels — Uncoated 89**11(h)** — Cold-formed Z sections — Uncoated 92

Technical Committee on Structural Steel

H.A. Krentz	Canadian Institute of Steel Construction, Calgary, Alberta	<i>Chair</i>
S.R. Fox	Canadian Sheet Steel Building Institute, Cambridge, Ontario	<i>Vice-Chair</i>
J.P. Orton	Orton Metallurgical Inc., Toronto, Ontario	<i>Vice-Chair, Secretary</i>
W.W. Baigent	Willowdale, Ontario	
D. Bradley	The Algoma Steel Corporation Inc., Sault Ste. Marie, Ontario	
R.E. Collum	Stelco Inc., Hamilton, Ontario	
K.J. De Grace	Bechtel Canada Inc., Montréal, Québec	
D. Dufresne	Welded Tube of Canada Limited, Concord, Ontario	
C. Galvani	Natural Resources Canada, Ottawa, Ontario	
M. Kostic	IPSCO Inc., Regina, Saskatchewan	
M.A.E. Reinert	A. Reinert Consultant Inc., Dollard-des-Ormeaux, Québec	
J. Schneider	Aurora, Ontario	
H. Shimizu	Gerdau Ameristeel MRM Special Sections, Selkirk, Manitoba	
L.G. Skinner	Dofasco Incorporated, Hamilton, Ontario	
A. Waheed	Alberta Transportation and Utilities, Edmonton, Alberta	
G.D. Wilson	Horton CBI, Limited, Fort Erie, Ontario	
T. Koza	CSA, Mississauga, Ontario	<i>Project Manager</i>
H.W. Ellison (<i>Deceased</i>)	Hamilton, Ontario	

Preface

This is the sixth edition of CSA G40.20/G40.21, *General requirements for rolled or welded structural quality steel/Structural quality steel*. It supersedes previous editions published in 1998, 1992, 1987, 1981, and 1978.

This edition comprises amendments published in General Instruction No. 2 to the previous edition, corrections of errata, and new amendments approved by the Technical Committee on Structural Steel. These include

- (a) a change in the location of tensile test samples from the web to the flange on W, HP, S, and M shapes;
- (b) the adoption of CAN/CSA-G40.23 for assessment of the surface quality of plate;
- (c) the acceptance under G40.20/G40.21 of products manufactured in conformance with ASTM A 992/A 992M, *Structural Steel Shapes*;
- (d) the addition of requirements for cold-formed Z sections;
- (e) revisions to the permissible variations in the dimensions of cold-formed channels; and
- (f) the addition of Table 11, which provides the dimensions and mass (weight) of commonly available structural shapes and hollow structural sections, replacing and updating information in CAN/CSA-G312.3-M, *Metric Dimensions for Structural Steel Shapes and Hollow Structural Sections* (withdrawn in 2001).

These Standards are written in SI (metric) units, with yard/pound units included in parentheses. The SI units are in conformance with CSA Z234.1, *Metric Practice Guide*.

While the technical requirements of the metric and yard/pound versions are virtually the same, some differences do occur. Either the SI or the yard/pound units must be used, and any attempt to intermingle the two systems of units on any specific purchase of material may result in nonconformance with the Standards.

These Standards have been harmonized to the maximum possible extent with equivalent ASTM Standards A 6/A 6M and A 568/A 568M.

These Standards were prepared by the Technical Committee on Structural Steel, under the jurisdiction of the Strategic Steering Committee on Welding and Structural Metals, and have been formally approved by the Technical Committee.

February 2004

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation should
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA’s periodical Info Update, which is available on the CSA Web site at www.csa.ca.

CSA Standard

G40.20-04

***General requirements for rolled or welded
structural quality steel***



**CANADIAN STANDARDS
ASSOCIATION**

®Registered trade-mark of Canadian Standards Association

*Published in February 2004 by Canadian Standards Association
A not-for-profit private sector organization
5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6
1-800-463-6727 • 416-747-4044*

Visit our Online Store at www.csa.ca

G40.20-04

General requirements for rolled or welded structural quality steel

1 Scope

1.1

This Standard outlines the requirements that apply, unless otherwise specified in a purchase order or individual standard, to structural quality steel plates, shapes, sheet, sheet piling, cold-formed channels, hollow sections, Z sections, and bars conforming to the requirements of CSA G40.21.

Tables 11(a) to (h) of CSA G40.21 provide information on the dimensions and mass (weight) per unit length of structural shapes and sections commonly used in the construction of steel buildings and bridges.

1.2

In CSA Standards, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard. Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material. Notes to tables and figures are considered part of the table or figure and may be written as requirements. Legends to equations and figures are considered requirements.

1.3

The values stated in either SI (metric) or yard/pound units are to be regarded as standard. Within the text, the yard/pound units are shown in parentheses. The values stated in each system are not exact equivalents; each system must be used independently. Combining values from the two systems can result in nonconformance with this Standard.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below.

Note: In cases where the editions listed below are replaced by newer editions during the life of this referencing Standard, users of this Standard are encouraged to investigate the possibility of applying the most recent editions.

CSA (Canadian Standards Association)

G40.21-04

Structural quality steel

CAN/CSA-G40.23-94 (R2001)

Steel — Surface Finish of Hot-Rolled Plates and Wide Flats — Delivery Requirements

W47.1-03

Certification of Companies for Fusion Welding of Steel

W48-01

Filler Metals and Allied Materials for Metal Arc Welding