

General requirements for nuclear emergency management programs



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

***CSA N1600:21
February 2021***

Title: *General requirements for nuclear emergency management programs*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24287-2**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA N1600:21
***General requirements for nuclear
emergency management programs***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in February 2021 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-3362-0

*© 2021 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on General Requirements for Nuclear Emergency Management Programs 8

Preface 11

0 Introduction 13

0.1 General 13

0.2 PDCA cycle 13

0.3 Components of emergency management 14

0.3.1 Prevention and mitigation 14

0.3.2 Preparedness 15

0.3.3 Response 15

0.3.4 Recovery 16

0.4 Management system 16

1 Scope 17

1.1 Reactor facilities 17

1.2 Emergency management pillars 17

1.3 Business continuity planning 17

1.4 Mandatory language 17

1.5 Use of “consider” 17

2 Reference publications 18

3 Definitions and abbreviations 23

3.1 Definitions 23

3.2 Abbreviations 30

4 Nuclear emergency management program (NEMP) 31

4.1 NEMP overview 31

4.2 NEMP elements 31

4.3 Alternatives 32

4.4 Program management 32

4.4.1 Planning cycle for the NEMP 32

4.4.2 Leadership and commitment 33

4.4.3 Program coordination 33

4.4.4 NEMP review committee 33

4.4.5 NEMP administration 34

4.4.6 Financial management 35

4.4.7 Maintenance 36

4.4.8 Human factors principles 36

4.4.9 Integration 36

4.5.1 General 36

4.5.2 Functional areas 37

4.5.3 Operational activities 38

4.5.4 Organizational integration 38

5 Planning 38

| | | |
|----------|--|-----------|
| 5.1 | Hazard assessment | 38 |
| 5.1.1 | Hazards identification | 38 |
| 5.1.2 | Risk assessment | 39 |
| 5.1.2.1 | General | 39 |
| 5.1.2.2 | Probabilistic safety (risk) assessment | 39 |
| 5.1.2.3 | Jurisdictional risk focus | 39 |
| 5.1.2.4 | Sharing the results of risk assessments | 39 |
| 5.1.3 | Impact analysis | 40 |
| 5.1.3.1 | General | 40 |
| 5.1.3.2 | Identification of critical functions | 40 |
| 5.1.3.3 | Evaluation of losing critical functions | 40 |
| 5.1.3.4 | Continuity of critical functions | 40 |
| 5.2 | Planning basis | 41 |
| 5.2.1 | Reactor facility planning basis requirements | 41 |
| 5.2.2 | Off-site planning basis requirements | 41 |
| 5.2.3 | Review frequency | 42 |
| 6 | Communication | 42 |
| 6.1 | General | 42 |
| 6.2 | Communication requirements | 42 |
| 6.2.1 | Emergency information requirements | 42 |
| 6.2.2 | Communication plan elements | 42 |
| 6.2.3 | Communication responsibilities | 43 |
| 6.2.4 | Communication coordination | 43 |
| 6.2.5 | Preparation, content, and delivery of emergency information | 43 |
| 6.3 | Process for emergency public information | 44 |
| 6.3.1 | Public information process definition | 44 |
| 6.3.2 | Public information process requirements | 44 |
| 6.4 | Data and information needs for effective communication | 44 |
| 6.4.1 | General | 44 |
| 6.4.2 | Communication in standardized unit between organizations | 44 |
| 6.4.3 | Conversion equivalency tables | 44 |
| 6.4.4 | Communication in standardized units to the public | 44 |
| 6.4.5 | Data reporting format | 45 |
| 6.5 | Data and information transmittal requirements for reactor facilities | 45 |
| 6.6 | Communication plan establishment | 45 |
| 6.7 | Communication plan scope | 45 |
| 6.8 | Communication procedures | 45 |
| 6.9 | Testing of communication systems | 46 |
| 7 | Nuclear emergency response plan | 46 |
| 7.1 | General | 46 |
| 7.2 | Nuclear emergency response plan development | 47 |
| 7.2.1 | Development | 47 |
| 7.2.2 | Purpose, scope, and objectives | 47 |
| 7.2.3 | Compliance | 48 |
| 7.2.4 | Engagement | 48 |
| 7.2.5 | Accessibility | 48 |
| 7.3 | Emergency response organizational requirements | 49 |

| | | |
|---------|---|----|
| 7.3.1 | General requirements | 49 |
| 7.3.2 | Emergency response organization requirements | 49 |
| 7.3.2.3 | Expertise and resource requirements | 49 |
| 7.3.2.4 | Further considerations | 50 |
| 7.3.3 | Minimum staffing requirements | 50 |
| 7.3.4 | Activation | 50 |
| 7.3.5 | Reporting time requirements | 50 |
| 7.3.6 | Documentation | 50 |
| 7.3.7 | Extended response | 50 |
| 7.4 | Concept of operations | 51 |
| 7.5 | Nuclear emergency categorization and notification | 51 |
| 7.5.1 | Emergency categorization | 51 |
| 7.5.2 | Determination criteria | 51 |
| 7.5.3 | Nuclear emergency categories | 51 |
| 7.5.4 | Notification methods, processes, and timelines | 52 |
| 7.5.5 | Emergency notification | 53 |
| 7.5.6 | Reactor facility specific notification requirements | 53 |
| 7.5.7 | Other notification requirements | 53 |
| 7.6 | Emergency assessment | 54 |
| 7.6.1 | Methods and procedures | 54 |
| 7.6.2 | Protection of response personnel | 54 |
| 7.6.3 | Continuing risk assessment for public and environment | 54 |
| 7.6.4 | Reactor facility-specific requirements | 54 |
| 7.6.5 | Reactor facility gamma radiation detection and monitoring | 54 |
| 7.6.6 | Radiological monitoring capacity, capability, and reporting | 55 |
| 7.6.7 | Source term, plume dispersion, and dose modelling | 55 |
| 7.6.8 | Dose modelling tools | 55 |
| 7.7 | Protection strategy | 55 |
| 7.7.1 | Reference levels | 55 |
| 7.7.2 | Generic criteria | 56 |
| 7.7.3 | Operational intervention levels | 56 |
| 7.7.4 | Protective actions | 56 |
| 7.7.5 | Emergency planning zones | 59 |
| 7.8 | Interface and support between response organizations | 60 |
| 7.8.1 | Coordination of response activities | 60 |
| 7.8.2 | Co-operation and assistance | 60 |
| 7.8.3 | Venting strategies | 60 |
| 7.8.4 | Transmission of reactor facility emergency data | 61 |
| 7.8.5 | Transmission of other organizations' emergency data | 62 |
| 7.8.6 | Mutual aid or mutual assistance agreements | 62 |
| 7.8.7 | Resource management | 62 |
| 7.9 | Emergency personnel protection | 63 |
| 7.9.1 | Personnel protection measures | 63 |
| 7.9.2 | Radiation protection measures | 63 |
| 7.9.3 | Personal protective equipment | 63 |
| 7.9.4 | Reactor facility PPE | 64 |
| 7.9.5 | Medical arrangements | 64 |
| 7.10 | Critical facilities and support resources | 64 |
| 7.10.1 | General requirements | 64 |

| | | |
|----------|--|-----------|
| 7.10.2 | Protection of computer-based systems and components | 65 |
| 7.10.3 | Critical facilities | 65 |
| 7.10.4 | Support resources | 67 |
| 7.10.5 | Resource availability | 68 |
| 7.11 | Communication and information flow | 68 |
| 7.12 | Public alerting process | 69 |
| 7.12.1 | Define and document | 69 |
| 7.12.2 | Effective, secure, and redundant public alerting systems | 69 |
| 7.12.3 | Alerting methods | 69 |
| 7.12.4 | Minimum public alerting requirements | 69 |
| 7.13 | Transportation management | 70 |
| 7.14 | Continuity of nuclear emergency response operations | 70 |
| 7.15 | Deviation from the nuclear emergency response plan | 70 |
| 7.15.1 | Authority to deviate from plan | 70 |
| 7.15.2 | Process to deviate from plan | 70 |
| 7.16 | Supporting agreements, plans, and response procedures | 70 |
| 7.16.1 | Supporting agreements | 70 |
| 7.16.2 | Supporting plans | 71 |
| 7.16.3 | Response procedures | 71 |
| 7.17 | Validation of the nuclear emergency response plan and procedures | 72 |
| 7.17.1 | General | 72 |
| 7.17.2 | Change validation | 72 |
| 7.17.3 | Reactor facility change notification | 72 |
| 7.17.4 | Validation documentation retention | 72 |
| 7.18 | Nuclear emergency response plan maintenance | 72 |
| 8 | Nuclear emergency recovery plan | 72 |
| 8.1 | Nuclear emergency recovery plan development | 72 |
| 8.1.1 | General | 72 |
| 8.1.2 | Need for development | 73 |
| 8.1.3 | Applicable requirements | 73 |
| 8.1.4 | Considerations in plan development | 73 |
| 8.1.5 | Recovery procedures | 73 |
| 8.2 | Transition from response to recovery | 73 |
| 8.3 | Plan implementation authority | 74 |
| 8.4 | Technical resource needs | 74 |
| 8.5 | Scope of the nuclear emergency recovery plan | 74 |
| 8.5.1 | Recovery plan | 74 |
| 8.5.2 | Recovery actions | 74 |
| 8.5.3 | Endpoints | 75 |
| 8.5.4 | Plan elements | 75 |
| 8.6 | Recovery organizational requirements | 76 |
| 8.6.1 | Organizational structure | 76 |
| 8.6.2 | Organization requirements | 76 |
| 8.6.3 | Documentation | 76 |
| 8.7 | Other resource requirements | 76 |
| 8.7.1 | Planning data | 76 |
| 8.7.2 | Required facilities and support resources | 76 |
| 8.8 | Communications and information flow | 77 |

| | | |
|--------|--|----|
| 8.8.1 | Communications procedures | 77 |
| 8.8.2 | Recovery data reporting | 77 |
| 8.8.3 | Recovery data dissemination | 77 |
| 8.9 | Continuity of nuclear emergency recovery operations | 77 |
| 8.10 | Deviation from the nuclear emergency recovery plan | 77 |
| 8.11 | Nuclear emergency recovery plan accessibility | 77 |
| 8.12 | Validation of the nuclear emergency recovery plan and procedures | 78 |
| 8.12.1 | General | 78 |
| 8.12.2 | Validation of changes | 78 |
| 8.12.3 | Notification of changes | 78 |
| 8.12.4 | Retention of documentation | 78 |
| 8.13 | Nuclear emergency recovery plan maintenance | 78 |

9 Training 78

| | | |
|-----|---------------------------------------|----|
| 9.1 | General | 78 |
| 9.2 | Levels of training | 78 |
| 9.3 | Training requirements | 78 |
| 9.4 | Competencies | 79 |
| 9.5 | Training design | 79 |
| 9.6 | Systematic approach to training | 79 |
| 9.7 | Frequency and scope | 79 |
| 9.8 | Radiation protection training support | 79 |
| 9.9 | Record retention | 80 |

10 Facilities and equipment maintenance 80

| | | |
|------|-------------------------------------|----|
| 10.1 | Working condition assurance | 80 |
| 10.2 | Functionality inspections and tests | 80 |
| 10.3 | System testing | 80 |
| 10.4 | Gaps and limitations | 80 |
| 10.5 | Corrective action plans | 80 |

11 Public awareness and education 80

| | | |
|------|---|----|
| 11.1 | General | 80 |
| 11.2 | Public awareness and education program | 81 |
| 11.3 | Public awareness and education products | 81 |
| 11.4 | Capabilities | 81 |
| 11.5 | Accountability | 81 |

12 Exercises 82

| | | |
|--------|---|----|
| 12.1 | Exercise program | 82 |
| 12.1.1 | General | 82 |
| 12.1.2 | Exercise program objectives | 82 |
| 12.1.3 | Drills and exercises | 82 |
| 12.1.4 | Exercise participants | 85 |
| 12.1.5 | Exercise schedule | 85 |
| 12.2.1 | Exercise frequency | 85 |
| 12.2.2 | Identification of participating organizations | 85 |
| 12.2.3 | Depth of engagement | 85 |
| 12.2.4 | Exercise schedule review | 85 |

| | | |
|-----------|--|-----------|
| 12.2.5 | Additional requirements | 85 |
| 12.3 | Exercise design | 85 |
| 12.3.1 | Exercise design team | 85 |
| 12.3.2 | Exercise design team membership | 85 |
| 12.4 | Exercise facilitator qualifications | 86 |
| 12.5 | Exercise preparation | 86 |
| 12.5.1 | Exercise plan | 86 |
| 12.5.2 | Exercise format and plan considerations | 86 |
| 12.5.3 | Required exercise plan elements | 86 |
| 12.5.4 | Additional exercise plan elements | 86 |
| 12.5.5 | Full-scale exercise roles | 87 |
| 12.5.6 | Exercise media spokesperson | 87 |
| 12.5.7 | Exercise notification to the public and the media | 87 |
| 12.6 | Exercise conduct | 87 |
| 12.6.1 | Compliance | 87 |
| 12.6.2 | Participant briefing | 88 |
| 12.6.3 | Identification | 88 |
| 12.6.4 | Controller and evaluator separation | 88 |
| 12.7 | Post-exercise activities | 88 |
| 12.7.1 | General | 88 |
| 12.7.2 | Debriefing | 88 |
| 12.7.3 | Documentation | 88 |
| 12.7.4 | Debriefing authority | 88 |
| 12.7.5 | Debrief observations | 88 |
| 12.7.6 | Return of facilities and equipment | 88 |
| 12.8 | Exercise evaluation | 89 |
| 12.8.1 | General | 89 |
| 12.8.2 | Exercise evaluation plan | 89 |
| 12.8.3 | Exercise evaluation report | 89 |
| 13 | Response | 90 |
| 13.1 | Activation of the nuclear emergency response plan | 90 |
| 13.2 | Inter-organizational emergency response coordination | 90 |
| 13.3 | Assessment of the response needs | 90 |
| 13.4 | Deviation from the nuclear emergency response plan | 90 |
| 13.5 | Termination of the emergency response phase | 91 |
| 13.6 | Response evaluation | 91 |
| 13.6.1 | General | 91 |
| 13.6.2 | Evaluation considerations | 91 |
| 14 | Recovery | 91 |
| 14.1 | Activation of the nuclear emergency recovery plan | 91 |
| 14.2 | Inter-organizational nuclear emergency recovery coordination | 92 |
| 14.3 | Assessment of the recovery needs | 92 |
| 14.4 | Deviation from the nuclear emergency recovery plan | 92 |
| 14.5 | Termination of the recovery operation | 92 |
| 14.6 | Recovery evaluation | 92 |
| 14.6.1 | General | 92 |
| 14.6.2 | Evaluation considerations | 92 |

15 NEMP evaluation, audit, and review 93

- 15.1 NEMP evaluation 93
 - 15.1.1 Development of an evaluation plan 93
 - 15.1.2 Review plan processes 93
 - 15.1.3 Currency and completeness 93
 - 15.1.4 Consideration of interfaces 94
 - 15.1.5 Corrective actions 94
- 15.2 NEMP audit 94
- 15.3 NEMP review 94
 - 15.3.1 Continual improvement process 94
 - 15.3.2 Corrective action process 94

16 Oversight and improvement 95

- 16.1 Senior management oversight 95
 - 16.1.1 General 95
 - 16.1.2 Oversight considerations 95
 - 16.1.3 Frequency of review 95
- 16.2 Continual improvement 95
 - Review process 95
 - 16.2.2 Assessments and benchmarking 95
 - 16.2.3 Lessons learned 95

Annex A (informative) — Introduction figures 96

Annex B (informative) — Nuclear emergency management program overview 97

Annex C (informative) — Conversion equivalence table (See Clause [6.4.2](#)) 99

Annex D (informative) — Emergency planning zones 100

Annex E (informative) — Protection strategy 102

Preface

This is the third edition of CSA N1600, *General requirements for nuclear emergency management programs*. It supersedes the previous editions published in 2016 and 2014.

Major changes to this edition include the following:

- a) additional requirements and guidance on recovery planning and improved alignment with related industry standards, including IAEA No. GSR Part 7 and IAEA No. GSG-11;
- b) additional clarification on the distinction between drills and exercises, and their associated expectations;
- c) introduction of the concept of a protection strategy, consistent with Health Canada's *Generic Criteria and Operational Intervention Levels for Nuclear Emergency Planning and Response*, with clarification regarding the application of reference levels, generic criteria, operational intervention levels, and protective actions; and
- d) clarification regarding communication and engagement with other organizations, communities of interest, and Indigenous peoples.

This Standard provides requirements for a comprehensive nuclear emergency management program (NEMP) embracing the emergency management components (prevention/mitigation, preparedness, response, and recovery) in keeping with international emergency management practice, with a predominant focus on preparedness, response, and recovery. It establishes the elements of a continual improvement process to develop, implement, maintain, and evaluate the emergency management functions of reactor facilities and their surrounding communities.

Users of this Standard are reminded that the site selection, design, manufacture, construction, installation, commissioning, operation, and decommissioning of reactor facilities in Canada are subject to the *Nuclear Safety and Control Act* and its *Regulations*. The Canadian Nuclear Safety Commission (CNSC) might impose additional requirements to those specified in this Standard.

The CSA N-Series Standards provide an interlinked set of requirements for the management of reactor facilities and activities. The CSA N286 Standard provides overall direction to management to develop and implement sound management practices and controls, while the other CSA nuclear Standards provide technical requirements and guidance that support the management system. This Standard works in harmony with CSA N286 and does not duplicate the generic requirements of CSA N286; however, it might provide more specific direction for those requirements.

This Standard was prepared by the Technical Committee on General Requirements for Nuclear Emergency Management Programs, under the jurisdiction of the Strategic Steering Committee on Nuclear Standards, and has been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*

- b) *provide an explanation of circumstances surrounding the actual field condition; and*
- c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA N1600:21

General requirements for nuclear emergency management programs

0 Introduction

0.1 General

This Standard establishes criteria for the emergency management programs of on- and off-site organizations to address nuclear emergencies at Canadian reactor facilities. The approach taken is aimed at the protection of health and safety, property, and the environment from nuclear emergencies through an all hazards risk-based program of prevention, mitigation, preparedness, response, and recovery (see Clause [0.3](#)). This Standard reflects the convergence seen over the past several years of public and private sector emergency management efforts.

Canada, from the municipal government level through to the federal government level, uses the all hazards risk-based approach to emergency management, which recognizes that the actions required to manage the consequences of emergencies are essentially the same, irrespective of the nature of the emergency, thereby permitting an optimization of resources. The radiological hazard is unique to nuclear activities and this Standard incorporates the additional requirements to address radiological consequences. [Source: Modified from Public Safety Canada's *Federal Emergency Response Plan*]

This Standard has been developed to help organizations that might be involved in or affected by a potential nuclear emergency to establish and implement a nuclear emergency management program (NEMP) that is appropriate to its needs. These needs could be shaped by legal, regulatory, organizational, and industry requirements, the products and services, the processes employed, the size and structure of the organization, and the needs and requirements of other organizations, communities of interest, and Indigenous peoples.

To facilitate its use and adoption, this Standard is aligned with the PDCA cycle (see Clause [0.2](#)) referred to in other standards as a continual improvement model. This supports consistent and integrated implementation and operation within and between organizations' management systems. This Standard also supports the components of emergency management (see Clause [0.3](#)) developed by the federal, provincial, and territorial governments in the document *An Emergency Management Framework for Canada* (Public Safety Canada), which not only establishes a common approach for the various emergency management initiatives but also enables consolidation of collaborative work and ensures more coherent, complementary actions among the different organizations.

This Standard is applicable to all types and sizes of organizations, regardless of whether or not a formal management system is in place.

0.2 PDCA cycle

As indicated in Clause [0.1](#), this Standard is aligned with the PDCA cycle (see Figure [A.1](#)).

The first phase of the PDCA cycle is the "plan" phase. During this phase, a plan is developed. In this Standard, the "plan" phase is reflected in Clause [4](#), Nuclear emergency management program, and

specifically Clause 4.4, Program management, Clause 5.2, Planning basis, Clause 7, Nuclear emergency response plan, and Clause 8, Nuclear emergency recovery plan.

The second phase of the PDCA cycle is the “do” phase. In this phase, the plan is carried out. In this Standard, the “do” phase is reflected in Clause 4, Nuclear emergency management program (NEMP), Clause 6, Communication, Clause 9, Training, Clause 10, Facilities and equipment maintenance, Clause 11, Public awareness and education, Clause 12, Exercises, Clause 13, Response, and Clause 14, Recovery.

The third phase of the PDCA cycle is the “check” phase. In this phase, a review takes place of what was intended and what was observed in the previous step (the “do” phase). It is focused on measuring effectiveness and analyzing for improvement. In this Standard, the “check” phase is covered in Clause 12, Exercises, and Clause 15, NEMP evaluation, audit, and review.

In the last phase of the PDCA cycle, “act”, action is taken to effect the desired change. It is focused on fully implementing the improved solution. In this Standard, the “act” phase is addressed in Clause 15.3, NEMP review, and Clause 16, Oversight and improvement.

0.3 Components of emergency management

0.3.1 Prevention and mitigation

0.3.1.1 Prevention

Preventing nuclear emergencies from occurring at Canadian reactor facilities is the responsibility of the reactor facility operators. Through the authority of the *Nuclear Safety and Control Act*, the CNSC regulates the Canadian nuclear industry in order to limit the risks to the environment, the health and safety of persons, and national security.

In addition to the regulatory requirements of the *Nuclear Safety and Control Act*, CSA Group nuclear standards promote the safe and reliable operation of the nuclear power industry in Canada, and subsequently support the prevention of nuclear emergencies. This includes, but is not limited to, CSA Group nuclear standards addressing requirements for structures, systems, and components (SSCs); periodic and in-service inspections; fire protection; and environmental qualification. CSA Group nuclear standards capture best practices for industry, document operating experience in order to capture and transfer knowledge, benchmark and harmonize with internationally accepted requirements and practices, and are frequently referenced in licence and licence condition handbooks of reactor facilities across Canada.

Given this comprehensive approach to the prevention of nuclear emergencies in Canada, prevention is not addressed in depth in this Standard because it is addressed through the requirements of the authority having jurisdiction (AHJ).

Notes:

- 1) “Prevention” is defined as actions taken to ensure that a nuclear emergency does not occur in the first place, or to reduce its likelihood of occurring.
- 2) A prevention strategy refers to measures taken by an organization which aim to prevent a nuclear emergency from occurring or completely avoiding the impacts of such a nuclear emergency.
- 3) Examples of prevention measures include
 - a) design of systems, operations, and infrastructure;
 - b) location of systems, operations, and infrastructure;
 - c) use of appropriate materials, systems, operations, and infrastructure;
 - d) institution of controls; and

- e) *institution of protection and security measures such as controlled access, quarantine, permits, and clearances.*

0.3.1.2 Mitigation

On-site mitigation of nuclear emergencies is the responsibility of the reactor facility operators. Off-site mitigation of nuclear emergencies tends to be driven by provincial authorities, local authorities, or both, and can comprise structural measures (e.g., dykes, building reinforcements) or non-structural measures (e.g., land use planning and building codes, public awareness). It is worth noting that Public Safety Canada's National Disaster Mitigation Strategy (NDMS) promotes mitigation as an important component of a robust emergency management framework.

The NDMS also emphasizes that it is important for all organizations to commit to working together to support mitigation activities in Canada. The development of this Standard is a reflection of this commitment and one avenue through which the integration of nuclear emergency mitigation strategies can occur. Mitigation is directly touched upon in Clauses [4.1](#) and [8.1.5](#). It is important to note that mitigation is not addressed in depth in this Standard; however, mitigation is addressed in greater detail in other codes and standards.

Note: *Examples of mitigation strategies include*

- a) *recognizing, removing, or reducing the potential consequence of the hazard;*
- b) *integrating risk mitigation strategies into the design of program initiatives for those assumptions with the highest risk rating;*
- c) *integrating continuity management strategies into the design of the program such as duplicating or reallocating resources to deal with these strategies;*
- d) *establishing hazard alerting and communications systems;*
- e) *protecting proprietary information and vital records;*
- f) *providing protective systems to safeguard information technology; and*
- g) *adopting current building and appropriate land-use practices.*

0.3.2 Preparedness

"Preparedness" is defined as actions taken prior to a nuclear emergency to be ready to respond to it and manage its consequences (Public Works and Government Services Canada, *Emergency Management Vocabulary*). Preparedness for nuclear emergencies is a multi-jurisdictional responsibility that is shared by reactor facilities and all levels of government in Canada (i.e., federal government, provincial or territorial governments, and local governments). This is reflected in the number, variety, and integration of plans at all levels (see Annex [B](#)).

Nuclear emergency preparedness is addressed in Clause [4](#), Nuclear emergency management program, and includes the following:

- a) development of nuclear emergency response and recovery plans (see Clauses [7](#) and [8](#));
- b) training workers who would be engaged in response/recovery efforts (see Clause [9](#));
- c) testing of emergency response/recovery equipment (see Clause [10](#));
- d) public awareness and education (see Clause [11](#)); and
- e) exercising the implementation of emergency plans (see Clause [12](#)).

0.3.3 Response

"Response" is defined as actions taken during a nuclear emergency to reduce the magnitude of the hazard and manage its consequences, including the impact of the hazard on people, property, and the environment. Response actions include, but are not limited to, emergency public communication, search and rescue, emergency medical assistance, and shelter-in-place or evacuation to minimize suffering and losses associated with nuclear emergencies. In addition, nuclear emergency response

planning, training, and exercising often occur as part of the preparedness efforts. Nuclear emergency response planning (including development, validation, and maintenance) is therefore addressed in Clause 7, Nuclear emergency response plan, and the active response phase requirements (including plan activation, needs assessment, plan deviation, response termination) are defined in Clause 13, Response.

0.3.4 Recovery

“Recovery” can be defined as the short-term and long-term actions taken in order to restore, to an acceptable level, both the organizations involved in, and the communities affected by, the nuclear emergency and its associated response activities. The level of restoration is typically determined by the AHJ, in consultation with the organizations, communities of interest, and Indigenous peoples affected by the nuclear emergency. Note that there is a strong relationship between long-term sustainable recovery and prevention and mitigation of future nuclear emergencies. Consequently, recovery efforts should be conducted with a view towards risk reduction. Examples of recovery efforts include, but are not limited to, environmental monitoring and remediation, containment and disposal of contaminants, psychological and psychosocial support, reconstruction, economic recovery, financial assistance, and long-term medical follow-up

The implementation of mitigation strategies can occur in parallel with recovery functions. In addition, nuclear emergency recovery planning, training, and exercising could occur as part of the preparedness efforts. Nuclear emergency recovery planning (including development, validation, and maintenance) is therefore addressed in Clause 8, Nuclear emergency recovery plan, and the active recovery phase requirements (including plan activation, inter-organizational nuclear emergency recovery coordination, needs assessment, plan deviation, and termination of the recovery operation) are defined in Clause 14, Recovery.

0.4 Management system

A management system integrates the requirements from management system standards for health, safety, environment, security, economics, and quality.

CSA N286 provides overall direction to management to develop and implement sound management practices and controls.

For reactor facilities, this Standard works in harmony with CSA N286 and does not duplicate the generic requirements of CSA N286, which provides overall direction to management to develop and implement sound management practices and controls. This Standard makes reference to the requirements of CSA N286 in:

- a) Clause 4.4.1.4.2, Reactor facility documentation process;
- b) Clause 4.4.5.1, NEMP documentation;
- c) Clause 4.4.5.4.2, Reactor facility records management process;
- d) Clause 4.4.7.2.4, NEMP review documentation;
- e) Clause 5.2.3.3, Planning basis review documentation; and
- f) Clause 9.9, Records retention.

Notes:

- 1) *A quality management system (QMS) is a formalized system that documents processes, procedures, and responsibilities for achieving quality policies and objectives, and is relevant to every emergency response organization. A QMS helps coordinate and direct an organization’s activities to meet customer and regulatory requirements, and to improve its effectiveness and efficiency on a continuous basis.*
- 2) *Additional guidance on management systems is available in standards including, but not limited to*
 - a) *CAN/CSA-ISO 9001 for quality management systems;*

- b) CAN/CSA-ISO 14001 for environmental management systems; and
- c) ISO 45001 for occupational health and safety management systems.

1 Scope

1.1 Reactor facilities

This Standard establishes criteria for the emergency management programs of on- and off-site organizations to address nuclear emergencies at Canadian reactor facilities.

Notes:

- 1) *This Standard may provide guidance for nuclear facilities other than reactor facilities. The operators of these facilities may, together with the AHJs, determine the applicability and suitability of the guidance provided by this Standard.*
- 2) *The requirements in this Standard are applied in accordance with the applicable legislation and jurisdictional responsibilities of the organization.*

1.2 Emergency management pillars

This Standard provides the requirements to develop, implement, evaluate, maintain, and continually improve a nuclear emergency management program (NEMP) for prevention, mitigation, preparedness, response, and recovery from a nuclear emergency at a reactor facility irrespective of the initiator.

Note: *The requirements and guidance in this Standard could inform the development of plans for specific initiating events (e.g., fire, flood, security).*

1.3 Business continuity planning

This Standard does not establish requirements for business continuity planning.

Note: *For further information on continuity planning, see CSA Z1600 and ISO 22301.*

1.4 Mandatory language

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

1.5 Use of “consider”

In this Standard, “considered” or “consider” means that the user evaluates the impact and documents any decisions.