



**CSA
Group**

N285.0-17/N285.6 Series-17

General requirements for pressure-retaining systems and components in CANDU nuclear power plants/ Material Standards for reactor components for CANDU nuclear power plants

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

N285.0-17/N285.6 Series-17, General requirements for pressure-retaining systems and components in CANDU nuclear power plants/ Material Standards for reactor components for CANDU nuclear power plants

Update No. 1 — December 2018	Revision symbol (in margin)
<p>Technical Committee</p> <p><u>N285.0-17</u> Clauses 1.1, 1.3, 2, 3, 4.3, 5.1.1, 5.1.4, 5.1.7, 5.2.4.1.2, 5.2.4.1.3, 5.2.4.2.1, 5.3.2.1, 6.1.1.1, 6.1.1.3, 6.1.1.4, 6.1.9, 6.2.3, 6.2.3.1, 7.2, 7.3.1, 7.3.3, 7.6.7, 7.7, 8.1.5.2, 8.4, 10.1.1, 10.1.2, 10.2, 10.3.1, 10.4, 10.6, 10.6.1, 10.6.2, 10.6.2.2, 10.6.3, 10.7, 10.7.1, 10.7.2, 10.7.3, 10.7.4, 10.7.5, 11.1.4, 11.1.8, 12.2.3, 12.2.6, 14.5.2.4, 14.5.2.5, 14.5.3.1, 15, E.2.3.3.3, H.1.1, H.4, K.1.1, and K.2.6 Figures C.4 and H.1</p> <p><u>N285.6.4-17</u> Clause 7.6</p>	<p>①</p>
Errata — January 2018	Revision symbol (in margin)
<p>Task Force A and Task Force B</p> <p><u>N285.0-17</u> Clause 7.4.2</p> <p><u>N285.6.7-17</u> Table 2</p>	<p>Δ</p>

Standards Update Service

N285.0-17/N285.6 Series-17 July 2017

Title: *General requirements for pressure-retaining systems and components in CANDU nuclear power plants/Material Standards for reactor components for CANDU nuclear power plants*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2425332**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

***N285.0-17/N285.6 Series-17
General requirements for pressure-retaining
systems and components in CANDU nuclear
power plants/Material Standards for reactor
components for CANDU nuclear power plants***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in July 2017 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0839-0

*© 2017 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and
Components 11

Task Force A — General Requirements 14

Task Force B — Design 15

Task Force C — Materials 17

Task Force D — Fabrication and Examination 18

Task Force E — Quality Assurance 19

Task Force F — In-service 20

Task Force G — Strategic Issues 21

Task Force I — Editorial 22

Preface 23

**N285.0-17, General requirements for pressure-retaining systems and components in CANDU nuclear
power plants**

1 Scope 27

2 Reference publications 28

3 Definitions 32

4 Effective date for standards 37

5 Classification 38

5.1 General requirements 38

5.2 Process systems 39

5.2.1 Class 1 39

5.2.2 Class 2 39

5.2.3 Class 3 39

5.2.4 Class 6 40

5.3 Special safety systems 41

5.3.1 Containment systems and components 41

5.3.2 Emergency core cooling systems 41

5.3.3 Shutdown systems 42

5.4 Class 1C, 2C and 3C components 42

5.5 Adjoining systems or sections of systems 42

6 Registration 43

6.1	Designs to be registered	43
6.1.1	General requirements	43
6.1.2	Subassemblies	43
6.1.3	Small vessels	43
6.1.4	Supports	43
6.1.5	Pumps	44
6.1.6	Fittings	44
6.1.7	Instrument lines	44
6.1.8	Containment components	44
6.1.9	Nuclear power plant modifications	45
6.1.10	Design change after registration	45
6.1.11	Welding and brazing procedures	45
6.2	Registration exemptions	45
6.2.1	General	45
6.2.2	Class 6 components and fittings exempt from registration	45
6.2.3	Other exemptions from registration	45
6.3	Registration numbers	46
7	Design	46
7.1	Rules	46
7.1.1	Class 1	46
7.1.2	Class 2	46
7.1.3	Class 3	46
7.1.4	Classes 1C, 2C, and 3C	47
7.1.5	Class 4	47
7.1.6	Class 6 or Class Exempt	47
7.1.7	Periodic inspection	47
7.1.8	Seismic requirements	47
7.1.9	Threaded fasteners with metallic inserts qualified by testing	47
7.1.10	Threaded fasteners with metallic inserts qualified by analysis	47
7.2	Nuclear power plant design documents	48
7.3	System design documents	48
7.3.1	System records	48
7.3.2	System flowsheets	49
7.3.3	System classification lists	50
7.4	Design documents for components and non-standard fittings	50
7.4.1	General requirements	50
7.4.2	Design documents	50
7.4.3	Piping system design reports	51
7.5	Supports for Class 1, 1C, 2, 2C, 3, 3C, and 4 components	51
7.5.1	General requirements	51
7.5.2	Specific requirements	51
7.5.3	Overpressure protection	52
7.6	Heat transport systems	52
7.6.1	General requirements	52
7.6.2	Heat transport systems	53
7.6.3	Application	54
7.6.4	Conditions	55
7.6.5	Methods	55
7.6.6	Provisions	55

7.6.7	Overpressure protection report	55
7.7	Reconciliation statements for new construction	56
7.8	Instruments and instrument lines	56
7.8.1	Instruments	56
7.8.2	Instrument lines	57
8	Materials	57
8.1	General requirements	57
8.1.1	Material for Class 1 components	57
8.1.2	Material for Class 2 components	57
8.1.3	Material for Class 3 components	57
8.1.4	Material for Class 1C, 2C, and 3C components	58
8.1.5	Material for Class 4 components	58
8.1.6	Material for Class 6 components	58
8.2	Identification	58
8.3	Supports	58
8.3.1	Class 1, 1C, 2, 2C, 3, 3C, and 4 supports	58
8.3.2	Integral attachments	58
8.4	Material certification	58
9	Fabrication and installation	58
9.1	General requirements	58
9.2	Specific requirements	59
9.2.1	Class 1 components and non-standard fittings	59
9.2.2	Class 2 components and non-standard fittings	59
9.2.3	Class 3 components and non-standard fittings	59
9.2.4	Class 1C, 2C, and 3C components and non-standard fittings	59
9.2.5	Class 4 components and non-standard fittings	59
9.2.6	Class 6 or Class Exempt components and fittings	59
9.2.7	Metallic inserts	59
9.3	Welding and brazing	59
9.4	Supports for Class 1, 1C, 2, 2C, 3, 3C, and 4 components	60
10	General requirements for quality programs	60
10.1	Applicability	60
10.2	Construction of Class 1, 1C, 2, 2C, 3, 3C, and 4 components and their supports	60
10.3	Repair, replacement, and modification of Class 1, 1C, 2, 2C, 3, 3C, and 4 components and their supports	60
10.4	Refurbishing of Class 1, 1C, 2, 2C, 3, 3C, and 4 items	61
10.5	Servicing of Class 1, 2, and 3 pressure-relief valves	61
10.6	Class 1, 1C, 2, 2C, 3, 3C, and 4 material	61
10.6.1	General	61
10.6.2	Material organizations	61
10.6.3	Approved suppliers of source materials and services	61
10.7	Quality programs acceptable for use	61
11	Examination and pressure testing	62
11.1	Examination requirements	62
11.1.8	— Deleted	63

11.2	Examination methods	63
11.3	Examination personnel	63
11.4	Pressure testing of components	64
12	Documentation	65
12.1	General	65
12.2	Records, identification, and reports	65
12.2.3	— Deleted	65
12.3	Identification	66
12.4	Data report for fabrication activities and report for repair, replacement, or modification	66
12.4.1	General requirements	66
12.4.2	Piping system installations for Class 1, 1C, 2, 2C, 3, 3C, or 4	68
12.4.3	Piping subassemblies for Class 1, 1C, 2, 2C, 3, 3C, or 4	68
12.4.4	Vessels for Class 1, 1C, 2, 2C, 3, 3C, or 4	68
12.4.5	Modifications for Class 1, 1C, 2, 2C, 3, 3C, or 4	68
12.4.6	Pressure relief devices for Class 1, 1C, 2, 2C, 3, 3C, or 4	68
12.4.7	Pumps and valves for Class 1, 1C, 2, 2C, 3, 3C, or 4	69
12.4.8	Fittings for Class 1, 1C, 2, 2C, 3, 3C, or 4	69
12.4.9	Parts for Class 1, 1C, 2, 2C, 3, 3C, or 4	69
13	In-service requirements	69
13.1	General requirements	69
13.2	Inaugural or baseline inspections	70
13.3	Class 1, 2, and 3 pressure relief devices	70
13.4	Class 6 pressure relief devices	70
14	Repairs, replacements, and modifications	70
14.1	General	70
14.2	Repairs	70
14.3	Replacement items	71
14.4	Refurbishing of items	73
14.5	Modifications	73
14.5.1	Addition of a self-contained system	73
14.5.2	Existing components	73
14.5.3	Temporary modifications	74
14.6	Pressure testing	75
14.6.1	General requirements	75
14.6.2	Piping system pressure testing	75
14.6.3	Operational pressure testing	77
14.6.4	Alternative requirements for pressure testing	78
14.7	Alternative pressure testing of Class 1, 2, 3, and 6 systems after repairs, replacements, and modifications	78
14.7.1	Requirements	78
14.7.2	Pressure testing	80
15	Pressure boundary program document	81
Annexes		
	Annex A (informative) — Registration numbers	105

Annex B (informative) — Registration procedures for Class 1, 1C, 2, 2C, 3, 3C, and 4 items	108
Annex C (informative) — Design documentation	111
Annex D (informative) — Qualification of licensee's verifiers	116
Annex E (normative) — Requirements for Class 1C, 2C, and 3C components and supports in nuclear power plants	119
Annex F (normative) — Design rules for containment components	131
Annex G (informative) — In-service plugging by fusion welding of Class 1, 2, and 3 heat-exchanger tube or tubesheet holes with a 1 in maximum diameter	134
Annex H (normative) — Reconciliation of modifications and as-built changes	140
Annex I (informative) — Alternative process for qualification of Category A to F fittings for use in a nuclear Class 1, 2, or 3 piping system	144
Annex J (informative) — Pressure boundary program document	151
Annex K (normative) — Alternative rules	155

N285.6.1-17, Pressure tubes for use in CANDU fuel channels

1 Scope	158
2 Reference publications	158
3 Definitions	158
4 General requirements	158
5 Ingot and ingot composition requirements	159
6 Extrusion requirements	160
7 Tube requirements	160
8 Inspection requirements	161

N285.6.2-17, Seamless zirconium alloy tubing for reactivity control units

1 Scope	164
2 Reference publications	164
3 General requirements	164
4 Composition requirements	165
5 Inspection	165

N285.6.3-17, Annealed seamless zirconium alloy tubing for liquid injection shutdown system (LISS) nozzles

- 1 Scope** 167
- 2 Reference publications** 167
- 3 General requirements** 167
- 4 Composition requirements** 168
- 5 Inspection** 168

N285.6.4-17, Thin-walled, large-diameter zirconium alloy tubing

- 1 Scope** 171
- 2 Reference publications** 171
- 3 General requirements** 171
- 4 Composition requirements** 172
- 5 Processing requirements** 172
 - 5.1 General 172
 - 5.2 Seam-welded processing 173
 - 5.2.1 Material for seam-welded processing 173
 - 5.2.2 Processing of strip material 173
 - 5.3 Seamless processing 173
- 6 Final surface condition of the seam-welded and seamless tubes** 173
 - 6.1 Calandria tube surfaces 173
 - 6.2 Reactivity tubes 173
- 7 Inspection** 174

N285.6.6-17, Non-destructive examination criteria for zirconium alloys

- 1 Scope** 177
- 2 Reference publications** 177
- 3 Non-destructive examination (NDE) personnel qualification** 178
 - 3.1 General 178
 - 3.2 Certification 178
 - 3.3 Eye test requirements 178
 - 3.4 Documentation control 178

4	Visual inspection standards	178
4.1	Standard V-1 (for small tubes)	178
4.1.1	Application	178
4.1.2	Requirements	178
4.1.3	Acceptance criteria	179
4.2	Standard V-2 (for large-diameter tubes)	179
4.2.1	Application	179
4.2.2	Requirements	179
4.2.3	Acceptance criteria	179
4.3	Standard V-4 (for pressure tubes)	179
4.3.1	Application	179
4.3.2	Requirements	180
4.3.3	Acceptance criteria	180
5	Radiographic standards	181
5.1	Standard R-1 (for seam welds in large-diameter tubes)	181
5.2	Acceptance criteria	181
6	Liquid-penetrant standards	181
6.1	Standard LP-1 (for seam welds in large-diameter tubes)	181
6.1.1	Application	181
6.1.2	Requirements	181
6.1.3	Acceptance criteria	181
6.2	Standard LP-3 [for seamless tubes for liquid injection shutdown system (LISS) nozzles]	182
6.2.1	Application	182
6.2.2	Requirements	182
6.2.3	Acceptance criteria	182
7	Ultrasonic standards	182
7.1	Standard UT-1 (for seamless tubing)	182
7.1.1	Application	182
7.1.2	Requirements	183
7.1.3	Acceptance criteria	183
7.2	Standard UT-5 (for pressure tubes)	183
7.2.1	Application	183
7.2.2	Requirements	183
7.2.3	Acceptance criteria	184
7.3	Standard UT-6 (for large-diameter tubes)	184
7.3.1	Application	184
7.3.2	Requirements	184
7.3.3	Acceptance criteria	184
8	Eddy current standards — Standard EC-1 (for pressure tubes)	184
8.1	Application	184
8.2	Requirements	185
8.3	Acceptance criteria	185

N285.6.7-17, Zirconium alloy design data

- 1 Scope** 187
- 2 Reference publications** 187
- 3 General** 187

N285.6.8-17, Martensitic stainless steel for fuel-channel end fittings

- 1 Scope** 193
- 2 Reference publications** 193
- 3 Definitions** 194
- 4 Manufacturing requirements** 194
 - 4.1 Melting process 194
 - 4.2 Forging process 194
 - 4.3 Heat treatment 194
- 5 Chemical composition** 194
- 6 Mechanical properties** 195
 - 6.1 Prolongations for tests 195
 - 6.2 Tension tests 195
 - 6.2.1 Tensile properties 195
 - 6.2.2 Method 195
 - 6.2.3 Number of tests 195
 - 6.2.4 Test location and orientation 195
 - 6.3 Impact test 196
 - 6.3.1 Impact properties 196
 - 6.3.2 Number of tests, location, and orientation 196
 - 6.3.3 Method 196
 - 6.3.4 Test temperature 196
 - 6.4 Re-test 196
- 7 Macroetch test** 197
 - 7.1 Material homogeneity 197
 - 7.2 Samples 197
 - 7.3 Examination procedure 197
 - 7.4 Acceptance criteria 197
- 8 Ultrasonic examination** 197
- 9 Quality of work** 198
 - 9.1 Quality of blanks 198
 - 9.2 Repair 198

10 Certification 198

11 Product marking 198

Annexes

Annex A (normative) — Design data for end-fitting material 199

N285.6.9-17, *Materials for supports for pressure-retaining items*

1 Scope 203

2 Reference publications 203

3 General requirements 203

4 Materials 203

5 Welding 204

6 Examination 204

7 Certification 204

N285.6.10-17, *Nickel-based alloy wire for fuel-channel spacers*

1 Scope 208

2 Reference publication 208

3 General requirements 208

N285.6.11-17, *Zirconium alloy wire*

1 Scope 211

2 Reference publications 211

3 General requirements 211

N285.6.12-17, *Zirconium alloy bars and rods for reactivity control units*

1 Scope 214

2 Reference publications 214

3 General requirements 214

4 Composition requirements 215

5 Inspection 215

N285.6.13-17, Zirconium alloy sheet, strip and plate for reactivity control units

1 Scope 218

2 Reference publications 218

3 General requirements 218

4 Composition requirements 219

5 Inspection 219

N285.6.14-17, Bellows attachment rings for use in CANDU reactors

1 Scope 221

2 Reference publications 221

3 General requirements 221

4 Manufacturing requirements 221

5 Composition requirements 222

6 Mechanical properties 222

6.1 Tensile properties 222

6.2 Tension test method 223

7 Non-destructive examination 223

7.1 Required examination 223

7.2 Method 223

8 Product marking 223

① **Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and Components**

A.A. Nabuurs	Beaver Harbour, New Brunswick <i>Category: General Interest</i>	<i>Chair</i>
J. Krane	Stuart Olson, Port Elgin, Ontario <i>Category: Supplier/Fabricator/Contractor</i>	<i>Vice-Chair</i>
R.W. Cook	Canadian Power Utility Services Limited (CPUS), Georgetown, Ontario <i>Category: Service Industry</i>	<i>Vice-Chair</i>
C.H. MacDonald	Norok Enterprises Incorporated, Mississauga, Ontario <i>Category: General Interest</i>	<i>Secretary</i>
R.W. Barnes	ANRIC Enterprises Inc., Toronto, Ontario <i>Category: Service Industry</i>	
J. Blight	Port Perry, Ontario	<i>Associate</i>
B. Chan	Technical Standards & Safety Authority, Toronto, Ontario <i>Category: Government and/or Regulatory Authority</i>	
R. Chander	Ontario Power Generation Inc. Nuclear, Pickering, Ontario <i>Category: Owner/Operator/Producer</i>	
E. Creaser	Province of New Brunswick Dept. of Public Safety, Fredericton, New Brunswick <i>Category: Government and/or Regulatory Authority</i>	
G.C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario	<i>Associate</i>
M. El Mehelmy Kotb	Madiko Consulting, Kirkland, Québec	<i>Associate</i>

P.G. Gvildys	Peterborough, Ontario <i>Category: Supplier/Fabricator/Contractor</i>	
G. Harvel	University of Ontario Institute of Technology (UOIT), Oshawa, Ontario <i>Category: General Interest</i>	
L. Kadden	RCM Technologies Canada Corp., Pickering, Ontario	<i>Associate</i>
K. Kirkhopye	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario <i>Category: Government and/or Regulatory Authority</i>	
G. Lemay	Carrying Place, Ontario	<i>Associate</i>
J. Lepper	NB Power, Lepreau, New Brunswick <i>Category: Owner/Operator/Producer</i>	
K. Lundie	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario <i>Category: Owner/Operator/Producer</i>	
T. Mason	Black & McDonald Ltd., Pickering, Ontario <i>Category: Supplier/Fabricator/Contractor</i>	
R.S. McGillivray	BWXT Canada Ltd., Cambridge, Ontario	<i>Associate</i>
B. McGlone	Swagelok Company, Solon, Ohio, USA <i>Category: Supplier/Fabricator/Contractor</i>	
E.E. Pelling	Ted Pelling & Co. Ltd., Richmond Hill, Ontario <i>Category: General Interest</i>	
I. Roy	Trishan Consulting Inc., Mississauga, Ontario <i>Category: Service Industry</i>	
N.M. Simpson	Claypine Technologies Inc., Mississauga, Ontario	<i>Associate</i>

J.C. Stranart	SNC-Lavalin Nuclear Inc., Mississauga, Ontario <i>Category: Service Industry</i>	
P. Tang	Bruce Power, Tiverton, Ontario <i>Category: Owner/Operator/Producer</i>	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	<i>Associate</i>
G.D. Zakaib	Energy Industry Consultant, Toronto, Ontario	<i>Associate</i>
R. Reipas	CSA Group, Toronto, Ontario	<i>Project Manager</i>

△ **Task Force A — General Requirements**

L. Kadden	RCM Technologies Canada Corp., Pickering, Ontario	<i>Chair</i>
J. Krane	Stuart Olson, Port Elgin, Ontario	
K. Lundie	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario	
B. McGlone	Swagelok Company, Solon, Ohio, USA	
B. Li	Amec Foster Wheeler, Toronto, Ontario	
B. Xu	Amec Foster Wheeler, Toronto, Ontario	
P. Tang	Bruce Power, Tiverton, Ontario	
A. Pathak	BWXT Nuclear Energy Canada, Peterborough, Ontario	
B. Levitcharsky	Régie de bâtiment du Québec, Montréal, Québec	
S. Krishnan	Hatch Ltd., Mississauga, Ontario	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	

In addition to the members listed above, the Task Force would like to recognize B. Sandhu for his contributions to the development of this Standard.

Δ **Task Force B — Design**

R. Chander	Ontario Power Generation Inc. Nuclear, Pickering, Ontario	<i>Chair</i>
I. Nicolau	Ontario Power Generation Inc., Pickering, Ontario	<i>Secretary</i>
B. Chan	Technical Standards & Safety Authority, Toronto, Ontario	
R.W. Cook	Canadian Power Utility Services Limited (CPUS), Georgetown, Ontario	
E. Creaser	Province of New Brunswick Dept. of Public Safety, Fredericton, New Brunswick	
P.G. Gvildys	BWXT Nuclear Energy Canada, Peterborough, Ontario	
G. Harvel	University of Ontario Institute of Technology (UOIT), Oshawa, Ontario	
L. Kadden	RCM Technologies Canada Corp., Pickering, Ontario	
S. Krishnan	Hatch Ltd., Mississauga, Ontario	
J. Lepper	NB Power, Lepreau, New Brunswick	
R.S. McGillivray	BWXT Canada Ltd., Cambridge, Ontario	
A. Pathak	BWXT Nuclear Energy Canada, Peterborough, Ontario	
I. Roy	Trishan Consulting Inc., Mississauga, Ontario	
J.C. Stranart	SNC-Lavalin Nuclear Inc., Mississauga, Ontario	

Y. Wang Canadian Nuclear Safety Commission (CNSC),
Ottawa, Ontario

G.D. Zakaib Energy Industry Consultant,
Toronto, Ontario

In addition to the members listed above, the Task Force would like to recognize G. Deleanu, K. Kirkhope, R. Klarner, B. Sandhu, B. Xu, B. Li, H. Zhou, T. Mason, P. Tang, M. Kotb, N. Simpson, S. Doyle, D. Evans, S. Habibi, and D. Gunn for their contributions to the development of this Standard.

Task Force C — Materials

J.C. Stranart	SNC-Lavalin Nuclear Inc., Mississauga, Ontario	<i>Chair</i>
B. Chan	Technical Standards & Safety Authority, Toronto, Ontario	
G. Harvel	University of Ontario Institute of Technology (UOIT), Oshawa, Ontario	
M. Swain	Nu-Tech Precision Metals, Arnprior, Ontario	
X. Wei	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	
O. Yong	Ontario Power Generation Inc. Nuclear, Pickering, Ontario	

Task Force D — Fabrication and Examination

J. Blight	Port Perry, Ontario	<i>Chair</i>
E. Creaser	Province of New Brunswick Dept. of Public Safety, Fredericton, New Brunswick	
K. Kirkhope	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	
T. Lawrynowicz	Ontario Power Generation Inc. Nuclear, Pickering, Ontario	
G. Lemay	Carrying Place, Ontario	
T. Mason	Black & McDonald Ltd., Pickering, Ontario	
I. Olson	Bruce Power, Tiverton, Ontario	
V. Raees	Technical Standards & Safety Authority, Toronto, Ontario	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	

In addition to the members listed above, the Task Force would like to recognize G. Deleanu for her contributions to the development of this Standard.

Task Force E — Quality Assurance

J. Krane	Stuart Olson, Port Elgin, Ontario	<i>Chair</i>
G.C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario	
L. Kadden	RCM Technologies Canada Corp., Pickering, Ontario	
K. Kirkhope	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	
C.H. MacDonald	Norok Enterprises Incorporated, Mississauga, Ontario	
T. Mason	Black & McDonald Ltd., Pickering, Ontario	
B. McGlone	Swagelok Company, Solon, Ohio, USA	
V. Raees	Technical Standards & Safety Authority, Toronto, Ontario	

Task Force F — In-service

R.W. Barnes	ANRIC Enterprises Inc., Toronto, Ontario	<i>Chair</i>
J. Blight	Port Perry, Ontario	
E. Creaser	Province of New Brunswick Dept. of Public Safety, Fredericton, New Brunswick	
G.C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario	
P.G. Gvildys	BWXT Nuclear Energy Canada, Peterborough, Ontario	
B. Li	Amec Foster Wheeler, Toronto, Ontario	
T. Mason	Black & McDonald Ltd., Pickering, Ontario	
A.A. Nabuurs	Beaver Harbour, New Brunswick	
V. Raees	Technical Standards & Safety Authority, Toronto, Ontario	
P. Tang	Bruce Power, Tiverton, Ontario	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	

Task Force G — Strategic Issues

K. Kirkhope	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	<i>Chair</i>
R.W. Barnes	ANRIC Enterprises Inc., Toronto, Ontario	
R. Chander	Ontario Power Generation Inc. Nuclear, Pickering, Ontario	
R.W. Cook	Canadian Power Utility Services Limited (CPUS), Georgetown, Ontario	
N. Crasta	ANRIC Enterprises Inc., Toronto, Ontario	
G.C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario	
J. Krane	Stuart Olson, Port Elgin, Ontario	
G. Lemay	Carrying Place, Ontario	
K. Lundie	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario	
P. Tang	Bruce Power, Tiverton, Ontario	
Y. Wang	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	
G.D. Zakaib	Energy Industry Consultant, Toronto, Ontario	

Task Force I — Editorial

G.C. Deleanu	Ontario Power Generation Inc., Pickering, Ontario	<i>Chair</i>
R.W. Barnes	ANRIC Enterprises Inc., Toronto, Ontario	
R.W. Cook	Canadian Power Utility Services Limited (CPUS), Georgetown, Ontario	
P.G. Gvildys	BWXT Nuclear Energy Canada, Peterborough, Ontario	
K. Kirkhope	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario	
M. El Mehelmy Kotb	Madiko Consulting, Kirkland, Québec	

Preface

This is the third edition of CSA N285.0/N285.6 Series, *General requirements for pressure-retaining systems and components in CANDU nuclear power plants/Material Standards for reactor components for CANDU nuclear power plants*. It supersedes the previous editions of the CSA N285.0/N285.6 Series published in 2012 and 2008, the previous editions of CSA N285.0 published in 2006, 1995, 1991, and 1981, and the previous editions of the CSA N285.6 Series published in 2005 and 1988.

CSA N285.0 provides general requirements for pressure-retaining systems, components, and supports in CANDU® nuclear power plants.

Note: *CANDU® (CANada Deuterium Uranium) is a registered trademark of Atomic Energy of Canada Ltd., used under exclusive license by Candu Energy Inc., a Member of the SNC-Lavalin Group.*

The CSA N285 series of Standards specifies requirements applicable to nuclear power plants in Canada and references the applicable requirements of the ASME *Boiler and Pressure Vessel Code (BPVC)*. The specific objectives of these Standards are as follows:

- to establish technical requirements for pressure boundary items of CANDU power reactors, in a format that regulatory authorities can reference;
- to establish requirements for each class of system, component, or support, consistent with the *Nuclear Safety and Control Act (Act)* and its Regulations;
- to reference applicable requirements of the ASME *BPVC* where they are appropriate to CANDU power reactors;
- to specify rules and material requirements for the design, fabrication, installation, quality assurance, and inspection of those pressure-retaining components and supports for which the ASME *BPVC* does not specify requirements; and
- to establish rules for the periodic inspection of pressure-retaining components in CANDU nuclear power plants.

The CSA N285 series consists of the following Standards and commentary document:

- CSA N285.0 — *General requirements for pressure-retaining systems and components in CANDU nuclear power plants*;
- CSA N285.0.1 — *Commentary on N285.0-12, General requirements for pressure-retaining systems and components in CANDU nuclear power plants*;
Note: *This commentary is an informative document and provides background, rationale, and context concerning certain clauses and requirements in CSA N285.0.*
- CAN/CSA-N285.1 — this Standard no longer exists as a separate publication; it was incorporated into CAN/CSA-N285.0-95;
- CAN/CSA-N285.2 — this Standard no longer exists as a separate publication; it was incorporated as Annex I of CSA N285.0-08;
- CAN/CSA-N285.3 — this Standard no longer exists as a separate publication; it was incorporated as Annex J of CSA N285.0-08;
- CSA N285.4 — *Periodic inspection of CANDU nuclear power plant components*;
- CAN/CSA-N285.5 — *Periodic inspection of CANDU nuclear power plant containment components*;
- CSA N285.6 Series — *Material Standards for reactor components for CANDU nuclear power plants* (published with CSA N285.0); and
Note: *CSA N285.6.5 was withdrawn in the 2005 edition of the CSA N285.6 Series as the material that it covered (heat-treated Zr-2.5Nb-0.5 Cu wire for fuel-channel spacers) is no longer used for new spacers.*
- CSA N285.7 — *Periodic inspection of CANDU nuclear power plant balance of plant systems and components*;

- CSA N285.8 — *Technical requirements for in-service evaluation of zirconium alloy pressure tubes in CANDU reactors.*

The CSA N-Series Standards provide an interlinked set of requirements for the management of nuclear facilities and activities. CSA N286 provides overall direction to management to develop and implement sound management practices and controls while the other CSA Group nuclear Standards provide technical requirements and guidance that support the management system. This Standard works in harmony with CSA N286 and does not duplicate the generic requirements of CSA N286; however, it might provide more specific direction for those requirements.

Users of this Standard are reminded that the design, fabrication, installation, commissioning, and operation of nuclear facilities in Canada are subject to the provisions of the Act and its Regulations. The Canadian Nuclear Safety Commission (CNSC) specifies regulatory and administrative requirements for pressure-retaining systems in their Regulations and regulatory documents. Where CNSC documents conflict with the requirements of this Standard, the CNSC documents take precedence. In this Standard, the CNSC is referred to as the regulatory authority.

The Act and Regulations normally require the following items for a nuclear power reactor: a construction licence, an operating licence, and other licences, certificates, and permits specified by the regulatory authority. These licences and certificates can require the licensee to have the following:

- registered designs for systems, components, and supports;
- registered welding and brazing procedures;
- an accepted overpressure protection report;
- accepted code classifications, including applicable standards;
- accepted record-keeping systems;
- accepted quality assurance programs; and
- accepted periodic inspection programs.

When a licence references this Standard for another type of nuclear reactor facility, Clause 5 of CSA N285.0 should not be considered relevant unless

- the facility has a defined exclusion zone;
- access to the facility is controlled, permitting entry only by authorized personnel; and
- the reactor is inside a containment structure that is capable of limiting releases to the environment in the event of the failure of a pressure-retaining component.

These Standards were prepared by the supporting N285 Task Forces, under the jurisdiction of the Technical Committee on CANDU Nuclear Power Plant Pressure-Retaining Systems and Components and the Strategic Steering Committee for Nuclear Power Plants, and have been formally approved by the Technical Committee.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*

- b) provide an explanation of circumstances surrounding the actual field condition; and
- c) where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

N285.0-17
***General requirements for pressure-retaining
systems and components in CANDU nuclear
power plants***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in July 2017 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-4883-0839-0

*© 2017 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

N285.0-17

General requirements for pressure-retaining systems and components in CANDU nuclear power plants

1 Scope

① **1.1**

This Standard establishes requirements for pressure-retaining systems, components, and their supports over the service life of a CANDU nuclear power plant. The requirements of this Standard address:

- a) construction activities; and
- b) in-service inspection, modification, repair, and replacement activities.

1.2

This Standard applies to all pressure-retaining systems, including their components and supports, in a CANDU nuclear power plant.

① **1.3**

This Standard applies to containment components, but does not apply to containment structures which are covered in the CSA N287 Series of Standards.

1.4

This Standard does not apply to portable assemblies of pressurized items that are temporarily connected to a system or component to enable testing, venting, draining, calibration, or other maintenance activities, provided that they

- a) do not reduce the ability of a system to perform its design safety function;
- b) are under surveillance when connected and are removed upon completion of their function; and
- c) are constructed to Standards deemed by the licensee to be suitable for the application.

Note: *Safety analysis, environmental qualification programs, or seismic qualification may be used to satisfy the conditions in this Clause.*

1.5

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.