



Thermal efficiencies of industrial and commercial gas-fired package furnaces



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA P.8:22

July 2022

Title: *Thermal efficiencies of industrial and commercial gas-fired package furnaces*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24288.7**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



La norme nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

**A trademark of the Canadian Standards Association, operating as “CSA Group”*

National Standard of Canada

CSA P.8:22

***Thermal efficiencies of industrial
and commercial gas-fired package
furnaces***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group."*



*Published in July 2022 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 97.100.20; 19.020
ISBN 978-1-4883-4344-5*

*© 2022 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Energy Efficiency and Related Performance for Fuel-Burning Appliances and Equipment 4

Subcommittee on Efficiency of Residential Gas-Fired Furnaces, Boilers, and Industrial and Commercial Package Furnaces 7

Preface 9

1 Scope 11

- 1.1 General 11
- 1.2 Three-phase application 11
- 1.3 Single-phase application 11
- 1.4 Dual measurements 11
- 1.5 Terminology 11

2 Reference publications 12

3 Definitions and symbols 13

- 3.1 Definitions 13
- 3.2 Symbols 17

4 General test conditions 20

- 4.1 General requirements 20
 - 4.1.1 HRV/ERV setup 20
 - 4.1.2 Fuel characteristics 21
 - 4.1.3 Accuracy and precision of measurement equipment 21
 - 4.1.4 Specification for thermocouples 22
 - 4.1.5 Measurement of room temperature 22
 - 4.1.6 Room temperature limits 22
 - 4.1.7 Equipment set-up 22
- 4.2 Test ducts and plenums 22
 - 4.2.1 General 22
 - 4.2.2 Upflow furnaces 23
 - 4.2.3 Downflow furnaces 24
 - 4.2.4 Horizontal furnaces 24

5 Burner adjustments 24

6 Static pressure and air flow adjustments 24

- 6.1 Adjustment of static pressure or air throughput 24
- 6.2 Adjustment of the external static pressure 24
- 6.3 Minimum external static pressure without a filter 25
- 6.4 Allowable temperature rise range 25
- 6.5 Allowable temperature rise adjustments 25

7 Measurement of furnace efficiency and losses 26

- 7.1 General 26

7.2	Non-condensing furnaces — Test method — Flue losses	26
7.2.1	General	26
7.2.2	Configuration of venting	26
7.2.3	Flue gas temperature measurement locations — Furnace without an integral venting system	26
7.2.4	Flue gas temperature measurement locations — Furnace with an integral venting system	27
7.2.5	Steady-state parameter	27
7.3	Condensing furnace — Test method	27
7.3.1	Flue losses	27
7.3.2	Net latent heat gain	28
7.3.3	Heat loss due to hot condensate going down the drain	29
8	Calculation of enclosure losses	30
8.1	General	30
8.2	Determination of enclosure and damper resistance	30
8.3	Calculation of the enclosure wall area	31
8.4	Calculation of the leakage rate of the damper	31
8.5	Calculation of the heat losses of the enclosure and outside ventilation dampers	31
9	Electrical power consumption measurements	34
9.1	General	34
9.2	Supply voltage	34
9.3	Electrical power/energy consumption equipment	34
9.4	Electrical connections	34
9.5	Total electrical power consumption measurements	36
9.5.1	General	36
9.5.2	Data to be measured and recorded	36
9.6	Standby electrical power consumption	37
9.7	HRV or ERV power consumption	37
10	Calculation of energy and efficiency metrics	37
10.1	Thermal efficiency	37
10.1.1	Non-condensing furnaces	37
10.1.2	Condensing furnaces	37
10.2	Adjusted thermal efficiency	37
10.2.1	General	37
10.2.2	Non-condensing furnaces	37
10.2.3	Condensing furnaces	38
10.3	Energy recovered from the ventilation exhaust air	38
10.4	Calculation of heating season energy consumption	38
10.4.1	General	38
10.4.2	Calculation of heating season total thermal energy output	39
10.4.3	Weights for each mode of operation	39
10.5	Heating season coefficients of performance	40
10.5.1	Calculation of total heating season coefficient of performance	40
10.5.2	Calculation of heating season gas heating coefficient of performance	40
10.6	Calculation of full load output capacity at average design conditions	40
10.6.1	General	40
10.6.2	30% and 100% outside air units	40

10.6.3	0% outside air units	40
10.6.4	Calculation of full load output capacity at specific design temperature conditions (optional)	40
10.6.4.1	Full load output capacity	40
10.6.4.2	Adjusted furnace thermal efficiency	41
10.6.4.3	Enclosure heat loss rate	41
10.6.4.4	Energy recovered from the ventilation exhaust air	41
10.6.4.5	Full load output capacity at site-specific design conditions	42
11	Reported parameters and results	42
11.1	Operational parameters	42
11.2	Results	42

Annex A (normative)	— Flue loss calculations	43
Annex B (normative)	— Efficiency of furnaces installed outdoors	48
Annex C (informative)	— Description of heating coefficient of performance (COP) meter and changes	50

Technical Committee on Energy Efficiency and Related Performance for Fuel-Burning Appliances and Equipment

D. M. Jakobs	Rheem Manufacturing Company, Fort Smith, Arkansas, USA <i>Category: Producer Interest</i>	<i>Chair</i>
M. Thomas	Natural Resources Canada CANMET Energy, Ottawa, Ontario, Canada <i>Category: General Interest</i>	<i>Vice Chair</i>
P. Koepfgen	FortisBC, Surrey, British Columbia, Canada <i>Category: User Interest</i>	<i>Vice Chair</i>
E. Adair	Hearth, Patio & Barbecue Association, Dixon, California, USA <i>Category: General Interest</i>	
S. Davison	Ecolibrium Global Technologies Ltd., Calgary, Alberta, Canada	<i>Non-voting</i>
S. Diakow	ATCO, Sherwood Park, Alberta, Canada	<i>Non-voting</i>
C. Gherghel	Wolf Steel Ltd., Barrie, Ontario, Canada	<i>Non-voting</i>
A. Gould	Reliance Comfort LP, Cambridge, Ontario, Canada	<i>Non-voting</i>
P. Hikspoors	Giant Factories Inc./Usines Giant Inc., Montréal, Québec, Canada <i>Category: Producer Interest</i>	
A. Howse	Ministry of Energy, Northern Development and Mines, Toronto, Ontario, Canada	<i>Non-voting</i>
P. Kirchner	A.O. Smith Enterprises Ltd., Fergus, Ontario, Canada	<i>Non-voting</i>

S. Krsikapa	Ontario Ministry of Energy, Northern Development and Mines, Toronto, Ontario, Canada <i>Category: Regulatory Authority</i>	
M. J. Miles	Miles Industries Ltd., North Vancouver, British Columbia, Canada <i>Category: Producer Interest</i>	
A. Morrison	Caneta Research Inc./Caneta Energy, Mississauga, Ontario, Canada <i>Category: General Interest</i>	
R. Morrison	CSA Group Testing & Certification Inc., Toronto, Ontario, Canada	<i>Non-voting</i>
I. Picard	Natural Gas Technologies Centre (NGTC), Boucherville, Québec, Canada	<i>Non-voting</i>
F. Rad	Enbridge Gas Inc., Toronto, Ontario, Canada <i>Category: User Interest</i>	
J. Richer	Selkirk Canada Corporation, Stoney Creek, Ontario, Canada <i>Category: General Interest</i>	
T. Saatcioglu	Natural Resources Canada, Ottawa, Ontario, Canada <i>Category: Regulatory Authority</i>	
B. S. Sadri	Enbridge Gas Inc., North York, Ontario, Canada	<i>Non-voting</i>
C. Shook	BC Ministry of Energy, Mines and Low Carbon Innovation, Victoria, British Columbia, Canada <i>Category: Regulatory Authority</i>	
R. Stoney	Delaur Ltd., Oakville, Ontario, Canada	<i>Non-voting</i>
G. Thibodeau-Fortin	Stove Builder International Inc., Saint-Augustin-de-Desmaures, Québec, Canada	<i>Non-voting</i>

M. Travers	Reliance Comfort LP, Cambridge, Ontario, Canada <i>Category: User Interest</i>	
P. Verhas	Dettson Industries, Inc., Sherbrooke, Québec, Canada <i>Category: Producer Interest</i>	
T. J. Whitehead	Enbridge Gas Distribution, Toronto, Ontario, Canada <i>Category: User Interest</i>	
A. Jami	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Subcommittee on Efficiency of Residential Gas-Fired Furnaces, Boilers, and Industrial and Commercial Package Furnaces

D. M. Jakobs	Rheem Manufacturing Company, Fort Smith, Arkansas, USA	<i>Chair</i>
M. Thomas	Natural Resources Canada CANMET Energy, Ottawa, Ontario, Canada	<i>Vice-Chair</i>
P. Cerna	HRAI, Mississauga, Ontario, Canada	
R. Deol	FortisBC, Surrey, British Columbia, Canada	
P. Gallant	Natural Resources Canada, Ottawa, Ontario, Canada	
R. S. Glass	Goodman Manufacturing Company LP, Tuscaloosa, Alabama, USA	
T. Gort	Trane Technologies, Clarksville, Tennessee, USA	
L. Guillon	NGTC, Boucherville, Québec, Canada	
R. Hovey	Cadeo Group, Seattle, Washington, USA	
A. Howse	Ontario Ministry of Energy, Northern Development and Mines, Toronto, Ontario, Canada	
S. Kowalski	Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA	
J. Lacroix	Granby Industries LP, Cowansville, Québec, Canada	

P. Y. Liu	Enbridge Gas Distribution Inc., Toronto, Ontario, Canada	
I. Picard	Natural Gas Technologies Centre (NGTC), Boucherville, Québec, Canada	
A. Romeo	AHRI, Arlington, Virginia, USA	
E. Rosenbloom	Northwest Energy Efficiency Alliance, Inc., Portland, Oregon, USA	
R. Storey	Delaur Ltd., Oakville, Ontario, Canada	
T. J. Whitehead	Enbridge Gas Distribution, Toronto, Ontario, Canada	
S. Widder	Cadeo Group LLC, Seattle, Washington, USA	
A. Jami	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the third edition of CSA P.8, *Thermal efficiencies of industrial and commercial gas-fired package furnaces*. It supersedes the previous editions published in 2009 by CSA Group and in 1997 by the Canadian Gas Association.

The test method specified in this Standard is generally consistent with CSA/ANSI Z21.47/CSA 2.3, *Gas-fired central furnaces*, and CAN/CSA-P.2, *Testing method for measuring the annual fuel utilization efficiency of residential gas-fired furnaces and boilers*. However, the metric calculated by this Standard has been updated to take a holistic view of the energy efficiency of a packaged furnace, be more representative of total unit enclosure losses and their impact on energy consumption, and address energy consumption concerns related to ventilation.

The major changes to this edition are the following:

- a) moving the test procedure metric from a metric measuring the unit efficiency for a single operating condition (steady-state at high and reduced fire, respectively) to a metric combining several operational modes (including off-modes) covering the energy usage across the entire heating season;
- b) accounting for losses from the entire packaged furnace enclosure (including the exterior cabinet and dampers), not just the furnace jacket; and
- c) performing heat losses calculations for an outdoor installation.

Additional details on the changes to this Standard and the TCOP metric are included in Annex [C](#).

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of Natural Resources Canada (NRCan), Efficiency Manitoba, and FortisBC.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Efficiency of Residential Gas-Fired Furnaces, Boilers, and Industrial and Commercial Package Furnaces, under the jurisdiction of the Technical Committee on Energy Efficiency and Related Performance for Fuel-Burning Appliances and Equipment and the Strategic Steering Committee on Performance, Energy Efficiency, and Renewables, and has been formally approved by this Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*