



Solid waste sites in northern communities: From planning to post-closure



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA R111:21

May 2021

Title: *Solid waste sites in northern communities: From planning to post-closure*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24284-5**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

**A trademark of the Canadian Standards Association, operating as “CSA Group”*

National Standard of Canada

CSA R111:21

***Solid waste sites in northern
communities: From planning to
post-closure***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group."*



*Published in May 2021 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at www.csagroup.org/store/
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 93.030
ISBN 978-1-4883-3161-9*

*© 2021 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Northern Water and Waste	6
Subcommittee on Solid Waste Management (Northern Communities)	8
Preface	10
0 Introduction	12
1 Scope	13
1.1 Purpose	13
1.2 Users	14
1.3 Application	15
1.3.1 General	15
1.3.2 Types of infrastructure	15
1.4 Terminology	15
2 Reference publications	16
3 Definitions	21
4 How this Standard applies	40
4.1 Adopting or referencing the Standard	40
4.2 What the language of this Standard means	41
5 Risk management for municipal solid waste management facilities	41
5.1 General	41
5.1.1 Waste management planning	41
5.1.2 Risk assessment	42
5.1.3 Size-based requirements	42
5.2 Classification of sites according to size	43
5.3 Overview of hazards, consequences, and risks for prioritization	44
5.4 Requirements for small sites	44
5.4.1 Criteria for “small” sites	44
5.4.2 Waste acceptance plan	45
5.4.3 Review of applications for designation as a small site	45
6 Siting	46
6.1 All facilities	46
6.1.1 Framework for community processes	46
6.1.2 Setbacks and buffer zones	47
6.1.3 Criteria, regulations, and guidelines	47
6.1.4 Climate change and siting requirements	47
6.2 Climate change considerations	47
6.3 Buffer zones, setbacks, or separation distances	48
6.3.1 General	48
6.3.2 Buffer zones and setback implementation	49
6.3.3 Risk mitigation using land use planning	50

6.4	Disposal facilities	50
6.4.1	Best practices for site selection	50
6.4.2	Further considerations for site characteristics	55
6.5	Transfer stations — Siting	60
6.6	Public drop-off facilities — Siting	60
6.7	Composting facilities — Siting	61
6.8	Incinerators — Siting	62
6.9	Existing site not satisfying best practices for site requirements	62

7 Site Investigation 63

7.1	Best practices	63
7.2	Desktop reviews	63
7.3	Site inspection and evaluation	64
7.4	Geotechnical site investigation	64
7.4.1	General	64
7.4.2	Subsurface investigation at MSW site	64
7.4.3	Borrow source investigation	65
7.4.4	Additional tasks required to accommodate climate considerations	65
7.5	Hydrogeological investigation	66
7.5.1	Objectives of investigation	66
7.5.2	Groundwater monitoring	66
7.6	Evaluation of findings	67

8 Facility design 67

8.1	Determining design parameters	67
8.1.1	General	67
8.1.2	Designing for hazards	68
8.1.2.5	Reducing design-related issues	72
8.2	Design plan and specification requirements	73
8.3	Design criteria	79
8.3.1	All facility design criteria	79
8.3.2	Buildings and facilities to support the facility's operations	79
8.3.3	Additional considerations	79
8.4	Landfill design criteria	81
8.5	Design for natural deterioration for landfills	82
8.5.1	Design considerations	82
8.5.2	Required site conditions	83
8.6	Public drop-off design criteria	83
8.7	Transfer station design criteria	83
8.8	Compost facility design criteria	83
8.9	Incinerator design criteria	84

9 Facility construction 85

9.1	General	85
9.2	Construction quality assurance and control	85
9.3	Commissioning and training	86

10 Operator training 86

10.1	Certification	86
------	---------------	----

10.1.1	General	86
10.1.2	Large sites	87
10.1.3	Small sites	87
10.2	Key operating personnel	87
11	Facility operations — All sites	88
11.1	Operations and maintenance manual and safety plans	88
11.1.1	General	88
11.1.2	General requirements	88
11.1.3	Identifying hazards related to operations	90
11.1.4	Emergency response plan	91
11.1.5	Site safety plan	92
11.1.6	Fire safety plan	92
11.1.7	Nuisance management	92
11.1.8	Surface water management plan	94
11.1.9	Erosion and sedimentation management	95
11.2	Operations — Screening and diverting materials for all facilities	95
11.2.1	Waste screening	95
11.2.2	Managing divertible materials to preserve landfill airspace	96
11.3	Placement and management of waste groupings within the facility	97
11.3.1	Waste segregation	97
11.3.2	EPR for recyclables and divertibles	98
11.3.3	Scrap metal	98
11.3.4	Appliances with refrigerants and/or mercury	98
11.3.5	Household hazardous materials	99
11.3.6	Separating waste for incineration	99
12	Landfill operations for large sites	100
12.1	General	100
12.2	Cell sequencing and progressive closure	100
12.3	Waste placement and compaction	100
12.4	Asbestos management	101
12.5	Cover materials	101
12.5.1	Regular placement of cover	101
12.5.2	Soil recovery methods	101
12.5.3	Alternative cover	101
12.6	Soil recovery	102
12.6.1	Soil recovery strategy	102
12.6.2	Soil recovery implementation	102
12.7	Placement and stockpiling of soil cover within the facility	102
12.8	Protection of liners	103
12.9	Management of leachate	103
12.10	Detection and management of subsurface landfill gas	103
12.10.1	Monitoring and limits for landfill gas	103
12.10.2	Collection, management, and safety	103
13	Monitoring for large sites	104
13.1	General	104
13.2	Environmental monitoring	104

13.2.1	Groundwater and ground temperature monitoring	104
13.2.2	Environmental monitoring system	106
13.2.3	Locations for sampling	106
13.2.4	Required data collection and reporting	107
13.3	Landfill and waste monitoring during operations	107
13.3.1	Requirements for waste disposal tracking	107
13.3.2	Visual inspection requirements	107
13.4	Compost monitoring during operations	107
13.4.1	Requirements for compostable materials tracking	107
13.4.2	Screening and monitoring	107
13.4.3	Inspection of facility infrastructure	108
13.5	Slope and permafrost monitoring	108
13.6	Meteorological and climate monitoring	108
13.7	Sampling and testing	108
13.8	Best practices for periodic inspection and follow-up procedures	109
13.8.1	Existing and legacy facilities	109
13.8.2	New facilities	109
13.9	Standards for reporting on different types of waste or events	109
13.10	Corrective or remedial actions	109
14	Operations of small sites	110
14.1	General	110
14.2	Operations plan	110
14.3	Signage, access, segregation, and storage	110
14.3.1	Signage and access	110
14.3.2	Segregation and storage	110
14.4	Cover systems and fencing	111
14.4.1	Requirements for cover systems	111
14.4.2	Requirements for daily cover and fencing	111
14.5	Inspections and monitoring	111
15	Protocols for environmental protection at landfill facilities	112
15.1	General	112
15.2	Cover materials	112
15.2.1	Placement of cover	112
15.2.2	Alternative cover	112
15.3	Leachate management systems	112
15.4	Assessing potential landfill gas	112
15.5	Measures to reduce greenhouse gas emissions from the solid waste facility	113
15.6	Consideration of alternative systems of reducing waste volumes	113
16	Closure and decommissioning	114
16.1	Best practices for closure and decommissioning	114
16.2	Best practices for existing or legacy facilities	114
16.3	Closure plans	115
16.4	Best practices and selection for final cover	115
17	Post-closure monitoring, inspection, and management	116
17.1	Post-closure plan	116

17.2	Monitoring and inspection methods and practices during and post-closure	116
17.2.1	General	116
17.2.2	Minimum post-closure monitoring period	117
17.2.3	Minimum post-closure responsibilities	117
17.3	Corrective or remedial actions	117
18	Emergency response and contingency planning	117
18.1	General	117
18.2	Leachate or dangerous material-related emergencies	118
18.3	Access to waste by animals or birds	118
18.4	Erosion- and sedimentation-related emergencies	118
18.5	Fire-related emergencies	119
18.6	Reporting protocols	119
<hr/>		
Annex A (informative)	— Alternative cover solutions	120
Annex B (informative)	— Glossary of translated terms	123
Annex C (informative)	— Acts, Regulations, and Guidelines applicable to each jurisdiction	126
Annex D (informative)	— Bibliography	149
Annex E (informative)	— Illustrative operators guide	154

Preface

This is the first edition of CSA R111, *Solid waste sites in northern communities: From planning to post-closure*.

This Standard draws on industry expertise and best practices in Canada and internationally to address the requirements for solid waste management in the North, including the entire lifecycle of solid waste sites beginning with siting, to design, construction, operations, and management, and, finally, closure and decommissioning, and post-closure of municipal solid waste facilities.

Users of this Standard are reminded that additional and site-specific requirements could be specified by federal, territorial or provincial, regional, municipal, or other authorities or agencies, or by an owner. This Standard should not be considered a replacement for the requirements contained in any

- a) applicable federal, territorial, or provincial statute;
- b) regulation, licence, or permit issued pursuant to an applicable statute; or
- c) contract that an owner has with a contractor.

CSA Group acknowledges that the development of this Standard was made possible, in part, by the financial support of Standards Council of Canada, as part of the Northern Infrastructure Standardization Initiative.

This Standard was prepared by the Subcommittee on Solid Waste Management (Northern Communities) under the jurisdiction of the Technical Committee on Northern Water and Waste and the Strategic Steering Committee on Natural Resources, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*

d) *rationale for the change.*

CSA R111:21

Solid waste sites in northern communities: From planning to post-closure

0 Introduction

This Standard addresses measures for the management and mitigation of risks to human health and the environment associated with solid waste management, specifically, the management of municipal solid waste (MSW). The Standard includes consideration of the varied climate and ground conditions that are present in the North, including the likelihood of permafrost in many of Canada's northern communities.

The Standard considers the significant challenges associated with operating in the North, including issues with ongoing operations and maintenance, communities in remote locations, lack of operator capacity and training, cost of hauling, regulatory management, historic dumping, lack of background data, etc. Of particular importance, and considered specifically in this Standard, is that many of the smallest municipal solid waste sites in remote locations are experiencing the greatest number of challenges and have some of the worst conditions. The focus is to try to assist smaller communities to work towards improved conditions at their sites, while still recognizing their limitations in capacity. It is anticipated that many of the operational requirements for larger sites might, for the moment, remain aspirational for the smaller sites but, gradually, improvements will be implemented at the smaller sites. Of primary importance at existing sites will be an effort to implement best practices in operations, e.g., waste reduction, sorting, and cover.

Because proper siting and design are so important to the successful management of MSW facilities, considerable emphasis is placed on these considerations in the Standard. Siting and design will become progressively more important as existing MSW facilities become full and new sites are sought. Siting can be controversial where competing land uses are in close proximity, or in communities where suitable terrain is in short supply. Where siting cannot be optimized due to the lack of suitable locations, design can often be used to mitigate siting issues. Similarly, where existing or legacy sites are not ideally located, remedial designs can sometimes be useful in mitigating siting deficiencies. If mitigations are not possible, a risk-based decision can be made whether a site should remain operational or should be closed and reestablished in a better location.

The present and ongoing impact of climate change is also considered. Climate change is accelerating numerous land-based processes in Canada's North (ACIA 2013, IPCC 2014, NRC 2016, CSA PLUS 4011). Though all regions of Canada are experiencing environmental impacts that can be attributed to climate change, warming in Canada's North is taking place at a faster rate than the rest of Canada and more rapidly than many climate models predicted. Northern adaptations for changes in ground stability are likely to require the consideration of rapidly changing ice regimes and permafrost soils, particularly in regions with already-warm permafrost and/or ice-rich soils. These issues coincide with progressively increasing exposure to open-water erosive processes, and decreased sea-ice cover in most of northern Canada. Intensification of the hydrological cycle and associated changes to the groundwater regime is another climate change implication that is likely to affect landfilling in the northern regions.

Northern communities are also generally located in geographically-isolated and climatically-harsh regions, resulting in high construction and maintenance costs, as well as challenging logistics. Therefore, efficiency and resiliency are critical elements of built infrastructure in the North, mitigating the effects

of changes in ground stability whether related to natural processes, construction-related changes, or climate change-related processes. Planning MSW facilities for resilience in siting, design, operations, monitoring, and maintenance will help communities manage those processes more successfully.

Because poor MSW poses a threat to human health and the environment, proper solid waste management is an essential measure in managing the risks related to MSW. This Standard is organized according to the progression of steps that, if adopted in the legislation as the Standard in the jurisdiction, or by referencing the Standard (or parts thereof) in project specifications, must be undertaken to address the risks associated with the planning, siting, design, operations, and closure of solid waste management facilities, so that impacts to human health and the environment can be mitigated whenever possible. This Standard thereby encourages risk-based decision-making which prioritizes mitigating the greatest risks first with the resources available. This approach is consistent with the guidance provided in ECCO (2017), which identifies high-, medium- and lower-priority actions to reduce risks.

While there are numerous non-compulsory guidelines available to help the user design and manage municipal solid waste sites in the North, no unified compulsory Standard has yet been prepared specifically to address the issues in Canada's North. This Standard is intended to provide one specific document for solid waste management in the North, while also directing the reader as needed to existing guidelines and other Standards that provide additional information and direction. As noted in the Preface, each jurisdiction might also have additional requirements. The strategies available to proactively reduce the incidence and mitigate the effects of natural and human-produced hazards, to monitor, and to respond to the risks as required, depend on site-specific conditions and resources available to northern communities and facilities. The use of this Standard therefore requires a flexible approach and aims to provide solutions that can help improve solid waste management even in remote northern communities.

1 Scope

1.1 Purpose

This Standard applies to the management of northern MSW facilities, including the evaluation, planning, siting, design, implementation, monitoring, and maintenance of MSW facilities and includes pollution risk management strategies and mitigation measures for new and existing infrastructure in northern communities. This Standard provides

- a) procedures for planning, siting, designing, constructing, operating, inspecting, monitoring, and maintaining solid waste management facilities as well as mitigation measures as applicable;
- b) an outline of procedures for conducting an overall risk assessment, including infrastructure vulnerability;
- c) factors to be considered in land use and infrastructure planning;
- d) an overview of the typical drivers of natural and human-made hazards to which this Standard is applicable, including climate change;
- e) closure and decommissioning requirements and best practices;
- f) post-closure inspection, monitoring, maintenance, and management;
- g) emergency response and contingency planning protocols;
- h) a framework for community-based processes for addressing solid waste issues, human health, and environmental considerations; and

- i) background information and relevant reference material.

Notes:

- 1) *Compliance with this Standard will allow users to demonstrate that the design and implementation of risk management strategies and mitigation measures take into consideration, and are compatible with, the preservation of permafrost or reduction of the disruptive effects of permafrost thaw. Because the performance of permafrost is often integral to the success of risk management strategies intended to protect human health and the environment at solid waste management facilities, compliance with this Standard will help mitigate impacts to infrastructure and the environment within and surrounding the project site.*
- 2) *Permafrost is not the only challenge faced by those who design and operate waste management facilities in the North, however. Often, the remote location of the communities mean that it is hard to hire and retain staff to manage the complex activities that underlie the safe operation of modern waste management sites. Communities might also find it expensive to undertake many of the measures described in this Standard. Those who embark on the development and operation of waste management facilities must be confident that they can access the monetary and non-monetary resources that the site will require throughout a facility life that could span several decades.*
- 3) *This Standard does not replace existing legislation or regulations (see Preface and Clause 4). It can be used in whole or in part to supplement existing regulations, or it can be adopted as jurisdictions see fit. The intent of the Standard is to help each jurisdiction improve the management of municipal solid waste. Annex C provides a list of existing legislation, guidelines, and other documents from each jurisdiction*

1.2 Users

This Standard is intended for use in Yukon Territory, Northwest Territories, Nunavut, and Nunavik, but other northern and remote jurisdictions might wish to adopt it as well. Furthermore, although this Standard was written specifically for communities, other generators of municipal-type waste might also find it useful, including privately-operated waste management facilities, such as mine sites, construction camps, or other generators that do not have access to an established municipal facility. This Standard is voluntary unless adopted by a jurisdiction. Users are intended to include

- a) the owners and operators of MSW facilities;
- b) the owners and operators of other community infrastructure for which the safe operation of the MSW facility is important;
- c) contract administrators who oversee a MSW facility project;
- d) site investigators (scientists and engineers) who evaluate the site conditions (existing and projected) and estimate the risks related to the development of the project;
- e) design professionals and reviewers (consulting engineers and territorial, provincial, or regional technical services staff) who design, assess and approve, and oversee the implementation of engineering-based solutions;
- f) contractors working on MSW facilities;
- g) regulatory authorities, such as land and water boards and review boards;
- h) compliance authorities, such as qualified building inspectors and qualified environmental inspectors;
- i) land use planners and community planning officials;
- j) educators, for the purposes of knowledge transfer; and
- k) others with a vested interest in risk management or mitigative elements of MSW planning and/or construction projects, design and construction, and inspection of mitigation measures and plan implementation.

Note: *Very small generators of waste would ideally make use of the nearest MSW facility to dispose of their waste, e.g., small communities of a few houses, or as related to highway travel services (gas stations, motels). However, it is recognized that not all such localities might have the capacity to either transport their waste, or to manage it correctly on site. Where possible, local, regional, and territorial governments should encourage the adequate management of solid waste.*

1.3 Application

1.3.1 General

The management of municipal solid waste facilities requires the management of the risks that these facilities create. In this Standard, the management of risks is addressed by the use of two primary strategies: by requiring risk assessments as applicable to the various stages of the life cycle of a municipal solid waste facility, and in the specification and implementation of best practices to mitigate those risks throughout the lifecycle.

The requirements provided in this Standard are intended to address risks to

- a) human health and the environment, due to proposed, existing, or closed MSW facilities; and
- b) proposed, existing, or closed MSW facilities.

Risks to be considered can be generated by natural hazards and by the waste types in the community and within the facility itself. Risk is partly mitigated by assigning appropriate requirements to facilities according to their size classification (Clause 5). Requirements for the evaluation and management of risks include the potential impacts of climate change and other factors that are to be considered in the planning, siting, design, construction, operations, closure, and post-closure of a MSW facility (Clauses 6 through 17). This Standard applies to the entire life cycle of the infrastructure project or strategic planning cycles, including planning, siting, construction, operation and maintenance, closure and decommissioning, and post-closure, or until residual risk levels are deemed acceptable

1.3.2 Types of infrastructure

This Standard applies to the evaluation, planning and design, implementation, operations, maintenance, and monitoring of solid waste management facilities, as well as mitigation measures, during all phases of planning, design, construction, service life, closure and decommissioning, and post-closure of

- a) MSW with segregated categories of waste;
- b) landfills;
- c) transfer stations;
- d) public drop-off facilities;
- e) composting facilities;
- f) incinerators; and
- g) expansions of any of these types of facilities or structures.

1.4 Terminology

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the Standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.