



CSA S16:24
National Standard of Canada



Design and construction of steel structures



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA S16:24

April 2024

Title: *Design and construction of steel structures*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2730164**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada n’est disponible qu’en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA S16:24

***Design and construction of steel
structures***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in April 2024 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080.10
ISBN 978-1-4883-4949-2*

*© 2024 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Design and Construction of Steel Structures 14

Preface 19

SDG Foreword 23

1 Scope and application 24

- 1.1 General 24
- 1.2 Requirements 24
- 1.3 Application 24
- 1.4 Other standards 24
- 1.5 Terminology 25

2 Reference publications 25

3 Definitions and symbols 31

- 3.1 Definitions 31
- 3.2 Symbols 34
- 3.3 Units 44

4 Structural documents 45

- 4.1 General 45
- 4.2 Structural design documents 45
- 4.3 Fabrication and erection documents 46
 - 4.3.1 Connection design details 46
 - 4.3.2 Shop details 46
 - 4.3.3 Erection diagrams 46
 - 4.3.4 Erection procedures 46
 - 4.3.5 Fieldwork details 46

5 Material — Standards and identification 47

- 5.1 Standards 47
 - 5.1.1 General 47
 - 5.1.2 Strength levels 47
 - 5.1.3 Structural steel 47
 - 5.1.4 Sheet steel 47
 - 5.1.5 Cast steel 47
 - 5.1.6 Forged steel 47
 - 5.1.7 Bolts and bolt assemblies 47
 - 5.1.8 Welding electrodes 47
 - 5.1.9 Studs 48
 - 5.1.10 Anchor rods 48
- 5.2 Identification 48
 - 5.2.1 Methods 48
 - 5.2.2 Unidentified structural steel 48
 - 5.2.3 Tests to establish identification 48
 - 5.2.4 Affidavit 48

6	Design requirements	48
6.1	General	48
6.1.1	Limit states	48
6.1.2	Structural integrity	49
6.2	Loads	49
6.2.1	Specified loads	49
6.2.2	Importance factors based on use and occupancy	49
6.3	Requirements under service loads	49
6.3.1	Deflection	49
6.3.2	Camber	49
6.3.3	Dynamic effects	50
6.3.4	Resistance to fatigue	50
6.4	Requirements under factored loads	50
6.4.1	Strength	50
6.4.2	Overturning	51
6.5	Expansion and contraction	51
6.6	Corrosion protection	51
6.7	Requirements under fire conditions	51
6.8	Brittle fracture	52
6.9	Requirements under impulse loading	52
7	Factored loads and safety criteria	52
7.1	Safety during erection and construction	52
7.2	Safety criteria and effect of factored loads for the ultimate limit states	52
8	Analysis of structure	53
8.1	General	53
8.2	Types of construction	53
8.2.1	General	53
8.2.2	Rigidly connected and continuous construction	53
8.2.3	Simple construction	53
8.2.4	Semi-rigid (partially restrained) construction	53
8.3	Analysis methods	54
8.3.1	Elastic analysis	54
8.3.2	Inelastic analysis	54
8.3.3	Plastic analysis	55
8.4	Design for structural stability	55
8.4.1	Stability requirements	55
8.4.2	Methods of analysis and design for stability	55
8.4.3	Simplified stability analysis method	56
9	Bracing of members	57
9.1	Initial misalignment at brace point	57
9.2	Displacement of bracing systems	57
9.3	Function of bracing	57
9.4	Twisting and lateral displacements	57
9.5	Simplified analysis	57
9.6	Detailed analysis	58
9.6.1	Second-order method	58
9.6.2	Direct method	58

9.7	Slabs or decks	58
9.8	Accumulation of forces	58
9.9	Torsion	59
10	Design lengths and slenderness ratios	59
10.1	Simple span flexural members	59
10.2	Continuous span flexural members	59
10.3	Members in compression	59
10.3.1	General	59
10.3.2	Failure mode involving bending in-plane	60
10.3.3	Failure mode involving buckling	60
10.4	Slenderness ratios	60
10.4.1	General	60
10.4.2	Maximum slenderness ratio	60
11	Width (or diameter)-to-thickness — Elements in compression	60
11.1	Classification of sections	60
11.2	Maximum width (or diameter)-to-thickness ratios of elements subject to compression	61
11.3	Width and thickness	61
12	Gross and net areas	62
12.1	Application	62
12.2	Gross area	62
12.3	Net area	62
12.3.1	General	62
12.3.2	Allowance for bolt holes	62
12.3.3	Effective net area — Shear lag	62
12.3.4	Angles and channels	64
12.3.5	Plug or slot welds	64
12.4	Pin-connected members in tension	64
12.4.1	Effective net areas	64
12.4.2	Detail requirements	64
13	Member and connection resistance	65
13.1	Resistance factors	65
13.2	Axial tension	65
13.3	Axial compression	65
13.3.1	Flexural, torsional or flexural-torsional buckling	65
13.3.2	Single-angle members in compression	67
13.3.3	Segmented members in compression	68
13.3.4	Members in compression subjected to elastic local buckling	68
13.4	Shear	68
13.4.1	Webs of flexural members with two flanges	68
13.4.2	Plastic analysis	70
13.4.3	Webs of flexural members not having two flanges	70
13.4.4	Pins	70
13.4.5	Connections transferring shear	70
13.5	Bending — Laterally supported members	71
13.6	Bending — Laterally unsupported members	72
13.6.1	General construction	72

13.6.2	Gerber construction	77
13.7	Lateral bracing for members in structures analyzed plastically	77
13.8	Axial compression and bending	77
13.8.1	General	77
13.8.2	Member strength and stability — Class 1 and Class 2 sections of I-shaped members	78
13.8.3	Member strength and stability — Class 1 and Class 2 sections of square and circular hollow structural section members	79
13.8.4	Member strength and stability — All classes of sections except members within the scope of Clause 13.8.2 or 13.8.3	79
13.8.5	Value of U_1	80
13.8.6	Values of ω_1	80
13.9	Axial tension and bending	80
13.9.1	Axial tension and bending — Class 1 and Class 2 sections of I-shaped members	80
13.9.2	Axial tension and bending — General members	81
13.9.3	Axial tension and bending — Laterally unsupported members	81
13.10	Load bearing	81
13.11	Block shear	81
13.12	Bolts and local connection resistance	82
13.12.1	Bolts in bearing-type connections	82
13.12.2	Bolts in slip-critical connections	83
13.13	Welds	84
13.13.1	General	84
13.13.2	Shear	84
13.13.3	Tension normal to axis of weld	85
13.13.4	Compression normal to axis of weld	86
13.13.5	Welds for hollow structural sections	86
13.14	Welds and high-strength bolts in combination	86

14 Beams and girders 87

14.1	Proportioning	87
14.2	Flanges	87
14.3	Webs	88
14.3.1	Maximum slenderness	88
14.3.2	Web yielding and crippling	89
14.3.3	Openings	89
14.3.4	Effect of thin webs on moment resistance	90
14.4	Bearing stiffeners	90
14.5	Intermediate transverse stiffeners	90
14.6	Combined shear and moment	92
14.7	Rotational restraint at points of support	92
14.8	Chopes	92
14.9	Lateral forces	92
14.10	Torsion	92

15 Trusses 93

15.1	Analysis	93
15.1.1	Simplified method	93
15.1.2	Detailed method	93
15.2	General requirements	93

15.2.1	Effective lengths of compression members	93
15.2.2	Connection eccentricities	94
15.2.3	Stability	94
15.2.4	Chord members	94
15.2.5	Web members	94
15.2.6	Compression chord supports	94
15.2.7	Maximum slenderness ratio of tension chords	94
15.2.8	Deflection and camber	94
15.3	Composite trusses	94

16 OWSJs 94

16.1	Scope	94
16.2	General	95
16.3	Materials	95
16.4	Design documents	95
16.4.1	Building structural design documents	95
16.4.2	Joist design documents	95
16.5	Design	96
16.5.1	Loading for OWSJs	96
16.5.2	Design assumptions	96
16.5.3	Member and connection resistance	96
16.5.4	Width-to-thickness ratios	97
16.5.5	Bottom chord	97
16.5.6	Top chord	97
16.5.7	Webs	99
16.5.8	Spacers and battens	99
16.5.9	Connections and splices	99
16.5.10	Bearings	100
16.5.11	Anchorage	100
16.5.12	Deflection	101
16.5.13	Camber	101
16.5.14	Vibration	101
16.5.15	Welding	101
16.6	Stability during construction	101
16.7	Bridging	102
16.7.1	General	102
16.7.2	Installation	102
16.7.3	Types	102
16.7.4	Diagonal bridging	102
16.7.5	Horizontal bridging	102
16.7.6	Attachment of bridging	102
16.7.7	Anchorage of bridging	102
16.7.8	Bridging systems	102
16.7.9	Spacing of bridging	102
16.8	Decking	103
16.8.1	Decking to provide lateral support	103
16.8.2	Deck attachments	103
16.8.3	Diaphragm action	103
16.8.4	Cast-in-place slabs	103

16.8.5	Installation of steel deck	103
16.9	Shop coating	104
16.10	Manufacturing tolerances	104
16.11	Inspection and quality control	105
16.11.1	Inspection	105
16.11.2	Identification and control of steel	105
16.11.3	Quality control	105
16.12	Handling and erection	105
16.12.1	General	105
16.12.2	Erection tolerances	105
17	Composite beams, trusses, and OWSJs	106
17.1	Application	106
17.2	Definitions	106
17.3	General	107
17.3.1	Deflections	107
17.3.2	Vertical shear	108
17.3.3	End connections	108
17.3.4	Steel deck	108
17.4	Design effective width of concrete	108
17.5	Slab reinforcement	109
17.5.1	General	109
17.5.2	Parallel reinforcement	109
17.5.3	Transverse reinforcement — Concrete slab on metal deck	109
17.5.4	Transverse reinforcement — Ribbed slabs	109
17.6	Interconnection	109
17.7	Shear connectors	110
17.7.1	General	110
17.7.2	End-welded studs	110
17.7.3	Channel connectors	111
17.8	Ties	111
17.9	Design of composite beams with shear connectors	112
17.10	Design of composite beams without shear connectors	114
17.11	Unshored beams	114
17.12	Beams during construction	115
18	Composite columns	115
18.1	Resistance prior to composite action	115
18.2	Concrete-filled hollow structural sections	115
18.2.1	General	115
18.2.2	Compressive resistance	115
18.2.3	Bending resistance	116
18.2.4	Axial compression and bending	118
18.2.5	Tension and shear	118
18.3	Partially encased composite columns	118
18.3.1	General	118
18.3.2	Compressive resistance	119
18.3.3	Bending resistance	120
18.3.4	Axial compression and bending	120

18.3.5	Special reinforcement for seismic zones	120
18.4	Encased composite columns	121
18.4.1	General	121
18.4.2	Compressive resistance	121
18.4.3	Reinforcement	121
18.4.4	Columns with multiple steel shapes	122
18.4.5	Load transfer	122
18.4.6	Bending resistance	122
19	Built-up members	122
19.1	General	122
19.2	Members in compression	122
19.3	Members in tension	125
19.4	Open box-type beams and grillages	126
20	Plate walls	126
20.1	Definition	126
20.2	Seismic applications	126
20.3	Analysis	126
20.4	Angle of inclination	126
20.5	Limits on column and beam flexibilities	126
20.6	Infill plates	127
20.7	Beams	127
20.8	Columns	127
20.9	Anchorage of infill plates	127
21	Connections	128
21.1	Alignment of members	128
21.2	Simply supported members	128
21.3	Moment-connected members	128
21.4	Connections of tension or compression members	129
21.5	Bearing joints in compression members	129
21.6	Lamellar tearing	129
21.7	Placement of fasteners and welds	130
21.8	Fillers	130
21.8.1	Filler plates in bolted connections	130
21.8.2	Fillers in welded connections	130
21.9	Welds in combination	130
21.10	Bolts and welds in combination	131
21.10.1	New connections	131
21.10.2	Existing connections	131
21.11	High-strength bolts (in slip-critical joints) and rivets in combination	131
21.12	Connection elements under combined forces and moments	131
21.13	Hollow structural section connections	131
22	Design and detailing of bolted connections	131
22.1	General	131
22.2	Design of bolted connections	132
22.2.1	Use of snug-tightened high-strength bolts	132
22.2.2	Use of pretensioned high-strength bolts	132

22.2.3	Joints subject to fatigue loading	132
22.2.4	Effective bearing area	132
22.2.5	Fastener components	132
22.3	Detailing of bolted connections	133
22.3.1	Minimum pitch	133
22.3.2	Minimum edge distance	133
22.3.3	Maximum edge distance	133
22.3.4	Minimum end distance	133
22.3.5	Bolt holes	133
23	Installation and inspection of bolted joints	134
23.1	Connection fit-up	134
23.2	Surface conditions for slip-critical connections	134
23.3	Minimum bolt length	135
23.4	Use of washers	135
23.5	Storage of fastener components for pretensioned bolt assemblies	135
23.6	Snug-tightened bolt assemblies	136
23.7	Pretensioned high-strength bolt assemblies	136
23.7.1	Installation procedure	136
23.7.2	Turn-of-nut method	136
23.7.3	Use of ASTM F959 washers	136
23.7.4	Use of ASTM F3125/F3125M Grades F1852 and F2280 bolts	136
23.8	Inspection procedures	137
24	Welding	137
24.1	Arc welding	137
24.1.1	Design requirements	137
24.1.2	Workmanship requirements	137
24.2	Resistance welding	137
24.3	Fabricator and erector qualification	138
25	Column bases and anchor rods	138
25.1	General	138
25.2	Loads and effects	138
25.3	Design principles	138
25.3.1	General	138
25.3.2	Grouted base plates	138
25.3.3	Ungouted base plates and ungrouted base conditions	139
25.3.4	Flush-mounted base plates	139
25.4	Resistance	139
25.4.1	Concrete bearing resistance	139
25.4.2	Moment resistance of column base	139
25.4.3	Steel resistance of anchor rods	140
25.4.4	Concrete resistance of anchor rods	141
25.5	Additional design considerations	142
25.6	Shear lugs	142
25.6.1	General	142
25.6.2	Design forces in shear lugs	142
25.6.3	Steel resistance of shear lugs	142

25.6.4	Concrete resistance of shear lugs	142
25.7	Fabrication and erection	142
25.7.1	Fabrication	142
25.7.2	Erection	143
26	Fatigue	143
26.1	General	143
26.2	Proportioning	144
26.3	Live-load-induced fatigue	144
26.3.1	Calculation of stress range	144
26.3.2	Design criteria	144
26.3.3	Cumulative fatigue damage	144
26.3.4	Fatigue constants and detail categories	145
26.3.5	Fatigue resistance of stud shear connectors	145
26.3.6	Limited number of cycles	146
26.3.7	Fatigue resistance of transversely loaded partial joint penetration groove welds and fillet welds	146
26.4	Distortion-induced fatigue	146
26.5	High-strength bolts	146
27	Seismic design	147
27.1	General	147
27.1.1	Seismic category and scope	147
27.1.2	Capacity design	148
27.1.3	Seismic load path	149
27.1.4	Members and connections supporting gravity loads	149
27.1.5	Material requirements	149
27.1.6	Bolted connections	151
27.1.7	Probable yield stress	151
27.1.8	Stability effects	151
27.1.9	Protected zones	152
27.1.10	Additional performance requirements related to elastic behaviour	152
27.2	Type D (ductile) moment-resisting frames, $R_d = 5.0$, $R_o = 1.5$	153
27.2.1	General	153
27.2.2	Beams	153
27.2.3	Columns	154
27.2.4	Joint panel zone	155
27.2.5	Beam-to-column connections and joints	156
27.2.6	Bracing	157
27.2.7	Fasteners	157
27.2.8	Protected zones	157
27.3	Type MD (moderately ductile) moment-resisting frames, $R_d = 3.5$, $R_o = 1.5$	158
27.4	Type LD (limited-ductility) moment-resisting frames, $R_d = 2.0$, $R_o = 1.3$	158
27.4.1	General	158
27.4.2	Beams and columns	158
27.4.3	Column connection panel zone	159
27.4.4	Beam-to-column connections	159
27.5	Type MD (moderately ductile) concentrically braced frames, $R_d = 3.0$, $R_o = 1.3$	159
27.5.1	General	159

27.5.2	Bracing systems	160
27.5.3	Diagonal bracing members	163
27.5.4	Brace connections	165
27.5.5	Columns, beams, and connections other than brace connections	166
27.5.6	Protected zones	167
27.6	Type LD (limited-ductility) concentrically braced frames, $R_d = 2.0$, $R_o = 1.3$	167
27.6.1	General	167
27.6.2	Bracing systems	167
27.6.3	Diagonal bracing members	168
27.6.4	Bracing connections	169
27.6.5	Columns, beams, and other connections	169
27.7	Type D (ductile) eccentrically braced frames, $R_d = 4.0$, $R_o = 1.5$	169
27.7.1	General	169
27.7.2	Link beam systems	169
27.7.3	Link beam	175
27.7.4	Link resistance	176
27.7.5	Link length	176
27.7.6	Inelastic link rotation	177
27.7.7	Link stiffeners	177
27.7.8	Lateral support for link	178
27.7.9	Link beam-to-column connections	178
27.7.10	Beam outside the link	178
27.7.11	Diagonal braces	179
27.7.12	Brace-to-beam connection	179
27.7.13	Columns	179
27.7.14	Protected zone	180
27.8	Type D (ductile) buckling restrained braced frames, $R_d = 4.0$, $R_o = 1.2$	180
27.8.1	General	180
27.8.2	Bracing systems	180
27.8.3	Bracing members	182
27.8.4	Brace connections	183
27.8.5	Beams, columns, and connections other than brace connections	183
27.8.6	Testing	184
27.8.7	Protected zone	184
27.9	Type D (ductile) plate walls, $R_d = 5.0$, $R_o = 1.6$	184
27.9.1	General	184
27.9.2	Infill plates	184
27.9.3	Beams	185
27.9.4	Columns	186
27.9.5	Minimum stiffness for beams and columns	186
27.9.6	Column connection panel zones	186
27.9.7	Beam-to-column connections and joints	186
27.9.8	Protected zones	186
27.10	Type MD (moderately ductile) plate walls, $R_d = 3.5$, $R_o = 1.3$	187
27.10.1	General	187
27.10.2	Infill plates	187
27.10.3	Beams	187
27.10.4	Columns	188
27.10.5	Minimum stiffnesses for columns and beams	188

- 27.10.6 Column connection panel zones 188
- 27.10.7 Beam-to-column connections and joints 188
- 27.10.8 Protected zones 188
- 27.11 Type LD (limited-ductility) plate walls, $R_d = 2.0$, $R_o = 1.3$ 188
 - 27.11.1 General 188
 - 27.11.2 Infill plates 189
 - 27.11.3 Beams 189
 - 27.11.4 Columns 189
 - 27.11.5 Beam-to-column connections and joints 189
 - 27.11.6 Protected zones 189
- 27.12 Conventional construction, $R_d = 1.5$, $R_o = 1.3$ 189
 - 27.12.1 General 189
 - 27.12.2 General systems 190
 - 27.12.3 Moment-resisting frames 191
 - 27.12.4 Truss moment-resisting frames 191
 - 27.12.5 Concentrically braced frames 192
 - 27.12.6 Cantilever column structures 194
- 27.13 Special seismic design 194
 - 27.13.1 Seismic force resisting systems not defined in the NBC or Clause 27 194
 - 27.13.2 Variations to seismic force resisting systems defined in the NBC and Clause 27 195
 - 27.13.3 Advanced analysis for seismic design 195

28 Shop and field fabrication and coating 196

- 28.1 Cambering, curving, and straightening 196
- 28.2 Thermal cutting 196
- 28.3 Sheared or thermally cut edge finish 196
- 28.4 Fastener holes 196
 - 28.4.1 Drilled and punched holes 196
 - 28.4.2 Holes at plastic hinges 196
 - 28.4.3 Thermally cut holes 197
 - 28.4.4 Alignment 197
- 28.5 Joints in contact bearing 197
- 28.6 Member tolerances 197
- 28.7 Cleaning, surface preparation, and shop coating 198
 - 28.7.1 General 198
 - 28.7.2 Uncoated steel 198
 - 28.7.3 Coated steel 198
 - 28.7.4 Special surfaces 199
 - 28.7.5 Metallic zinc coatings 199

29 Erection 199

- 29.1 Temporary conditions 199
 - 29.1.1 General 199
 - 29.1.2 Temporary loads 200
 - 29.1.3 Temporary bracing 200
 - 29.1.4 Adequacy of temporary connections 200
- 29.2 Alignment 200
- 29.3 Erection tolerances 200
 - 29.3.1 General 200

29.3.2	Elevation of base plates	200
29.3.3	Plumbness of columns	200
29.3.4	Horizontal alignment of members	201
29.3.5	Elevations of members	201
29.3.6	Crane runway beams	201
29.3.7	Alignment of braced members	201
29.3.8	Members with adjustable connections	201
29.3.9	Column splices	202
29.3.10	Welded joint fit-up	202
29.3.11	Bolted joint fit-up	202
30	Inspection	202
30.1	General	202
30.2	Co-operation	202
30.3	Rejection	202
30.4	Inspection of high-strength bolted joints	202
30.5	Welding inspection	202
30.5.1	Extent of examination	202
30.5.2	Competency of inspection personnel	203
30.6	Identification of steel by marking	204
31	Control of brittle fracture	204
31.1	General	204
31.2	Identification	205
31.3	Fracture toughness	205
31.3.1	General requirements for steel	205
31.3.2	Steel for primary tension members	205
31.3.3	Steel for fracture-critical members	205
31.3.4	Service temperature	206
31.3.5	Weld metal toughness	206
31.3.6	Steel for permanent backing bars	206
31.4	Welding of fracture-critical and primary tension members	206
31.4.1	General	206
31.4.2	Welding consumables	206
31.4.3	Testing and verification of consumables	206
31.4.4	Welding CSA G40.21 grade 700QT steels	206
31.4.5	Tack welds and temporary welds	207
31.5	Welding corrections and repairs to fracture-critical members	207
31.5.1	General	207
31.5.2	Repair of base metal	207
31.5.3	Approval and tests for repairs	207
31.5.4	Approval for non-critical repairs	207
31.5.5	Approval for critical repairs	208
31.5.6	Descriptions of deficiencies and repairs	208
31.5.7	Minimum steps for repair	208
<hr/>		
Annex A (informative)	— Standard practice for structural steel	239
Annex B (informative)	— Margins of safety	240
Annex C (normative)	— Crane-supporting structures	242

- Annex D (informative) — Recommended maximum values for deflections due to service live, snow, and wind loads 243
- Annex E (informative) — Floor vibrations 245
- Annex F (informative) — Effective lengths of columns 246
- Annex G (informative) — Criteria for estimating effective column lengths in continuous frames 248
- Annex H (informative) — Deflections of composite beams, OWSJs, and trusses due to shrinkage of concrete 250
- Annex I (informative) — Arbitration procedure for pretensioning connections 254
- Annex J (normative) — Qualification testing provisions for seismic moment connections and buckling restrained braces 255
- Annex K (normative) — Structural design for fire conditions 257
- Annex L (normative) — Type MD (moderately ductile) truss moment-resisting frames, $R_d = 3.5$, $R_o = 1.6$ 269
- Annex M (informative) — Seismic design of industrial steel structures 274
- Annex N (informative) — Type D (ductile) concrete-filled composite plate walls and Type D (ductile) coupled concrete-filled composite plate walls 278
- Annex O (informative) — Guidelines for advanced structural analysis 289
- Annex P (informative) — Guidance for specifying third-party inspection of steel structures 300
- Annex Q (normative) — Additional requirements for castings used as energy-dissipating elements 307
- Annex R (informative) — Quality management system 310

Technical Committee on Design and Construction of Steel Structures

C. J. Montgomery	DIALOG, Edmonton, Alberta, Canada <i>Category: User Interest</i>	<i>Chair</i>
A. F. Wong	Markham, Ontario, Canada <i>Category: General Interest</i>	<i>Vice-Chair</i>
P. C. Birkemoe	Vancouver, British Columbia, Canada	<i>Non-voting</i>
N. Boissannade	Laval University, Québec, Québec, Canada	<i>Non-voting</i>
M. Bruneau	University at Buffalo, Buffalo, New York, USA <i>Category: General Interest</i>	
L. Callele	Canadian Institute of Steel Construction, Markham, Ontario, Canada <i>Category: Producer Interest</i>	
C. Christopoulos	University of Toronto, Toronto, Ontario, Canada	<i>Non-voting</i>
M. P. Comeau	Campbell Comeau Engineering Limited, Halifax, Nova Scotia, Canada <i>Category: User Interest</i>	
R. G. Driver	University of Alberta, Edmonton, Alberta, Canada <i>Category: General Interest</i>	
R. B. Fletcher	Atlas Tube, Chicago, Illinois, USA <i>Category: Producer Interest</i>	
G. S. Frater	Humber College, Toronto, Ontario, Canada	<i>Non-voting</i>
J. A. Gales	York University, North York, Ontario, Canada	<i>Non-voting</i>

M. I. Gilmor	Ajax, Ontario, Canada <i>Category: General Interest</i>	
G. Grondin	AECOM CANADA LTD., Edmonton, Alberta, Canada <i>Category: User Interest</i>	
S. Haq	Entutive Corporation, Toronto, Ontario, Canada	<i>Non-voting</i>
M. Holleran	Canam Group Inc., Mississauga, Ontario, Canada <i>Category: Producer Interest</i>	
M. Hrabok	Wood Canada Limited, Saskatoon, Saskatchewan, Canada <i>Category: User Interest</i>	
Z. Y. Hu	Gold Land Architects and Engineers Inc., Toronto, Ontario, Canada	<i>Non-voting</i>
J. Hydomako	Weldfab Ltd., Saskatoon, Saskatchewan, Canada <i>Category: Producer Interest</i>	
A. Imanpour	University of Alberta, Edmonton, Alberta, Canada	<i>Non-voting</i>
C. J. Jacques	WSP Canada Inc., Vancouver, British Columbia, Canada	<i>Non-voting</i>
A. Jamshidi	Niik Steel / Niik Group, Nanaimo, British Columbia, Canada <i>Category: Producer Interest</i>	
M. Khan	City of Winnipeg, Winnipeg, Manitoba, Canada	<i>Non-voting</i>
S. Koboevic	Polytechnique Montréal, Outremont, Québec, Canada	<i>Non-voting</i>
G. Krsmanovic	City of Hamilton, Planning & Economic Development Department, Hamilton, Ontario, Canada <i>Category: Regulatory Authority</i>	

R. M. Lasby	Columbia Valley Engineering Ltd., Heriot Bay, British Columbia, Canada <i>Category: User Interest</i>	
D. Lignos	École Polytechnique Fédérale de Lausanne, Lausanne, Vaud, Switzerland	<i>Non-voting</i>
I. J. MacPhedran	University of Saskatchewan, Saskatoon, Saskatchewan, Canada <i>Category: General Interest</i>	
A. Marskamp	Walters Inc., Hamilton, Ontario, Canada <i>Category: Producer Interest</i>	
J. C. Martin	CWB Group, Georgetown, Ontario, Canada <i>Category: User Interest</i>	
M. S. Medhekar	Alberta Infrastructure, Edmonton, Alberta, Canada <i>Category: Regulatory Authority</i>	
A. W. Metten	Bush, Bohlman & Partners LLP, Vancouver, British Columbia, Canada <i>Category: User Interest</i>	
S. Moghimi	WSP Cantor Seinuk, New York, New York, USA	<i>Non-voting</i>
S. Moradi	Toronto Metropolitan University, Toronto, Ontario, Canada	<i>Non-voting</i>
P. K. Ostrowski	GE Hitachi, Markham, Ontario, Canada <i>Category: User Interest</i>	
J. A. Packer	University of Toronto, Toronto, Ontario, Canada <i>Category: General Interest</i>	
R. Radonjic	Pittsburgh Steel Group, Mississauga, Ontario, Canada <i>Category: Producer Interest</i>	

C. Rogers	McGill University, Montréal, Québec, Canada <i>Category: General Interest</i>	
M. A. Samuels	TTC, Toronto, Ontario, Canada	<i>Non-voting</i>
J. Singh	National Research Council Canada, Canadian Codes Centre, Ottawa, Ontario, Canada	<i>Non-voting</i>
M. Smith	Entuitive, Toronto, Ontario, Canada	<i>Non-voting</i>
E. St-Onge	Hydro-Québec, Montréal, Québec, Canada	<i>Non-voting</i>
M. Tancredi	Ferroeng Group Inc., St. George, Ontario, Canada	<i>Non-voting</i>
K. Tousignant	Dalhousie University, Halifax, Nova Scotia, Canada	<i>Non-voting</i>
R. Tremblay	École Polytechnique de Montréal, Montréal, Québec, Canada <i>Category: General Interest</i>	
D. Van Ee	Van Ee Engineering / Steelcon Fabrication, Beeton, Ontario, Canada	<i>Non-voting</i>
A. Voth	Read Jones Christoffersen Ltd., Toronto, Ontario, Canada	<i>Non-voting</i>
S. Walbridge	University of Waterloo, Waterloo, Ontario, Canada	<i>Non-voting</i>
Y. H. Wan	WSP Canada Inc., Oakville, Ontario, Canada	<i>Non-voting</i>
E. J. Whalen	Canadian Institute of Steel Construction (CISC-ICCA), Markham, Ontario, Canada	<i>Non-voting</i>
T. Whitney	Bush, Bohlman & Partners LLP, Vancouver, British Columbia, Canada	<i>Non-voting</i>

L. Wiebe	McMaster University, Hamilton, Ontario, Canada <i>Category: General Interest</i>	
T. Y. Yang	The University of British Columbia, Vancouver, British Columbia, Canada	<i>Non-voting</i>
S. D'Addese	CSA Group, Toronto, Ontario, Canada	<i>Project manager</i>

In addition to the members of the Technical Committee on Design and Construction of Steel Structures, the following people made a valuable contribution to the development of this Standard:

Kenton McBride – Hilti North America
Ali Ahrabi – Hilti Canada

Preface

This is the tenth edition of CSA S16, *Design and construction of steel structures*. It supersedes the previous limit states editions published in 2019, 2014, 2009, 2001, 1994, 1989, 1984, 1978, and 1974. These limit states design editions were preceded by seven working stress design editions published in 1969, 1965, 1961, 1954, 1940, 1930, and 1924. The 1969 working stress design edition was withdrawn in 1984, from which point the design of steel structures in Canada has been carried out using limit states design principles.

The following are the major changes to this edition:

- a) Minor changes were made to the Scope to bring it into line with the Terms of Reference for the Technical Committee on Design and Construction of Steel Structures.
- b) The requirement for designers to consider and specify construction live loads has been included for sheet steel deck and structural members supporting the deck. Reference has been made to CSSBI 12M for determining provisions for deck supporting the plastic concrete, with the option of designing structural members supporting the deck in accordance with the loading provisions of CSA S269.1.
- c) Except for planar frames in low-rise buildings under certain conditions, P- Δ effects are to be taken into account by performing a second-order analysis. The U_2 factor approach only gives accurate results for simple structures when lateral loads and stability effects are uniformly distributed among the frames in the direction of load and the structure has limited torsional response.
- d) The application of gross and net areas has been clarified for the capacity checks of members and connections in tension, compression, and shear.
- e) The symbols for effective net area when determining the tension load transmitted by welds have been modified to indicate that shear lag effects are considered.
- f) The methodology for determining the capacity of concentrically and eccentrically loaded hollow structural section tension members with plates in slotted holes has been unified. As the length of the plate in the slotted hole decreases, the member capacity transitions from the net section fully developed through a reduction due to shear lag to a failure governed by block shear tear-out.
- g) The default parameter for determining the factored axial compression resistance is $n = 1.34$. The value of $n = 2.24$ can be used under certain circumstances.
- h) Elastic analysis is now used to determine the shear resistance of rectangular and square hollow structural section Class 3 and 4 members and fabricated closed box-shapes for which local wall buckling can occur.
- i) Shear area definitions are provided for determining the shear resistance of hollow structural section members and concrete-filled hollow structural section members where local wall buckling is prevented.
- j) Provisions for providing lateral and rotational restraint to beams in Gerber construction have been clarified. Where restraint is provided by bolted connections to the beams, the effect of holes for fasteners on strength is to be considered.
- k) When combining the factored resistance of fillet welds oriented in multiple directions in the same shear plane, the multi-orientation reduction factor, M_w , is used regardless of whether the strength-enhancement factor is applied.
- l) When determining the capacity of welds for hollow structural section members, the geometric properties are to be determined in accordance with CSA W59.
- m) In addition to the capacity when modelled as a column, a requirement has been added to check the factored bearing resistance of bearing stiffeners, B_r .