

Repair of reinforced concrete in buildings and parking structures



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA S448.1:10

July 2010

Title: *Repair of reinforced concrete in buildings and parking structures*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **24206.1**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA S448.1:10
***Repair of reinforced concrete in
buildings and parking structures***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in July 2010 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-55491-417-3

*© 2010 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Repair of Reinforced Concrete in Buildings vi

Preface viii

1 Scope 1

2 Reference publications 2

3 Definitions 5

4 General requirements 6

- 4.1 Qualifications of personnel 6
- 4.2 Intent of repair programs 6
- 4.3 Structural considerations 6
- 4.4 Materials and equivalents 6
- 4.5 Environmental control 6
- 4.6 Waste management 7
- 4.7 Environmental management 7

5 Materials 7

- 5.1 General 7
- 5.2 Concrete materials 7
- 5.3 Reinforcement 7
- 5.4 Embedded and attached hardware 7
- 5.5 Site-applied epoxy coating 7
- 5.6 Bonding agents 8
- 5.7 Grout 8
- 5.8 Mortars 8
- 5.9 Shotcrete 8
- 5.10 Polymer modified concrete 8
- 5.11 Injection materials 8
- 5.12 Patching compounds 8
- 5.13 Equivalent materials 8
- 5.14 Protection 8

6 Evaluation of existing structure 9

- 6.1 General requirements 9
 - 6.1.1 General 9
 - 6.1.2 Scope 9
 - 6.1.3 Causal factors 9
- 6.2 Evaluation procedures 10
 - 6.2.1 General 10
 - 6.2.2 Visual survey and monitoring 10
 - 6.2.3 Determination survey 10
 - 6.2.3.1 Coring program 10
 - 6.2.3.2 Test pits 11
 - 6.2.3.3 Corrosion activity measurements 11
 - 6.2.3.4 Covermeter survey 11
 - 6.2.3.5 Reinforcement survey 11
 - 6.2.3.6 In-place tensile tests; impact hammer, ultrasonic, radiographic, and radar penetration surveys; and chemical and petrographic analyses 11

6.2.10	Load testing	11
6.3	Evaluation report	12
7	Repair design specifications	12
7.1	Objective	12
7.2	General requirements	12
7.2.1	Design	12
7.2.2	Details	12
7.3	Technical requirements	13
7.3.1	Crack and joint repair	13
7.3.2	Localized repair of concrete delamination and spall	13
7.3.3	Concrete surface repair	13
7.3.4	Partial- and full-depth structural repair and strengthening	14
7.3.5	Compatibility	14
7.3.6	Certification	14
7.3.7	Temporary support	14
7.3.8	Protection	15
7.3.9	Hazardous materials and areas	15
7.3.10	Material substitutions	15
7.3.11	Appearance	15
8	Repair	15
8.1	General	15
8.2	Removal	15
8.3	Identification	15
8.4	Shoring and falsework	15
8.5	Concrete	16
8.6	Reinforcement	16
8.7	Removal methods	16
8.7.1	General	16
8.7.2	Impact hammers	16
8.7.3	Hydro-demolition	16
8.7.4	Sawcutting	16
9	Preparation	16
9.1	Concrete surfaces	16
9.2	Reinforcement	17
9.2.1	Cleaning	17
9.2.2	Loss of section	17
9.3	Embedded hardware	17
9.4	Crack treatment	17
10	Placement, finishing, and curing	17
10.1	General	17
10.2	Materials	17
10.3	Reinforcement	17
10.3.1	Materials	17
10.3.2	Positioning of reinforcement	18
10.3.3	Splices	18
10.3.4	Welded splices	18
10.3.5	Mechanical splices	18
10.4	Bonding agents	18
10.4.1	Compatibility	18
10.4.2	Timing	18

- 10.5 Concrete 18
- 10.5.1 General 18
- 10.5.2 Mix design 18
- 10.5.3 Appearance 18

11 Quality control 19

- 11.1 General 19
- 11.2 Program and report 19
- 11.3 Shoring and falsework 19
- 11.4 Removal of concrete and reinforcement 19
- 11.5 Preparation 19
- 11.6 Placement of concrete 19
- 11.7 Testing 19
 - 11.7.1 Frequency and type 19
 - 11.7.2 Personnel and laboratory 20
 - 11.7.3 Reporting 20

12 Maintenance procedures 20

- 12.1 Objective 20
- 12.2 Maintenance program 20

13 Related considerations 20**Annexes**

- A** (informative) — Commentary on repair of reinforced concrete in buildings 21
- B** (informative) — Commentary on evaluation of existing structure 26
- C** (informative) — Protection materials and systems 30
- D** (informative) — Maintenance guidelines 35

Preface

This is the second edition of CSA S448.1, *Repair of reinforced concrete in buildings and parking structures*. It replaces the previous edition, published in 1993.

This Standard specifies minimum requirements for the investigation, design, and execution of repair work needed to restore reinforced concrete structural components of buildings to a safe and serviceable state. It provides a framework for the design of repair projects and covers repair techniques and materials in a general way; engineers are responsible for selecting appropriate procedures and materials to obtain the desired performance.

This Standard covers the repair of regular (i.e., not pre-stressed or post-tensioned) reinforced concrete structural elements in buildings and parking structures. This Standard addresses the need to ensure the structural integrity and safety of a building during the repair period and the need for the engineer to establish follow-up maintenance and monitoring programs for implementation by the building owner.

This Standard reflects the current state of knowledge regarding concrete repair technology. It recognizes that, in the design of a repair project, the engineer works closely with the owner to determine the owner's requirements for service life following repair and his or her commitment to regular maintenance of the structure.

This Standard was prepared by the Technical Committee on Repair of Reinforced Concrete in Buildings, under the jurisdiction of the Strategic Steering Committee on Structures (Design), and has been formally approved by the Technical Committee.

July 2010

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation should:
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.

S448.1-10

Repair of reinforced concrete in buildings and parking structures

1 Scope

1.1

This Standard specifies requirements for the repair of reinforced structural concrete components of buildings and parking structures.

1.2

This Standard does not cover repairs to

- (a) pre-stressed, including post-tensioned, components and structures; or
- (b) non-structural slabs-on-grade.

1.3

This Standard does not cover repairs to

- (a) docks and wharves;
- (b) highway bridges;
- (c) bins, tanks, and silos; or
- (d) treatment plants.

1.4

This Standard is generally limited to materials and procedures pertaining to repairs that are accepted as industry standard and based on sound engineering practice. This Standard does not prohibit the use of innovative procedures and materials provided that

- (a) such procedures are carried out by persons qualified in the specific methods applied;
- (b) an acceptable level of safety and performance is provided when one of the following methods is used:
 - (i) analysis based on generally established theory;
 - (ii) evaluation of a full-scale structure or a prototype; or
 - (iii) studies of model analogues; and
- (c) such methods are acceptable to the owner.

1.5

This Standard specifies requirements for the preparation of recommendations for installation of appropriate protection materials or systems and for post-repair maintenance schedules in order to provide protection to repaired structures and components.

1.6

In Canadian standards, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; and "may" is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.