



Durability in buildings



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF form.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA S478:19

April 2019

Title: *Durability in buildings*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **24257-0**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada



A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA S478:19 *Durability in buildings*



*®A trademark of the Canadian Standards Association,
operating as "CSA Group."*



*Published in April 2019 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 91.080
ISBN 978-1-4883-1849-8*

*© 2019 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Designing for Durability	4
Preface	7
0 Introduction	8
1 Scope	8
2 Reference publications and bibliography	10
2.1 Reference publications	10
2.2 Bibliography	11
3 Definitions	11
4 Fundamental durability requirements	13
4.1 Durability and design service life	13
4.2 Service life requirement	13
4.3 Satisfying service life requirements — Agents and degradation	13
4.4 Design compliance	13
4.5 Fabrication and construction compliance	14
4.6 Maintenance, repair, and renovation compliance	14
4.6.1 General	14
4.6.2 Maintenance plan	14
4.6.3 Repair	14
4.6.4 Renovation	14
4.7 Communication of the building durability plan	14
5 Quality management during design, construction, maintenance, and operation	14
5.1 General	14
5.2 Quality management requirements	15
5.2.1 Design stage	15
5.2.2 Construction stage	15
5.2.3 Operation and maintenance	15
5.2.4 Renovation and repair stages	15
6 Design service life of buildings and building elements	16
6.1 Building	16
6.1.1 Determination of design service life	16
6.1.2 Minimum design service life	16
6.2 Building elements	16
6.2.1 Determination of design service life	16
6.2.2 Minimum design service life	16
6.2.3 Determination of building element design service life	16
6.2.4 Difficulty and cost of maintenance	16
6.2.5 Consequences of failure	17
6.3 Specification of design service life	17

7	Predicted service life of building elements	17
7.1	General	17
7.2	Methods to predict service life	18
7.3	Demonstrated effectiveness	19
7.4	Modelling of degradation processes	19
7.5	Testing	20
8	Design considerations	20
8.1	General	20
8.2	Innovation	20
8.3	Materials selection	21
8.4	Detailing and buildability	21
8.5	Operation and maintenance	21
8.6	Life cycle cost	21
9	Construction considerations	22
9.1	Role of designers	22
9.1.1	Review of design alternatives	22
9.1.2	Quality assurance	22
9.2	Role of contractors, fabricators, and suppliers	22
9.2.1	Review of design documents	22
9.2.2	Quality assurance	22
9.2.3	Protection during construction	23
10	Operation, maintenance, and inspection	23
10.1	Operation	23
10.2	Maintenance and inspections	23
11	Repair work	23
11.1	General	23
11.2	Repairs to building elements — service life	23
12	Renovation	24
12.1	Renovation service life	24
12.2	Assessment of the existing building and building elements	24
12.3	Environmental changes	24
12.4	Impact of building element replacement/upgrades on other building elements	24
13	Building durability plan	24
<hr/>		
	Annex A (informative) — How to use this Standard	28
	Annex B (informative) — Life cycle costs of buildings	32
	Annex C (informative) — Assessment of environmental conditions	33
	Annex D (informative) — Degradation mechanisms and mitigation strategies for building materials	56
	Annex E (informative) — Climate change effects on the durability of building materials and building elements	75
	Annex F (informative) — The building envelope	90
	Annex G (informative) — Designer considerations for design alternatives and the quality management program	94

Annex H (informative) — Bibliography 98

Currently in preview, click buy full version

Technical Committee on Designing for Durability

G.R. Genge	Arbitech Inc., Sutton West, Ontario, Canada <i>Category: Architectural/Engineering</i>	<i>Chair</i>
D. De Rose	Toronto, Ontario, Canada <i>Category: Architectural/Engineering</i>	<i>Vice-Chair</i>
J. Baker	WESTLab Canada, Ottawa, Ontario, Canada <i>Category: General Interest</i>	
R. Burak	Canadian Precast/Prestressed Concrete Institute, Ottawa, Ontario, Canada	<i>Non-voting</i>
S. Ciarlo	Owens Corning Canada, St-Léonard, Québec, Canada <i>Category: Supplier/Fabricator/Constructor</i>	
J. English	Tricon Capital Group, Toronto, Ontario, Canada <i>Category: User Interest</i>	
G. Finch	RDH Building Science Inc., Vancouver, British Columbia, Canada	<i>Non-voting</i>
S.H. Foo	Public Services and Procurement Canada, Gatineau, Québec, Canada <i>Category: User Interest</i>	
H. Ge	Concordia University, Montréal, Québec, Canada <i>Category: General Interest</i>	
G. Hildebrand	exp Services Inc., Brampton, Ontario, Canada	<i>Non-voting</i>
L. Jarrett	Environment and Climate Change Canada, Toronto, Ontario, Canada <i>Category: General Interest</i>	

M. Johnson	Crossbridge Condominium Services Ltd., Toronto, Ontario, Canada <i>Category: User Interest</i>	
R.J. Jonkman	Canadian Wood Council, Ottawa, Ontario, Canada	<i>Non-voting</i>
P. Kelly	Meridian Brick, Burlington, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
T.J. Kesik	Daniels Faculty, University of Toronto, Toronto, Ontario, Canada	<i>Non-voting</i>
M.A. Lacasse	National Research Council of Canada, Ottawa, Ontario, Canada <i>Category: General Interest</i>	
R. Lepage	RDH Building Science Inc., Victoria, British Columbia, Canada	<i>Non-voting</i>
R.F. Mazza	Read Jones Christoffersen Ltd., Toronto, Ontario, Canada	<i>Non-voting</i>
J.A. McKay	Morrison Hershfield Limited, Ottawa, Ontario, Canada	<i>Non-voting</i>
R.A. McPhee	Canadian Wood Council, Ottawa, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
O.S. Ooi	ReaConcrete Consultants Inc., Richmond, British Columbia, Canada	<i>Non-voting</i>
L. Peer	Read Jones Christoffersen Ltd., Kelowna, British Columbia, Canada <i>Category: Architectural/Engineering</i>	
M. Perez	Canadian Sheet Steel Building Institute (CSSBI), Cambridge, Ontario, Canada	<i>Non-voting</i>
K. Quattrociochi	EllisDon Corporation, Mississauga, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	

L. Rachlin	Quadrangle Architects Limited, Toronto, Ontario, Canada	<i>Non-voting</i>
D. Sandink	Institute for Catastrophic Loss Reduction (ICLR), Toronto, Ontario, Canada	<i>Non-voting</i>
G.R. Sturgeon	BBSTEK Design Ltd., Millarville, Alberta, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
M. Touchie	University of Toronto, Toronto, Ontario, Canada <i>Category: General Interest</i>	
P. Vegh	exp Services Inc., Brampton, Ontario, Canada <i>Category: Architectural/Engineering</i>	
J. Wells	Crosier Kilgour & Partners Limited, Winnipeg, Manitoba, Canada <i>Category: Architectural/Engineering</i>	
T.A. Weston	DuPont Building Innovations, Richmond, Virginia, USA	<i>Non-voting</i>
M. Zeghal	National Research Council of Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
K. Crew	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the second edition of CSA S478, *Durability in buildings*. It supersedes the first edition, published in 1995 under the title *Guideline on Durability in Buildings*. The first edition of CSA S478 was issued as a guidance document. This second edition has been developed as a Standard so that it can be referenced in the *National Building Code of Canada (NBC)*.

This Standard sets forth minimum requirements to assist designers in creating durable buildings. Annexes to the Standard provide a framework within which the design service life of a building or a building element can be determined and specified. Other annexes to the Standard provide general guidance on the environmental and other design factors that have an impact on the durability of a building, a building material, and/or a building component.

The Standard carries forward from its first edition as a guideline an emphasis on the need to consider both initial and long-term costs, maintenance, and replaceability in the selection of materials and components.

This Standard is intended to evolve as more information on environmental loads and the impact on building durability becomes available.

This Standard was prepared by the CSA Technical Committee on Designing for Durability, under the jurisdiction of the Construction and Civil Infrastructure Strategic Steering Committee, and was formally approved by the Technical Committee. This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA S478:19

Durability in buildings

0 Introduction

Premature degradation of buildings, resulting in costly repairs and disruptions in use, is increasing in scope and magnitude. The annual costs related to such repairs and disruptions have reached multimillion dollar levels. In addition, the design of buildings requires a new perspective that includes future environmental loads in addition to codified loads, and those environmental and physical loads require that designers, owners, and constructors all assume responsibility for assuring that buildings and building elements will remain durable and serve their intended function for their specified design service lives.

The issue of durability has been addressed in numerous public documents, including the *National Building Code of Canada* (NBC), materials and installation standards published by standards-writing bodies worldwide, and numerous publicly distributed publications and manuals of good practice. Consideration of the issue of durability, however, has often been limited to the effects of premature degradation. This Standard includes additional considerations (e.g., the maintenance procedures that are expected to be necessary) that designers must take into account to address durability and avoid premature degradation throughout the life of a building.

This Standard is based on the impact on buildings and building elements of known action effects and requires that designers consider those effects and the repair or replacement procedures required to maintain durability throughout a specified design service life. Annexes have been provided to supplement, qualify, or expand on various topics covered in the Standard.

This Standard also introduces the issue of climate change and its potential effects on buildings and building elements. It is anticipated that designers will need to factor into their designs the environmental loads and action effects resulting from climate change. Environmental data factoring in climate change were not available when this Standard was developed. As information on environmental loads evolves, so too will this Standard and other information available to designers.

The following concepts are key to this Standard:

- a) the achievement of durability requires that service life be considered in the design procedures for buildings and their building elements;
- b) beginning with the initial concept for a building, the design process is to take into account the structure environment and agents to which the building elements will be exposed and the action effects arising from environmental action; and
- c) decisions taken during the design of a building, and even before the development of design documents, affect all subsequent decisions and resultant performance.

1 Scope

1.1

This Standard provides criteria and requirements for the design of a durable building and its building elements and includes provisions for cost analysis and management and for a quality management

program for the design, construction, operation, maintenance, repair, and renovation of a building and its building elements.

1.2

This Standard applies to the building and to building elements that

- a) are required to resist loads from the structure environment and the effects of those loads;
- b) are exposed to exterior space or the ground;
- c) separate interior space from exterior space or separate interior space from the ground; or
- d) separate environmentally dissimilar interior spaces.

1.3

This Standard includes the following:

- a) definitions for performance, failure, service life, and other concepts related to the durability of a building or building element;
- b) fundamental durability requirements for the design of a new building or the repair or renovation of an existing building and building elements;
- c) compliance criteria for the design for durability of a building and building elements, including requirements for design service life and predicted service life;
- d) compliance criteria for construction processes that affect durability;
- e) compliance criteria for quality management and for an operation, maintenance, and inspection program;
- f) for existing buildings, requirements for investigation and assessment of degradation of a building and building elements and for repair and maintenance; and
- g) guidance on the use of this Standard to
 - i) select a design service life for a building and building elements;
 - ii) determine a predicted service life;
 - iii) assess structure environments; and
 - iv) understand degradation mechanisms.

1.4

This Standard is intended to be used throughout all stages of the building life cycle, as follows:

- a) by designers, working from design conception to building handover;
- b) by building owners, particularly after building handover;
- c) for operation and maintenance, in conjunction with the designer; and
- d) for repair and renovation.

Note: *As a minimum, designers should consult with the building owner from design conception to building handover. The nature of the contract between the designer and the owner might affect the assignment of responsibilities for implementing the Standard after building handover. However, the intent is to ensure seamless transition and effective cooperation and communication between the designer and the owner throughout all stages of the building life cycle to ensure durability and reliability.*

1.5

The following are not within the scope of this Standard:

- a) durability of mechanical systems, electrical systems, and services in buildings; and
- b) durability of building finishes, except those providing a performance control function.

Notes:

- 1) *Although the Standard does not specifically address mechanical systems, electrical systems, and services, such systems and services should be taken into account in an integrated design for durability of a building and building elements.*

- 2) *The loads on a building and building elements that result from the operation of mechanical and electrical systems and services should be considered along with the structure environment and structural loads.*

1.6

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.

2 Reference publications and bibliography

2.1 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

CSA Group

S413-14

Parking structures

ASTM International (American Society for Testing and Materials)

E3054/E3054M-16

Standard Guide for Characterization and Use of Hygrothermal Models for Moisture Control Design in Building Envelopes

European Committee for Standardization

EN 15026:2007

Hygrothermal performance of building components and building elements — Assessment of moisture transfer by numerical simulation

ISO (International Organization for Standardization)

2394:2015

General principles on reliability for structures

13823:2008

General principles on the design of structures for durability

15686-1:2011

Buildings and constructed assets — Service life planning — Part 1: General principles and framework