



CSA W200:18
National Standard of Canada
(reaffirmed 2023)



Design of bioretention systems



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by treaty or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way, or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA W200:18
October 2018

Title: *Design of bioretention systems*

To register for e-mail notification about any updates to this publication

- go to www.csagroup.org/store/
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **270518**

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada’s economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA W200:18

Design of bioretention systems



®A trademark of the Canadian Standards Association,
operating as "CSA Group"



*Published in October 2018 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at
www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.*

ICS 93.010
ISBN 978-1-4883-1430-8

© 2018 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.

Contents

Technical Committee on Green Infrastructure for Stormwater Management 4

Subcommittee on Design of Bioretention Systems 7

Preface 9

0 Introduction 10

1 Scope 11

1.1 General 11

1.2 Bioretention systems covered by this Standard 11

1.3 Bioretention systems not covered by this Standard 11

1.4 Terminology 11

2 Reference publications 12

3 Definitions, abbreviations, and symbols 15

3.1 Definitions 15

3.2 Abbreviations 20

3.3 Symbols 20

4 Roles and responsibilities 20

4.1 General 20

4.2 Design team lead 21

4.3 Design team 21

5 Typical performance and design criteria 21

5.1 Overview 21

5.2 Typical bioretention performance 22

5.2.1 Design objectives 22

5.2.2 Design factors affecting performance 22

5.2.3 Site factors affecting performance 23

5.2.4 Design factors for improved pollutant removal rates 23

5.3 Bioretention design criteria 23

5.4 Climate change 24

6 Bioretention site planning, criteria, and constraints 24

6.1 Typical bioretention system locations 24

6.2 Suitability 27

6.2.1 General 27

6.2.2 Considerations for site suitability 27

6.2.3 High-risk site activities 27

6.2.4 Aquifer and wellhead protection 29

6.2.5 Available space 30

6.2.6 Catchment topography and siting 30

6.2.7 Available head 30

6.2.8 Water table 31

6.2.9	Subgrade soils	31
6.2.10	Contributing catchment area	31
6.2.11	Proximity to utilities	32
6.2.12	Setbacks from buildings	32
6.2.13	Protection of roadways	33
6.3	Safety	33
7	Background investigations	33
7.1	General	33
7.2	Soils and geotechnical assessment	34
7.2.1	General	34
7.2.2	Background evaluation of geotechnical material (Step 1)	34
7.2.3	Test pit or soil boring observations (Step 2)	34
7.2.4	Saturated hydraulic conductivity (Step 3)	34
7.3	Selection of geotechnical design parameters	35
7.3.1	General	35
7.3.2	Conversion from field measured hydraulic conductivity to design saturated conductivity	35
7.3.3	Changes due to clogging	36
8	Cold climate suitability	36
8.1	General	36
8.2	Cold climate challenges	36
8.3	Cold climate design modifications	36
8.3.1	General	36
8.3.2	Snow management	37
9	Bioretention design	37
9.1	Design process	37
9.2	Design functions and configurations	38
9.2.1	General	38
9.2.2	Key features defining configurations	40
9.2.3	Bioretention systems without an underdrain	42
9.2.4	Bioretention systems with an underdrain at the invert	44
9.2.5	Bioretention systems with an elevated underdrain	44
9.2.6	Bioretention systems with an impervious liner	45
9.2.7	On-line and off-line bioretention systems	46
9.3	Sizing the system	47
9.3.1	Evaluation of design discharges and design volume	47
9.3.2	Recommended depth parameters	48
9.3.3	Storage calculations	48
9.3.4	Footprint area calculations	51
9.3.5	Bioretention media	51
9.3.6	Bioretention system materials specifications	53
9.3.7	Inlets	54
9.3.8	Pre-treatment	55
9.3.9	Outlets and flow diversion structures	57
9.3.10	Underdrains	59
9.3.11	Underdrain valve	60
9.3.12	Underdrain flow regulator	60

9.4	Design considerations for erosion and sediment control	60
9.4.1	Sediment and erosion control plan	60
9.4.2	Construction sequencing	60
9.5	Plant material specifications	61
9.5.1	General	61
9.5.2	Plant types	61
9.5.3	Plant material selection considerations	61
9.5.4	Plant material palette	63
9.5.5	Planting strategy	63
9.5.6	Plant material size for contract documents	64
9.5.7	Seeding specification for contract documents	64
10	Operation and maintenance considerations for design	64
10.1	General	64
10.1.1	Importance of maintenance	64
10.1.2	Maintenance schedules	64
10.2	Operation and maintenance tasks for bioretention systems	65
10.3	Operation and maintenance plan	65
10.4	Inspection frequency	66
11	Documentation	66
11.1	General	66
11.2	Design report/brief	66

Annex A (informative)	— Bibliography	68
Annex B (informative)	— Saturated hydraulic conductivity, infiltration, and percolation rates	71
Annex C (informative)	— Examples of plant materials used in bioretention systems	81

Technical Committee on Green Infrastructure for Stormwater Management

B. van Duin	City of Calgary, Calgary, Alberta, Canada <i>Category: Broader Public Interest</i>	<i>Chair</i>
M. Bouchard-Valentine	Ministère du Développement durable de l'Environnement/ changements climatiques, Québec, Québec, Canada <i>Category: Broader Public Interest</i>	<i>Vice-Chair</i>
M. Ahmad	City of Mississauga, Mississauga, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
S. Boudreau	Toronto and Region Conservation Authority, Toronto, Ontario, Canada <i>Category: Broader Public Interest</i>	
P. Cheung	City of Toronto-Toronto Water, Toronto, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
K. Clogg-Wright	MPE Engineering Ltd., Calgary, Alberta, Canada	<i>Non-voting</i>
C. Denich	Geac for Beech Limited, Guelph, Ontario, Canada <i>Category: Engineering Consultant</i>	
M. Gazi	City of Calgary, Calgary, Alberta, Canada <i>Category: Owner/Operator/Producer</i>	
N. Gill	Eagle Lake Professional Landscape Supply, Calgary, Alberta, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
S.D. James	Sean James Consulting & Design, Milton, Ontario, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	

M. James	DeepRoot Canada Corp., Vancouver, British Columbia, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
C. Johnston	Kerr Wood Leidal Associates Ltd., Burnaby, British Columbia, Canada <i>Category: Engineering Consultant</i>	
J. Laidlaw	Stantec Consulting Ltd., Calgary, Alberta, Canada <i>Category: Engineering Consultant</i>	
J. Legg	SGS Canada Inc., Guelph, Ontario, Canada	<i>Non-voting</i>
N. McKeown	Gro-Bark (Ontario) Ltd., Caledon, Ontario, Canada <i>Category: Supplier/Contractor/Consultant Interest</i>	
J. Michels	Emmons & Olivier Resources, Inc., Oakdale, Minnesota, USA <i>Category: Engineering Consultant</i>	
A. Neufeld	Township of Langley, Langley, British Columbia, Canada <i>Category: Broader Public Interest</i>	
K. Northcott	Town of Richmond Hill, Richmond Hill, Ontario, Canada	<i>Non-voting</i>
G. Rivard	Isabelle/NHC, Montréal, Quebec, Canada	<i>Non-voting</i>
H. Shirkhani	National Research Council Canada, Ottawa, Ontario, Canada <i>Category: Broader Public Interest</i>	
S. Struck	Geosyntec Consultants, Lafayette, Colorado, USA <i>Category: Engineering Consultant</i>	
D. Young	Toronto and Region Conservation Authority, Toronto, Ontario, Canada	<i>Non-voting</i>

L. van Duin	Alberta Low Impact Development Partnership, Calgary, Alberta, Canada	<i>Non-voting</i>
L. Barber	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Subcommittee on Design of Bioretention Systems

G. Rivard	Lasalle/NHC, Montréal, Quebec, Canada	<i>Chair</i>
L. Morgan	Kerr Wood Leidal Associates Ltd, Burnaby, British Columbia, Canada	<i>Vice-Chair</i>
K. Clogg-Wright	MPE Engineering Ltd, Calgary, Alberta, Canada	
D. Dagenais	Université de Montréal, Montréal, Québec, Canada	
C. Denich	Aquafor Beech Limited, Guelph, Ontario, Canada	
J. Douglass	Jenkins Soil Mixtures, Toronto, Ontario, Canada	
M. Dugué	Vinci Consultants, Montréal, Québec, Canada	
M. Glorieux	Groupe Rousseau Lefebvre, Laval, Québec, Canada	
M. James	DeepRoot Canada Corp, Vancouver, British Columbia, Canada	
J. Laidlaw	Stantec Consulting Ltd, Calgary, Alberta, Canada	
J. Lambert	Ville de Victoriaville, Victoriaville, Québec, Canada	
H. Shirkhani	National Research Council Canada, Ottawa, Ontario, Canada	
R. Traver	Villanova University, Center for Resilient Water Systems, Villanova, Pennsylvania, USA	

L. van Duin

Alberta Low Impact Development Partnership,
Calgary, Alberta, Canada

D. Young

Toronto and Region Conservation Authority,
Toronto, Ontario, Canada

L. Barber

CSA Group,
Toronto, Ontario, Canada

Project Manager

Preface

This is the first edition of CSA W200, *Design of bioretention systems*.

It should be noted that this Standard, by itself, does not have the force of law unless it is officially adopted by a regulatory authority. Since regulatory authorities can adopt the Standard with certain exceptions or additional requirements, it is recommended that the regulatory authority of the relevant jurisdiction be consulted in order to establish the extent to which this Standard has been adopted. Where this Standard conflicts with regulatory requirements, the regulatory requirements take precedence.

This project was made possible through the generous support of the National Research Council Canada as part of its Climate Resilient Buildings and Codes Infrastructure initiative.

This Standard was developed by the Subcommittee on Design of Bioretention Systems, under the jurisdiction of the Technical Committee on Green Infrastructure for Stormwater Management and the Strategic Steering Committee on Natural Resources, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at <https://standardsactivities.csagroup.org>.

- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*